

4MXM80A8

230V 50Hz calefacción

Unidad exterior	Unidad interior	Capacidad de calefacción [kW]				Capacidad total [kW]			Consumo [kW]			Corriente total [A]			Factor de potencia [%]
		Ambiente A	Ambiente B	Ambiente C	Ambiente D	Mínimo	Nominal	Máxima	Mínimo	Nominal	Máxima	Mínimo	Nominal	Máxima	
	1.5	2.70	-	-	-	1.25	2.70	4.12	0.29	0.47	0.85	1.33	2.14	4.00	95
	2.0	3.00	-	-	-	1.28	3.00	4.27	0.30	0.52	0.90	1.38	2.38	4.20	95
	2.5	3.40	-	-	-	1.33	3.40	4.86	0.32	0.63	1.09	1.46	2.90	5.10	95
	3.5	4.31	-	-	-	1.45	4.31	5.31	0.33	0.94	1.27	1.51	4.40	5.83	95
	4.2	5.18	-	-	-	1.49	5.18	6.16	0.34	1.23	1.58	1.55	5.70	7.25	95
	5.0	6.15	-	-	-	1.86	6.15	7.51	0.43	1.52	2.04	1.95	7.00	9.40	95
	6.0	7.38	-	-	-	2.15	7.38	9.03	0.53	2.04	2.81	2.44	9.40	12.90	95
	7.1	8.74	-	-	-	2.45	8.74	9.39	0.57	2.69	3.00	2.62	12.40	13.80	95
	1.5+1.5	1.85	1.85	-	-	1.45	3.70	7.43	0.41	0.69	1.89	1.89	3.20	8.66	95
	1.5+2.0	1.84	2.46	-	-	1.51	4.30	7.85	0.41	0.85	2.06	1.89	3.90	9.42	95
	1.5+2.5	1.84	3.06	-	-	1.65	4.90	7.99	0.45	1.02	2.11	2.06	4.70	9.65	95
	1.5+3.5	1.83	4.27	-	-	1.94	6.10	8.61	0.52	1.40	2.37	2.37	6.40	10.90	95
	1.5+4.2	1.84	5.16	-	-	2.14	7.00	8.94	0.55	1.71	2.48	2.54	7.90	11.36	95
	1.5+5.0	1.85	6.15	-	-	2.38	8.00	10.44	0.50	1.98	3.02	2.28	9.10	13.82	95
	1.5+6.0	1.80	7.20	-	-	2.68	9.00	10.63	0.44	2.38	3.09	2.10	10.90	14.20	95
	1.5+7.1	1.67	7.93	-	-	3.01	9.60	10.71	0.50	2.62	3.12	2.40	12.00	14.26	95
	2.0+2.0	2.45	2.45	-	-	1.65	4.90	7.99	0.32	1.02	2.11	1.46	4.70	9.65	95
	2.0+2.5	2.44	3.06	-	-	1.80	5.50	8.22	0.35	1.20	2.18	1.59	5.50	10.10	95
	2.0+3.5	2.44	4.26	-	-	2.09	6.70	8.74	0.40	1.60	2.42	1.85	7.40	11.20	95
	2.0+4.2	2.45	5.15	-	-	2.28	7.60	9.07	0.44	1.93	2.53	2.02	8.90	11.59	95
	2.0+5.0	2.43	6.07	-	-	2.68	8.50	10.63	0.44	2.16	3.09	2.10	9.90	14.20	95
	2.0+6.0	2.33	6.98	-	-	2.84	9.30	10.83	0.47	2.50	3.19	2.20	11.50	14.59	95
	2.0+7.1	2.11	7.49	-	-	3.17	9.60	10.97	0.54	2.61	3.23	2.50	12.00	14.80	95
	2.5+2.5	3.05	3.05	-	-	1.94	6.10	8.53	0.39	1.39	2.33	1.76	6.40	10.66	95
	2.5+3.5	3.04	4.26	-	-	2.23	7.30	9.13	0.52	1.84	2.60	2.37	8.50	12.00	95
	2.5+4.2	3.06	5.14	-	-	2.44	8.20	9.41	0.54	2.16	2.67	2.45	9.90	12.30	95
	2.5+5.0	3.00	6.00	-	-	2.68	9.00	10.70	0.44	2.37	3.12	2.10	10.90	14.30	95
	2.5+6.0	2.82	6.78	-	-	3.00	9.60	10.97	0.50	2.61	3.24	2.40	12.00	14.83	95
	2.5+7.1	2.50	7.10	-	-	3.33	9.60	11.01	0.57	2.60	3.20	2.70	11.90	14.65	95
	3.5+3.5	4.25	4.25	-	-	2.52	8.50	9.56	0.55	2.37	2.84	2.54	10.90	12.99	95
	3.5+4.2	4.09	4.91	-	-	2.72	9.00	10.22	0.45	2.53	3.11	2.20	11.60	14.23	95
	3.5+5.0	3.91	5.59	-	-	3.01	9.50	10.96	0.50	2.60	3.26	2.40	12.00	14.90	95
	3.5+6.0	3.54	6.06	-	-	3.33	9.60	11.14	0.57	2.61	3.32	2.70	12.00	15.30	95
	3.5+7.1	3.17	6.43	-	-	3.65	9.60	11.15	0.64	2.60	3.30	3.00	11.90	15.20	95
	4.2+4.2	4.75	4.75	-	-	3.03	9.50	10.01	0.51	2.63	2.91	2.40	12.10	13.31	95
	4.2+5.0	4.38	5.22	-	-	3.16	9.60	11.00	0.53	2.57	3.19	2.50	11.80	14.59	95
	4.2+6.0	3.95	5.65	-	-	3.48	9.60	11.06	0.60	2.55	3.19	2.80	11.70	14.60	95
	4.2+7.1	3.57	6.03	-	-	3.80	9.60	11.07	0.66	2.54	3.17	3.10	11.70	14.60	95
4MXM80M2V1B	5.0+5.0	4.80	4.80	-	-	3.45	9.60	11.10	0.58	2.42	3.02	2.70	11.10	13.82	95
4MXM80N2V1B	5.0+6.0	4.36	5.24	-	-	3.77	9.60	11.15	0.64	2.41	3.02	3.00	11.10	13.90	95
4MXM80N2V1B9	5.0+7.1	3.97	5.63	-	-	3.93	9.60	11.16	0.67	2.40	3.00	3.20	11.00	13.80	95
4MXM80A2V1B	6.0+6.0	4.80	4.80	-	-	3.93	9.60	11.10	0.67	2.40	2.99	3.20	11.00	13.67	95
4MXM80A2V1B9	6.0+7.1	4.40	5.20	-	-	4.25	9.60	11.17	0.74	2.38	2.99	3.40	11.00	13.70	95
4MXM80A2V1B8	7.1+7.1	4.80	4.80	-	-	4.56	9.60	11.25	0.80	2.37	3.02	3.80	10.90	13.80	95
	1.5+1.5+1.5	1.83	1.83	1.83	-	1.80	5.50	10.00	0.40	1.08	2.60	1.85	5.00	11.92	95
	1.5+1.5+2.0	1.83	1.83	2.44	-	1.94	6.10	10.14	0.41	1.24	2.65	1.89	5.70	12.14	95
	1.5+1.5+2.5	1.83	1.83	3.05	-	2.09	6.70	10.21	0.43	1.41	2.66	1.98	6.50	12.30	95
	1.5+1.5+3.5	1.85	1.85	4.31	-	2.38	8.00	10.34	0.47	1.84	2.72	2.15	8.50	12.50	95
	1.5+1.5+4.2	1.81	1.81	5.08	-	2.63	8.70	10.37	0.43	2.05	2.67	2.00	9.40	12.30	95
	1.5+1.5+5.0	1.74	1.74	5.81	-	2.94	9.30	10.49	0.47	2.16	2.58	2.20	9.90	11.79	95
	1.5+1.5+6.0	1.58	1.58	6.33	-	3.10	9.50	11.17	0.50	2.24	2.84	2.40	10.30	13.01	95
	1.5+1.5+7.1	1.43	1.43	6.75	-	3.42	9.60	11.17	0.56	2.25	2.83	2.60	10.30	12.95	95
	1.5+2.0+2.0	1.83	2.44	2.44	-	2.09	6.70	10.27	0.43	1.41	2.70	1.98	6.50	12.36	95
	1.5+2.0+2.5	1.83	2.43	3.04	-	2.23	7.30	10.41	0.45	1.61	2.75	2.06	7.40	12.59	95
	1.5+2.0+3.5	1.82	2.43	4.25	-	2.64	8.50	10.54	0.43	2.02	2.81	2.00	9.30	12.86	95
	1.5+2.0+4.2	1.75	2.34	4.91	-	2.80	9.00	10.58	0.46	2.16	2.73	2.20	9.90	12.51	95
	1.5+2.0+5.0	1.69	2.26	5.65	-	3.10	9.60	10.90	0.50	2.28	2.73	2.40	10.50	12.51	95
	1.5+2.0+6.0	1.52	2.02	6.06	-	3.26	9.60	11.17	0.53	2.25	2.83	2.50	10.40	12.97	95
	1.5+2.0+7.1	1.36	1.81	6.43	-	3.58	9.60	11.18	0.59	2.24	2.82	2.80	10.30	12.91	95
	1.5+2.5+2.5	1.85	3.08	3.08	-	2.38	8.00	10.55	0.47	1.82	2.80	2.15	8.40	12.81	95
	1.5+2.5+3.5	1.80	3.00	4.20	-	2.81	9.00	10.61	0.46	2.19	2.82	2.20	10.10	13.00	95
	1.5+2.5+4.2	1.76	2.93	4.92	-	2.96	9.60	10.64	0.48	2.39	2.76	2.30	11.00	12.70	95
	1.5+2.5+5.0	1.60	2.67	5.33	-	3.10	9.60	11.04	0.50	2.25	2.78	2.40	10.40	12.72	95
	1.5+2.5+6.0	1.44	2.40	5.76	-	3.42	9.60	11.18	0.56	2.24	2.82	2.60	10.30	12.93	95
	1.5+2.5+7.1	1.30	2.16	6.14	-	3.74	9.60	11.18	0.62	2.23	2.81	2.90	10.30	12.87	95
	1.5+3.5+3.5	1.69	3.95	3.95	-	2.97	9.60	10.68	0.49	2.44	2.86	2.30	11.20	13.08	95
	1.5+3.5+4.2	1.57	3.65	4.38	-	3.28	9.60	10.84	0.54	2.39	2.86	2.60	11.00	13.10	95
	1.5+3.5+5.0	1.44	3.36	4.80	-	3.42	9.60	10.97	0.56	2.25	2.74	2.70	10.40	12.60	95
	1.5+3.5+6.0	1.31	3.05	5.24	-	3.74	9.60	11.18	0.62	2.24	2.82	2.90	10.30	12.93	95
	1.5+3.5+7.1	1.19	2.78	5.63	-	4.06	9.60	11.18	0.68	2.23	2.81	3.20	10.30	12.87	95
	1.5+4.2+4.2	1.45	4.07	4.07	-	3.44	9.60	10.80	0.57	2.35	2.77	2.70	10.80	12.70	95
	1.5+4.2+5.0	1.35	3.77	4.49	-	3.57	9.60	11.05	0.59	2.22	2.73	2.80	10.20	12.51	95
	1.5+4.2+6.0	1.23	3.45	4.92	-	3.89	9.60	11.26	0.64	2.21	2.79	3.00	10.10	12.90	95
	1.5+4.2+7.1	1.13	3.15	5.33	-	4.21	9.60	11.26	0.70	2.20	2.78	3.30	10.10	12.80	95
	1.5+5.0+5.0	1.25	4.17	4.17	-	3.88	9.60	11.15	0.63	2.13	2.64	3.00	9.80	12.10	95
	1.5+5.0+6.0	1.15	3.84	4.61	-	4.20	9.60	11.29	0.69	2.12	2.68	3.20	9.70	12.30	95
	1.5+5.0+7.1	1.06	3.53	5.01	-	4.35	9.60	11.43	0.72	2.11	2.72	3.30	9.70	12.50	95
	1.5+6.0+6.0	1.07	4.27	4.27	-	4.35	9.60	11.56	0.72	2.11	2.77	3.30	9.70	12.80	95
	2.0+2.0+2.0	2.50	2.50	2.50	-	2.23	7.50	10.48	0.45	1.67	2.77	2.06	7.70	12.70	95