

EWWQ-B-SS

	380	460	560	640	730	800	860	870	960	C10	C11	C12	C13	C14	C15	C16	C17	C19	C20
Heating Capacity (kW)	54.2	66.2	83.0	89	119	114	146	129	137	175	157	172	185.3	194	254.4	282	301	318.7	344.4
Water Flow (l/s)	2.59	3.16	3.97	4.25	5.70	5.46	6.95	6.18	6.56	8.34	7.52	8.23	8.85	9.27	12.2	13.5	14.4	15.2	16.5
Heat Recovery Pressure Drops (kPa)	34	45	32	34	39	38	35	45	41	40	49	32	35	39	42	49	62	69	86

NOTE

Water flow and pressure drop referred to nominal condition: evaporator water in/out: 12/7°C – condenser water in/out:30/35°C – water heat recovery in/out 40/45°C

EWWQ-B-XS

	420	520	640	730	800	970	C10	C11	C12	C13	C14	C15	C16	C17	C19	C20	C21
Heating Capacity (kW)	54.4	65.5	77.4	93.6	106	125	132	152	149	163	175	183	203	228	253	276	302
Water Flow (l/s)	2.60	3.13	3.70	4.47	5.08	5.99	6.28	7.28	7.11	7.80	8.38	8.72	9.71	10.9	12.1	13.2	14.4
Heat Recovery Pressure Drops (kPa)	41	51	53	47	42	40	40	51	47	41	50	55	52	66	67	84	94

NOTE

Water flow and pressure drop referred to nominal condition: evaporator water in/out: 12/7°C – condenser water in/out:30/35°C – water heat recovery in/out 40/45°C