

Factory-mounted equipment for -EAV(H/X/Z)16S*D(A/J)*7-

Description	EAV(H/X/Z)16S*D(A/J)*7			
	18 - 6V (8)	18 - 9W (8)	23 - 6V (8)	23 - 9W (8)
Heating only model -EAVH*7-	18 - 6V (8)	18 - 9W (8)	23 - 6V (8)	23 - 9W (8)
Reversible model -EAVX*7-	18 - 6V (8)	18 - 9W (8)	23 - 6V (8)	23 - 9W (8)
(Integrated Bizone)	18 - 6V (8)	18 - 9W (8)	23 - 6V (8)	23 - 9W (8)
Backup heater -2-4-6kW 1N~230 V-	o	-	o	-
Backup heater -2-4-6kW 3~230 V-	o	-	o	-
Backup heater -3-6-9kW 3N~400 V-	-	o	-	o
Domestic hot water tank -180L-	o	o	-	-
Domestic hot water tank -230L-	-	-	o	o

Outdoor combination table for -EAV(H/X/Z)16S(U)18/23)D(A/J)*7-

		EPGA11DAV37	EPGA14DAV37	EPGA16DAV37
EAVH16S(18/23)D(A/J)*7	Heating only indoor unit	o	o	o
EAVX16S(18/23)D(A/J)*7	Reversible indoor unit	o	o	o
EAVZ16S(18/23)DA*7	(Integrated Bizone)	o	o	o
EAVH16SU(18/23)DA*7	Heating only indoor unit for the UK	o	o	o

Kit availability for indoor units

Reference	Description	EAV*16S*D(A/J)*7					
		18 - 6V	18 - 9W	23 - 6V	23 - 9W		
EAVH*7	Heating only indoor unit	18 - 6V	18 - 9W	23 - 6V	23 - 9W		
EAVX*7	Reversible indoor unit	18 - 6V	18 - 9W	23 - 6V	23 - 9W		
	(Integrated Bizone)						
EAVZ*7		18 - 6V	18 - 9W	23 - 6V	23 - 9W		
EAVH16SU*7	Heating only indoor unit for the UK					18 - 6V	23 - 6V
EKRP1HBAA	Digital I/O PCB	*(1) (2)	o	o	o	o	o
EKRP1AHTA	Demand PCB	*(3)	o	o	o	o	o
BRC1HHDA	Simplified user interface		o	o	o	o	o
EKPCAB4	PC cable	*(4)	o	o	o	o	o
KRCS01-1	Remote indoor sensor	*(5)	o	o	o	o	o
EKRSCA1	Remote sensor for outdoor	*(5)	o	o	o	o	o
BRP069A61	LAN adapter for smartphone control		o	o	o	o	o
BRP069A62	LAN adapter for smartphone control		o	o	o	o	o
EKCC8-W	Universal centralised user interface		o	o	o	o	o
EKHVCONV2	Conversion kit: heating only to reversible.		o	o	o		
EKHUWG3D	-G3- kit					o (9)	o (9)
FWXV15AVEB	Heat pump convector	*(6)	o	o	o	o	o
FWXV20AVEB	Heat pump convector	*(6)	o	o	o	o	o
EKVKHPC	Heat pump convector valve kit		o	o	o	o	o
EKRTWA	Wired room thermostat		o	o	o	o	o
EKRTR1	Wireless room thermostat		o	o	o	o	o
EKRTE5	External sensor room thermostat	*(7)	o	o	o	o	o

Kit availability for outdoor units

	EPGA11DAV37	EPGA14DAV37	EPGA16DAV37
EKBPH140L7	Bottom plate heater	o	o

Reference	Description	EAVH*7	EAVX*7
BZKA7V3	Bizone kit	o	o

Notes

- (c) Remote alarm output
- (2) Additional relays to allow bivalent control in combination with an external room thermostat are field-supplied.
- (3) PCB to receive up to -4- digital inputs for power limitation
- (4) Data cable for connection with PC.
- (5) Only 1 remote sensor can be connected: indoor OR outdoor sensor.
- (6) The valve kit is mandatory if a heat pump convector is installed on a reversible model (not mandatory for heating only models).
- (7) -EKRTETS- can only be used in combination with -EKTR1-
- (8) The backup heater capacity depends on a user interface setting.
- (9) This kit is mandatory for the UK models.

Remark

Other combinations than mentioned in this combination table are prohibited.