



Nome progetto Project name Nom de projet Projektname Nombre de proyecto				Versione Version Version Version Version	BASE	NOTE NOTES NOTES ANMERKUNGEN NOTAS
Linea di alimentazione Electrical suppy line Ligne d'alimentation Spannungsversorgung Linea de alimentacion				Circuiti ausiliari Auxiliary circuits Circuits auxiliaires Hilfsstromkreis Circuitos auxiliares	230-24V 50 Hz	
Tipo unità Type unit Dactylographiez l'unité Baureihe Einheit Tipo unidad				ROOFTOP		
Revisione Review Revue Berichtigung Revision		Descrizione Description Description Beschreibung Descripción				
11						

Specifiche elettriche
Specific electrical workers
Ouvriers électriques spécifiques
Elektrotechnische Angaben
Especificaciones electricas

MOD.	COMPRESSORI COMPRESSORS COMPRESSEURS KOMPRESSOR COMPRESORES (HP) COMPRESORES	VENTILATORE CONDENSANTE COND. FAN COND. VENTILATEUR VERFLUESSIGERVENTILATOR VENTILADOR CONDENSACION (kW) COMPRESORES	VENTILATORE(I) MAN. DELIVERY FAN(S) VENTILATEUR(S) REFOULEMENT ABLUFVENTILATOR (kW) COMPRESORES	VENTILATORE ASPIRAZIONE SUCTION FAN VENTILATEUR ASPIRATION ZULUFVENTILATOR (kW) COMPRESORES
UATYA25BBAY1	1x 7,7kW	1x 1,04kW	1x 1,3kW	

Caratteristiche elettriche

Electrical characteristic

Caractéristique électrique

Elektrotechnische Angaben

Especificaciones electricas

MOD.	Icc (KA)	MIC (A)	FLA (A)	Inom (A)	Cosφ	Ssc(MVA)	*Protezione Linea *Line Protection *Protection Ligne *Elektrische Absicherung * Protección de línea	*Sez. Linea mm² *Line Section mm² * Ligne mm² de section * Kabelquerschnitt mm² * Sección Línea mm² L.max = 50m
UATYA25BBAY1	25	9,1	15,4	13,25	0,95	2,7	CH10gG 25A	4mmq

MOD.
TAGLIA UNITÀ
UNIT SIZE
UNITE
GRÖßE EINHEIT
TAMAÑO DE LA UNIDAD

VER.
VERSIONE
VERSION
VERSION
VERSION
VERSION

Icc (KA)
CORRENTE DI CORTO CIRCUITO MASSIMA
MAX. SHORT-CIRCUIT CURRENT
MAX. COURT-CIRCUIT
MAX. KURZSCHLUSSSTROM
CORRIENTE MÁXIMA EN CORTOCIRCUITO

MIC (A)
MASSIMO VALORE EFFICACE "RMS" DELLA CORRENTE, ALL'AVVIO DELL'ULTIMO COMPRESSORE
MAXIMUM "RMS" VALUE OF THE CURRENT, ON START-UP OF THE LAST COMPRESSOR
VALEUR EFFICACE MAXIMALE "RMS" DU COURANT, AU DEMARRAGE DU DERNIER COMPRESSEUR.
MAXIMALER EFFEKTIVWERT (RMS) DER STROMSTÄRKE BEIM ANLAUFEN DES LETZTEN VERDICHTERS
VALOR MÁXIMO EFECTIVO "RMS" DE LA CORRIENTE, AL ARRANQUE DEL ÚLTIMO COMPRESOR

FLA (A)
MASSIMA CORRENTE A PIENO CARICO DELL'UNITÀ
MAX. FULL LOAD AMPS OF THE UNIT
MAX. CONSOMMATION DE COURANT DE L'UNITÉ
MAX. STROMAUFNAHME DER EINHEIT
CORRIENTE MÁXIMA A CARGA COMPLETA DE LA UNIDAD


Inom (A)
ASSORBIMENTO DI CORRENTE DELL'UNITÀ AI VALORI NOMINALI DI PROGETTO
CURRENT CONSUMPTION OF THE UNIT AT DESIGN CONDITION
CONSOMMATION DE COURANT DE L'APPAREIL À L'ÉTAT DE CONCEPTION
STROMAUFNAHME DER EINHEIT BEI AUSLEGUNGSBEDINGUNG
CONSUMO ACTUAL DE LA UNIDAD A LOS VALORES NOMINALES DE DISEÑO


Cosφ
FATTORE DI POTENZA
POWER FACTOR
FACTEUR DE PUISSANCE ÉLECTRIQUE
ELEKTRISCHER LEISTUNGSFAKTOR
FACTOR DE POTENCIA


QUESTA È SOLO UN'INDICAZIONE DIMENSIONAMENTO E COLLEGAMENTI DI FUSIBILI E DEI CAVI DA EFFETTUARE IN LOCO
THIS IS A GUIDE ONLY. DESIGN AND ASSEMBLY OF FUSES AND CABLE ON SITE
CE N'EST QU'UN GUIDE. CONCEPTION ET ASSEMBLAGE DES FUSIBLES ET DES CÂBLES SUR LE SITE
DIES IST EINE RICHTWERT. AUSLEGUNG UND MONTAGE ABSICHERUNG UND ZULEITUNG BAUSEITS
*A CARGO DEL INSTALADOR


Tabella colorazione fili per cablaggio interno quadro elettrico
Color wires table inside the electrical panel
Table de fils de couleur à l'intérieur du tableau électrique
Farbdrahtetabelle innerhalb der elektrischen Verkleidung
Tabla de coloración de cables para el cableado dentro del cuadro eléctrico


Tipo filo Wire type Type de câble Kabel Tipo de hilo	Colore Color Couleur Farbe Color
Fili per circuito 230V Wires for 230V circuit Fils pour circuit 230V Kabel für 230V-Schaltung Cables para circuito de 230V	Rosso Red Rouge Rot Rojo
Fili per circuito 24V Wires for 24V circuit Fils pour circuit 24V Kabel für 24V-Schaltung Cables para circuito de 24 V	Viola Violet Violet Violette Púrpura
Fili per contatti puliti Wires for voltage-free contacts Fils pour contacts sans tension Kabel für potentialfreie Kontakte Alambres para contactos limpios	Arancione Orange Orange Orange Naranja
Fili per segnale 0-10V/pwm Wires for 0-10V / pwm signal Fils pour signal 0-10V / pwm Kabel für 0-10V / pwm Signal Cables de senal 0-10V pwm	Bianco White Blanc Weiß Blanco











19.9 / 00 →


→ 00 / 19.0




-A2

c. pco


J4







-A2




c. pco










c. pco




* *



-W500
BELDEN
Cavo schermato 3xAWG20
BELDEN 8772
3xAWG20 shielded cable
BELDEN 8772x



-A7
TERMINALE A BORDO MACCHINA
UNIT CONTROL TERMINAL
BORNE DE COMMANDE D'UNITÉ
MASSEINHEIT STEUERANSCHLUSS
TERMINAL A BORDO MAQUINA



VERSIONE CON UNA PORTA ETHERNET VERSION WITH ONE ETHERNET PORT

* *

PER SCHEDE CON SINGOLA PORTA ETHERNET (MICA280A)
LA CONNESSIONE DEL TERMINALE A BORDO MACCHINA
E' COMPATIBILE CON LE VERSIONI DEL SOFTWARE HMI $\geq$ 16.5.7






FOR CARDS WITH SINGLE ETHERNET PORT (MICA280A)
THE CONNECTION OF THE TERMINAL ON THE MACHINE
IT IS COMPATIBLE WITH HMI SOFTWARE VERSIONS $\geq$ 16.5.7

*



CONNESSIONI DISPONIBILI AVAILABLE CONNECTIONS

- DATALINK LOCAL NETWORK MANAGEMENT
- ETHERNET MODBUS HTTP
- SNMP PROTOCOL
- BACnet TCP-IP
- TERMINALE REMOTO
REMOTE TERMINAL


c. pco



-W500
BELDEN
Cavo schermato 3xAWG20
BELDEN 8772
3xAWG20 shielded cable
BELDEN 8772x



-A7
TERMINALE A BORDO MACCHINA
UNIT CONTROL TERMINAL
BORNE DE COMMANDE D'UNITÉ
MASSEINHEIT STEUERANSCHLUSS
TERMINAL A BORDO MAQUINA



VERSIONE CON DOPPIA PORTA ETHERNET
VERSION WITH TWO ETHERNET PORTS

* *

PER SCHEDE CON DOPPIA PORTA ETHERNET (MICA224A)
LA CONNESSIONE DEL TERMINALE A BORDO MACCHINA
E' COMPATIBILE CON TUTTE LE VERSIONI DEL SOFTWARE HMI.

FOR BOARDS WITH DOUBLE ETHERNET PORT (MICA224A)
THE CONNECTION OF THE TERMINAL ON THE MACHINE
IS COMPATIBLE WITH ALL THE HMI SOFTWARE VERSIONS.

*


CONNESSIONI DISPONIBILI
AVAILABLE CONNECTIONS

- DATALINK LOCAL NETWORK MANAGEMENT
- ETHERNET MODBUS HTTP
- SNMP PROTOCOL
- BACnet TCP-IP
- TERMINALE REMOTO
REMOTE TERMINAL

TERMINALE UTENTE REMOTATO
REMOTE TERMINAL
COMANDE A DISTANCE
FERNBEDIENUNG
TERMINAL DE USUARIO REMOTO

ESEMPIO DI COLLEGAMENTO
EXAMPLE OF CONNECTION
EXEMPLE DE CONNEXION
BEISPIEL FÜR DEN ANSCHLUSS
EJEMPLO DE CONEXIÓN


COLLEGAMENTI A CURA DEL CLIENTE
BY THE CUSTOMER CONNECTIONS
PAR DES CONNEXIONS CLIENT
DURCH DEN KUNDEN CONNECTIONS
CONEXION A CARGO DEL INSTALADOR



LINEA PROTETTA A CURA DEL CLIENTE
LINE PROTECTION BY CUSTOMER
LIGNE PROTEGEE PAR LE CLIENT
BAUSEITS ABGESICHERTE ZULEITUNG
CONEXION A CARGO DEL INSTALADOR


TERMINALE UTENTE REMOTATO
REMOTE TERMINAL
COMANDE A DISTANCE
FERNBEDIENUNG
TERMINAL DE USUARIO REMOTO

ESEMPIO DI COLLEGAMENTO
EXAMPLE OF CONNECTION
EXEMPLE DE CONNEXION
BEISPIEL FÜR DEN ANSCHLUSS
EJEMPLO DE CONEXIÓN





COLLEGAMENTI A CURA DEL CLIENTE
BY THE CUSTOMER CONNECTIONS
PAR DES CONNEXIONS CLIENT
DURCH DEN KUNDEN CONNECTIONS
CONEXION A CARGO DEL INSTALADOR


-A7C
TERMINALE REMOTO
REMOTE TERMINAL
APPAREIL A DISTANCE
FERNBEDINGUNG
TERMINAL A BORDO MAQUINA





LINEA PROTETTA A CURA DEL CLIENTE
LINE PROTECTION BY CUSTOMER
LIGNE PROTEGEE PAR LE CLIENT
BAUSEITS ABGESICHERTE ZULEITUNG
CONEXION A CARGO DEL INSTALADOR
















OPTIONAL
OPTIONAL
FACULTATIF
BELIEBIG
OPCIONAL



POSIZIONAMENTO A CURA INSTALLATORE
POSITIONING BY INSTALLER
POSITIONNEMENT PAR INSTALLATEUR
POSITIONIERUNG VOM INSTALLATEUR
COLOCACIÓN POR PARTE DEL INSTALADOR


COLLEGAMENTI A CURA DELL'INSTALLATORE
CONNECTIONS BY THE INSTALLER
CONNECTIONS PAR L'INSTALLATEUR
ANSCHLUESSE BEI DEM INSTALLATEUR
CONEXION A CARGO DEL INSTALADOR

Collegamento elettrico / Electrical connection




1/+	Ingresso linea positivo / Positive line input	Fig. 2
2/R	Relè / Relay	
3/R	Relè / Relay	
4/SCR	Uscita negativa rip. / Repeater neg. output	
5/-	Negativo linea / Negative line	
6/+	Uscita linea positivo / Positive line output	

Schemi elettrici di collegamento / Wiring diagrams



Nota: per la validità del marchio CE è necessario utilizzare cavi di sezione 1,5 mm² schermati in rame all'85% e con schermo connesso a terra.
Note: to comply with the CE mark, it is necessary to use cables with section 1,5mm² , shielded, in copper for 85% and with shield connected to earth.
Note: to comply with the CE mark, it is necessary to use cables with section.
Remarque: pour se conformer à la marque CE, il est nécessaire d'utiliser des câbles de section.
Hinweis: Mit der CE-Kennzeichnung zu erfüllen, ist es notwendig, Kabel mit Abschnitt zu verwenden,.

CONTATTI PULITI
FREE CONTACTS
CONTACTS PRIVES DE TENS.
POTENTIALFREIE KONTAKTE
CONTACTOS LIMPIOS






Optional

Morsetto piano 1
Terminal block
floor 1
Plancher de TB 1
Klemmenblock/Schaltschrankboden
1
Borne plano1

Optional

Morsetto piano 2
Terminal block
floor 2
Plancher de TB 2
Klemmenblock/Schaltschrankboden
2
Borne plano2



Morsetto piano 2
Terminal block
floor 2
Plancher de TB 2
Klemmenblock/Schaltschrankboden
2
Borne plano2

Morsetto piano 1
Terminal block
floor 1
Plancher de TB 1
Klemmenblock/Schaltschrankboden
1
Borne plano1

Legenda
Description
Description
Beschreibung
Leyenda

=+-X1

Page	External destinations			
/9.1	A5	R2	FAN SPEED 1 CONTROL	
/9.1	A5	S2	FAN SPEED 1 CONTROL	
/9.1	A5	T2	FAN SPEED 1 CONTROL	
/16.0	M21	10	COND. FAN ALARM	
/16.0	M21	320	COND. FAN ALARM	
/16.9	A2	10	SOFT-STARTER	
/16.9	A2	00	SOFT-STARTER	
/16.3	R1.1	3	COMPRESSOR HEATER 1 CIRCUIT 1	
/16.2	R1.1	00	COMPRESSOR HEATER 1 CIRCUIT 1	
/36.4	YV11	79	4 WAY VALVE 1	
/36.4	YV11	00	4 WAY VALVE 1	
/37.4	R10	83	PAN FROST RESISTANCE CONDENSING	
/37.4	R10	00	PAN FROST RESISTANCE CONDENSING	
/29.2	SPH1	10	HIGH PRESSURE SWITCH 1	
/29.2	SPH1	64	HIGH PRESSURE SWITCH 1	
/14.3		0	CO2 SENSOR AND AIR QUALITY	
/14.3		1	CO2 SENSOR AND AIR QUALITY	
/14.5	X2.1	0	DIFFERENTIAL PRESSURE TRASMITTER	
/14.5	M17	1	DIFFERENTIAL PRESSURE TRASMITTER	
/14.7		0	OPTIONAL ELECTRICAL PANEL	
/14.7		1	OPTIONAL ELECTRICAL PANEL	
/25.7	SPD1	0	SAND OUT AIR FLOW SENSOR	
/25.7	SPD1	1	SAND OUT AIR FLOW SENSOR	
/25.2	BTR	30		
/25.2	BTR	33		
/25.3	BTM	31		
/25.3	BTM	33		
/25.4	BTE	33		
/25.4	BTE	32		
/25.7	SPD1	35	SAND OUT AIR FLOW SENSOR	
/26.3	A5	198	0-10V SIGNAL FOR CONTROL CONDENSATION	
/26.1		0	0-10V SIGNAL FOR CONTROL CONDENSATION	
/26.4		199	0-10V SIGNAL FOR CONTROL CONDENSATION	
/26.1	M17	250		
/26.1		0		




Optional

Morsetto piano 1
Terminal block
floor 1
Plancher de TB 1
Klemmenblock/Schaltschrankboden
1
Borne plano1

Optional

Morsetto piano 2
Terminal block
floor 2
Plancher de TB 2
Klemmenblock/Schaltschrankboden
2
Borne plano2




Morsetto piano 1
Terminal block
floor 1
Plancher de TB 1
Klemmenblock/Schaltschrankboden
1
Borne plano1



Morsetto piano 2
Terminal block
floor 2
Plancher de TB 2
Klemmenblock/Schaltschrankboden
2
Borne plano2

=+X1





Morsetto piano 2
Terminal block
floor 2
Plancher de TB 2
Klemmenblock/Schaltschrankboden
2
Borne plano2

Optional


Morsetto piano 1
Terminal block
floor 1
Plancher de TB 1
Klemmenblock/Schaltschrankboden
1
Borne plano1

Optional



Morsetto piano 2
Terminal block
floor 2
Plancher de TB 2
Klemmenblock/Schaltschrankboden
2
Borne plano2

Morsetto piano 1
Terminal block
floor 1
Plancher de TB 1
Klemmenblock/Schaltschrankboden
1
Borne plano1



Legenda
Description
Description
Beschreibung
Leyenda



BY THE CUSTOMER CONNECTIONS TERMINAL ORANGE

=+-X2

Page	External destinations	
/28.1	1	AIR QUALITY PROBE
/28.1	0	AIR QUALITY PROBE
/28.2	+VDC	AIR QUALITY PROBE
/28.2	GND	AIR QUALITY PROBE
/28.1	55	AIR QUALITY PROBE
/27.1	2	REMOTE ON/OFF
/27.1	1	REMOTE ON/OFF
/27.1	8	SUMMER/WINTER FROM DIGITAL INPUT
/27.2	1	SUMMER/WINTER FROM DIGITAL INPUT
/34.8	90	GENERAL ALARM
/34.8	91	GENERAL ALARM
/34.9	92	GENERAL ALARM
/34.7	190	GENERAL WARNING
/34.7	191	GENERAL WARNING
/43.0	600	FREE CONTACTS
/43.0	601	FREE CONTACTS
/43.5	652	FREE CONTACTS
/43.5	653	FREE CONTACTS
/43.0	660	FREE CONTACTS
/43.0	661	FREE CONTACTS
/43.1	662	FREE CONTACTS
/43.1	663	FREE CONTACTS
/43.2	664	FREE CONTACTS
/43.2	665	FREE CONTACTS
/43.3	666	FREE CONTACTS
/43.3	667	FREE CONTACTS
/43.4	668	FREE CONTACTS
/43.4	669	FREE CONTACTS
/43.8	752	FREE CONTACTS
/43.8	753	FREE CONTACTS
	KAM1.1	
	KAM1.1	
	KAVC1	
	KAVC1	
	KA30	
	KA30	
	KA31	
	KA31	
	KAA30	
	KAA30	
	KA40	
	KA40	
	KA41	
	KA41	
	KA17	
	KA17	

Schema morsetti Terminal diagram Plan des bornes Klemmenplan Esquema bornes

Legenda
Description
Description
Beschreibung
Leyenda




Optional



Optional



BY THE CUSTOMER CONNECTIONS TERMINAL ORANGE - OPTIONAL
=+-X2.1



Distinta articoli

Parts list

Liste d'articles

Artikelstückliste

Lista de artículos

Sigla elemento funzionale Acronym element Élément d'acronymes Akronymelement Siglas elemento funcional	Numero tipo Type number Numéro de type Typnummer Numero tipo	Codice Code Code Kodex Codigo	Quantità Quantity Quantité Menge Cantidad	Fornitore supplier fournisseur Lieferant Surtidor		Descrizione Description Description Beschreibung Descripción
				Codice ordine Code order Codez l'ordre Kodieren Sie Auftrag Codigo pedido	Nome Name Nom Name Nombre	
-A2	C.PCO LARGE P+50NSKB00EL0 BMS OPTO CAREL	MICA280A	1	P+50NSKB00EL0	CAREL	SCHEDA CONTROLLO CONTROL BOARD CARTE CONTROLE KONTROLLKARTE TABLA DE CONTROL
-A2	C.PCO LARGE P+5BBSFC000L1 BMS OPTO CAREL	MICA224A	1	P+5BBSFC000L1	CAREL	SCHEDA CONTROLLO CONTROL BOARD CARTE CONTROLE KONTROLLKARTE TABLA DE CONTROL
-A2	CONN. KIT pCO5+/CPCO LARGE P+50CO NOLO	MICA156A	1	P+50CON0L0	CAREL	SCHEDA CONTROLLO CONTROL BOARD CARTE CONTROLE KONTROLLKARTE TABLA DE CONTROL
-A2-A50	SCHEDA SERIALE FIELDBUS pCO3	MICA124A	1	PCO100FD10	CAREL	SCHEDA SERIALE FIELD BUS SERIAL BOARD FIELD BUS CARTE SERIE FIELD BUS SERIELLE SCHNITTSTELLE FIELD BUS TARJETA SERIE FIELDBUS
-A5	REG.VEL.FCR3124020 400V 12A IP55 CAR EL	RGVE096A	1	FCR3124020	CAREL	REGOLATORE DI GIRI 1 FAN SPEED 1 CONTROL REGULATEUR REGIME 1 DREHZAHLREGLER 1 REGULADOR DE VELOCIDAD 1
-A7	pGDX 4,3"PanelFrontIndoor ETH	MICA213A	2	PGR04000TCDA0	CAREL	TERMINALE A BORDO MACCHINA UNIT CONTROL TERMINAL BORNE DE COMMANDE D'UNITÉ MASSEINHEIT STEUERANSCHLUSS TERMINAL A BORDO MAQUINA
-A7	NEUTRAL BLACK FRAME FOR PGDX	MICA227A	2	PGTA00FB10	CAREL	TERMINALE A BORDO MACCHINA UNIT CONTROL TERMINAL BORNE DE COMMANDE D'UNITÉ MASSEINHEIT STEUERANSCHLUSS TERMINAL A BORDO MAQUINA
-A7C	pGDX 4,3"PanelFrontIndoor ETH	MICA213A	1	PGR04000TCDA0	CAREL	TERMINALE REMOTO REMOTE TERMINAL APPAREIL A DISTANCE FERNBEDINGUNG TERMINAL A BORDO MAQUINA
-A7C	WALL MOUNTING CASE FOR PGDX	MICA231A	1	PGTA00SM40	CAREL	TERMINALE REMOTO REMOTE TERMINAL APPAREIL A DISTANCE FERNBEDINGUNG TERMINAL A BORDO MAQUINA
-A7C	NEUTRAL BLACK FRAME FOR PGDX	MICA227A	1	PGTA00FB10	CAREL	TERMINALE REMOTO REMOTE TERMINAL APPAREIL A DISTANCE FERNBEDINGUNG TERMINAL A BORDO MAQUINA
-A30	MODULO ELETTRONICO GAS_C-02	MIVA222AN	1	GAS_C-02	ALMOTECH	SCHEDA PRINCIPALE SENSORE GAS MAIN BOARD GAS DETECTOR DÉTECTEUR DE GAZ DE LA CARTE PRINCIPALE HAUPTPLATINE GASMELDER TABLERO PRINCIPAL DEL SENSOR DE GAS
-A30A	SENSORE R32 FIS 5084-01C1 NISSHA	MIVA221A	1	SC2-S2020-01-A-P-00	NISSHA	SENSORE GAS GAS DETECTOR DETECTION GAS GASSENSOR SENSOR DE GAS
-A35	INV. 11KW IP20 ACS380-040S-25A0-4 AB B	RGVE169A	1	ACS380-040S-25A0-4	ABB	INVERTER COMPRESSORE COMPRESSOR INVERTER INVERTER COMPRESSEUR INVERTER-KOMPRESSOR INVERSOR COMPRESOR
-A50	SCHEDA SERIALE FIELDBUS pCO3	MICA124A	1	PCO100FD10	CAREL	SCHEDA SERIALE FIELD BUS SERIAL BOARD FIELD BUS CARTE SERIE FIELD BUS SERIELLE SCHNITTSTELLE FIELD BUS TARJETA SERIE FIELDBUS
-A51	DRIVER EVD EVO RS485	MICA094A	1	EVD0000E20	CAREL	CONTROLLO VALVOLA TERMOSTATICA ELETTRONICA ELECTRONIC THERMOSTATIC VALVE CONTROL CONTRÔLE DU DÉTENDUEUR THERMOSTATIQUE ÉLECTRONIQUE REGELUNG DES ELEKTRONISCH GESTEUERTES THERMOSTATVENTILS CONTROL VALVULA TERMOSTATICA ELECTRONICA

Distinta articoli

Parts list

Liste d'articles

Artikelstückliste

Lista de artículos

Sigla elemento funzionale Acronym element Élément d'acronymes Akronymelement Siglas elemento funcional	Numero tipo Type number Numéro de type Typnummer Numero tipo	Codice Code Code Kodex Codigo	Quantità Quantity Quantité Menge Cantidad	Fornitore supplier fournisseur Lieferant Surtidor		Descrizione Description Description Beschreibung Descripción
				Codice ordine Code order Codez l'ordre Kodieren Sie Auftrag Codigo pedido	Nome Name Nom Name Nombre	
-A51	KIT CONNET.ESTR.EVD evolution EVDCON 0021	MICA121A	1	EVDCON0021	CAREL	CONTROLLO VALVOLA TERMOSTATICA ELETTRONICA ELECTRONIC THERMOSTATIC VALVE CONTROL CONTRÔLE DU DÉTENDÉUR THERMOSTATIQUE ÉLECTRONIQUE REGELUNG DES ELEKTRONISCH GESTEUERTES THERMOSTATVENTILS CONTROL VALVULA TERMOSTATICA ELECTRONICA
-A67	CAVO VALV.TERM.ELET.SPORLAN SER B-C -D 6M	ELMI391A	1	805195	SPORLAN	VALVOLA TERMOSTATICA ELETTRONICA CIRCUITO 1 ELECTRONIC THERMOSTATIC VALVE CONTROL CIRCUIT 1 VANNE THERMOSTATIQUE ÉLECTRONIQUE CIRCUIT 1 ELEKTRONISCHES THERMOSTATVENTIL KREISLAUF 1 VALVULA TERMOSTATICA ELECTRONICA CIRCUITO1
-A250	C.PCOE EXPANSION P+E0N00000001	MICA226A	1	P+E0N00000001	CAREL	SCHEDA ADDIZIONALE CONTROLLO ADDITION CONTROL BOARD CARTE SUPPLEM. CONTRÔLE ZUSÄTZL. KONTROLLKARTE TABLERO DE CONTROL ADICIONAL
-A250	CONNECT.KIT C.PCO MINI HIGH P+D0CO N0E0	MICA218A	1	P+D0CON0E0	CAREL	SCHEDA ADDIZIONALE CONTROLLO ADDITION CONTROL BOARD CARTE SUPPLEM. CONTRÔLE ZUSÄTZL. KONTROLLKARTE TABLERO DE CONTROL ADICIONAL
-BPH50		-	1			TRASDUTTORE ALTA PRESS. 4-20mA HIGH PRESSURE TRANSDUCER 4-20mA TRANSDUCTEUR DE HAUTE PRESSION 4-20mA DRUCKUMWANDLER HP 4-20mA TRANSDUCTOR DE ALTA PRESIÓN 4-20 mA
-BPH50		..	1			TRASDUTTORE ALTA PRESS. 4-20mA HIGH PRESSURE TRANSDUCER 4-20mA TRANSDUCTEUR DE HAUTE PRESSION 4-20mA DRUCKUMWANDLER HP 4-20mA TRANSDUCTOR DE ALTA PRESIÓN 4-20 mA
-BPL50		-	1			TRASDUTTORE BASSA PRESS. 4-20mA LOW PRESSURE TRANSDUCER 4-20mA TRANSDUCTEUR DE BASSE PRESSION 4-20mA DRUCKUMWANDLER LP 4-20mA TRANSDUCTOR DE BAJA PRESIÓN 4-20 mA
-BPL50		..	1			TRASDUTTORE BASSA PRESS. 4-20mA LOW PRESSURE TRANSDUCER 4-20mA TRANSDUCTEUR DE BASSE PRESSION 4-20mA DRUCKUMWANDLER LP 4-20mA TRANSDUCTOR DE BAJA PRESIÓN 4-20 mA
-BT50	SONDA NTC 4x40mm 6m 2F IP67	SOND1947	1	NTC060WF00	CAREL	SONDA GAS ASPIRAZIONE SUCTION GAS PROBE SONDE DES GAZ D'ÉCHAPPEMENT FUEH. GAS EINLASS SONDA DE GAS DE SUCCIÓN
-BT51	SONDA NTC 6M 2F IP65 0T150ØC	SOND1946	1	NTC060HT00	CAREL	SONDA GAS MANDATA 1 CIRCUITO 1 GAS PROBE DELIVERY 1 CIRCUIT 1 DISTRIBUTION SONDE GAZ 1 CIRCUIT 1 GASPROBE LIEFERUNG 1 SCHALTUNG 1 SONDA GAS IMPULSION
-BTE	SONDA NTC 6X53MM 6M 2F IP68	SOND1945	1	NTC060WH01	CAREL	SONDA ARIA ESTERNA EXTERNAL AIR PROBE SONDE AIR EXTERIEUR AUSSENLUFTFUEHLER SONDA DE AIRE EXTERNA
-BTM	SONDA NTC 6X53MM 6M 2F IP68	SOND1945	1	NTC060WH01	CAREL	SONDA ARIA MANDATA DELIVERY AIR PROBE SONDE REFOULEM. AIR LUFTAUSBLASSSONDE SONDA DE AIRE DE ENTREGA
-BTR	SONDA NTC 6X53MM 6M 2F IP68	SOND1945	1	NTC060WH01	CAREL	SONDA ARIA RIPRESA INTAKE AIR PROBE SONDE AIR ASPIRATION EINLASSLUFTFÜHLER SONDA DE ADMISIÓN DE AIRE
-EV1	VENTILATORE 250X250 230Vac	VEAS619A	1	GB25GC23AB/F	AREA SYSTEMS	ELETTROVENTOLA Q.E. ELECTRICAL PANEL FAN VENTILATEUR CADRE ÉLECTRIQUE VENTILATOR ELEKTRISCHES SCHALTSCHRANK VENTILADOR CUADRO ELECTRICO.
-EV1	GRIGLIA DI PROTEZIONE 250MM AREA S YSTEMS	VEAS620A	1	FB25B/F	AREA SYSTEMS	ELETTROVENTOLA Q.E. ELECTRICAL PANEL FAN VENTILATEUR CADRE ÉLECTRIQUE VENTILATOR ELEKTRISCHES SCHALTSCHRANK VENTILADOR CUADRO ELECTRICO.

Distinta articoli

Parts list

Liste d'articles

Artikelstückliste

Lista de artículos

Sigla elemento funzionale Acronym element Élément d'acronymes Akronymelement Siglas elemento funcional	Numero tipo Type number Numéro de type Typnummer Numero tipo	Codice Code Code Kodex Codigo	Quantità Quantity Quantité Menge Cantidad	Fornitore supplier fournisseur Lieferant Surtidor		Descrizione Description Description Beschreibung Descripción
				Codice ordine Code order Codez l'ordre Kodieren Sie Auftrag Codigo pedido	Nome Name Nom Name Nombre	
-FU1.1	FUSIB.CH14GG 32A 500V WIMEX	FUSI0618Y	3	5400232	WIMEX	FUSIBILI COMPRESSORE 1 CIRCUITO 1 COMPRESSOR FUSE 1 CIRCUIT 1 FUSIBLE COMPRESSEUR 1 CIRCUIT 1 VERDICHTERSICHERUNG 1 KREISLAUF 1 COMPRESOR FUSIBLES 1 CIRCUITO 1
-FU1.1	PORTAFUS.PMX 3 X 51 3P WIMEX	POFU0340Y	1	5450164	WIMEX	FUSIBILI COMPRESSORE 1 CIRCUITO 1 COMPRESSOR FUSE 1 CIRCUIT 1 FUSIBLE COMPRESSEUR 1 CIRCUIT 1 VERDICHTERSICHERUNG 1 KREISLAUF 1 COMPRESOR FUSIBLES 1 CIRCUITO 1
-FU01	FUSIB.5X20T 2,50A 250V WIMEX	FUSI0350Y	1	5000047	WIMEX	FUSIBILI CONTROLLO CONTROL FUSES FUSIBLES CONTROLE KONTROLLSICHERUNGEN VERIFICAR FUSIBLES
-FU01	FUSE TERMINAL BLOCK - PTC 4-HESI PHO ENIX	ELMI793A	1	3270203	PHOENIX	FUSIBILI CONTROLLO CONTROL FUSES FUSIBLES CONTROLE KONTROLLSICHERUNGEN VERIFICAR FUSIBLES
-FU6	FUSIB.5X20T 2,00A 250V WIMEX	FUSI0340Y	1	5000046	WIMEX	FUSIBILE VALVOLA TERMOSTATICA ELETTRONICA ELECTRONIC THERMOSTATIC VALVE FUSE FUSE VANNE THERMOSTATIQUE ÉLECTRONIQUE FUSE ELEKTRONISCHES THERMOSTATVENTIL FUSIBLE ELECTRÓNICO TERMOSTÁTICO DE LA VÁLVULA
-FU6	FUSE TERMINAL BLOCK - PTC 4-HESI PHO ENIX	ELMI793A	1	3270203	PHOENIX	FUSIBILE VALVOLA TERMOSTATICA ELETTRONICA ELECTRONIC THERMOSTATIC VALVE FUSE FUSE VANNE THERMOSTATIQUE ÉLECTRONIQUE FUSE ELEKTRONISCHES THERMOSTATVENTIL FUSIBLE ELECTRÓNICO TERMOSTÁTICO DE LA VÁLVULA
-FU17	FUSIB.CH10GG 10A 500V WIMEX	FUSI0560Y	3	5400110	WIMEX	FUSIBILI VENTILATORI MANDATA 1 DELIVERY FAN FUSE 1 FUSIBLE VENTILATEUR 1 VENTILATORSICHERUNG 1 ENTREGA VENTILADORES FUSIBLES 1
-FU17	PORTAFUS.PMX 3 X 38 3P WIMEX	POFU0330Y	1	5450124	WIMEX	FUSIBILI VENTILATORI MANDATA 1 DELIVERY FAN FUSE 1 FUSIBLE VENTILATEUR 1 VENTILATORSICHERUNG 1 ENTREGA VENTILADORES FUSIBLES 1
-FU50	FUSIB.CH10GG 4A 500V WIMEX	FUSI0530Y	2	5400104	WIMEX	FUSIBILI TRASFORMATORE 400V TRANSFORMER 400V FUSES FUSIBLES TRANSFORMATEUR 400V TRANSFORMATORSICHERUNGEN 400V FUSIBLES DEL TRANSFORMADOR DE 400V
-FU50	PORTAFUS.PMX 2 X 38 2P WIMEX	POFU0320Y	1	5450123	WIMEX	FUSIBILI TRASFORMATORE 400V TRANSFORMER 400V FUSES FUSIBLES TRANSFORMATEUR 400V TRANSFORMATORSICHERUNGEN 400V FUSIBLES DEL TRANSFORMADOR DE 400V
-FU51	FUSIB.CH10GG 4A 500V WIMEX	FUSI0530Y	1	5400104	WIMEX	FUSIBILI TRASFORMATORE 230V TRANSFORMER 230V FUSES FUSIBLES TRANSFORMATEUR 230V TRANSFORMATORSICHERUNGEN 230V FUSIBLES DEL TRANSFORMADOR DE 230V
-FU51	PORTAFUS.PMX 1 X 38 1P WIMEX	POFU0310Y	1	5450121	WIMEX	FUSIBILI TRASFORMATORE 230V TRANSFORMER 230V FUSES FUSIBLES TRANSFORMATEUR 230V TRANSFORMATORSICHERUNGEN 230V FUSIBLES DEL TRANSFORMADOR DE 230V
-FU52	FUSIB.CH10GG 10A 500V WIMEX	FUSI0560Y	1	5400110	WIMEX	FUSIBILI TRASFORMATORE 24V TRANSFORMER 24V FUSES FUSIBLES TRANSFORMATEUR 24V TRANSFORMATORSICHERUNGEN 24V FUSIBLES TRANSFORMADOR 24V
-FU52	PORTAFUS.PMX 1 X 38 1P WIMEX	POFU0310Y	1	5450121	WIMEX	FUSIBILI TRASFORMATORE 24V TRANSFORMER 24V FUSES FUSIBLES TRANSFORMATEUR 24V TRANSFORMATORSICHERUNGEN 24V FUSIBLES TRANSFORMADOR 24V
-FU56	PORTAFUS.PMX 3 X 38 3P WIMEX	POFU0330Y	1	5450124	WIMEX	FUSIBILI RELE' MIN E MAX TENSIONE MIN.-MAX. VOLTAGE RELAY FUSES FUS. REL. TENS. MINI ET MAXI SICH. RELAIS MIN.- MAX. SPANN. FUSIBLES RELE SEC. FASES

Distinta articoli Parts list Liste d'articles Artikelstückliste Lista de artículos

Sigla elemento funzionale Acronym element Élément d'acronymes Akronymelement Siglas elemento funcional	Numero tipo Type number Numéro de type Typnummer Numero tipo	Codice Code Code Kodex Codigo	Quantità Quantity Quantité Menge Cantidad	Fornitore supplier fournisseur Lieferant Surtidor		Descrizione Description Description Beschreibung Descripción
				Codice ordine Code order Codez l'ordre Kodieren Sie Auftrag Codigo pedido	Nome Name Nom Name Nombre	
-FU56	FUSIB.CH10GG 2A 500V WIMEX	FUSI0520Y	3	5400102	WIMEX	FUSIBILI RELE' MIN E MAX TENSIONE MIN.-MAX. VOLTAGE RELAY FUSES FUS. REL. TENS. MINI ET MAXI SICH. RELAIS MIN.- MAX. SPANN. FUSIBLES RELE SEC. FASES
-FU210	FUSIB.CH10GG 16A 500V WIMEX	FUSI0580Y	3	5400116	WIMEX	FUSIBILI REGOLATORE DI GIRI 1 SPEED REGULATOR FUSE 1 FUSIBLES RÉGULATEUR RÉGIME 1 SICHERUNGEN DREHZAHLEGLER 1 FUSIBLES REGULADORES DE VELOCIDAD 1
-FU210	PORTAFUS.PMX 3 X 38 3P WIMEX	POFU0330Y	1	5450124	WIMEX	FUSIBILI REGOLATORE DI GIRI 1 SPEED REGULATOR FUSE 1 FUSIBLES RÉGULATEUR RÉGIME 1 SICHERUNGEN DREHZAHLEGLER 1 FUSIBLES REGULADORES DE VELOCIDAD 1
-FU302	FUSIB.5X20T 2,50A 250V WIMEX	FUSI0350Y	1	5000047	WIMEX	FUSIBILE AUSILIARIO 24V FUSE 24V AUXILIARY FUSE 24V AUXILIAIRE FUSE 24V FUSIBLE AUXILIAR 24V
-FU302	FUSE TERMINAL BLOCK - PTC 4-HESI PHO ENIX	ELMI793A	1	3270203	PHOENIX	FUSIBILE AUSILIARIO 24V FUSE 24V AUXILIARY FUSE 24V AUXILIAIRE FUSE 24V FUSIBLE AUXILIAR 24V
-KA05	RELE'MIN/MAX+SEQ 70.31.8.400.2022 FINDER	RETZ1311Y	1	70.31.8.400.2022	FINDER	RELE' MIN E MAX TENSIONE MIN.-MAX. VOLTAGE RELAY REL. TENS. MINI ET MAXI RELAIS MIN.- MAX. SPANN. RELE SECUENCIA FASES
-KA17	RELE' 4X7A 230V 55.34.8.230.0040	RETZ2377Y	1	55.34.8.230.0040	FINDER	RELE' ON/OFF VENTIL. MANDATA RELAY ON/OFF DELIVERY FAN(S) ON/OFF RELAIS DE VENTILATEUR DE DISTRIBUTION Relais EIN/AUS, Lüfter der Ausgabeeinheit RELÉ ENCENDIDO / APAGADO DEL VENTILADOR DE ENTREGA
-KA17	ZOCOLO X 55.32-34 94.04.SMA	RETZ2382Y	1	55.32-34 94.04.SMA	FINDER	RELE' ON/OFF VENTIL. MANDATA RELAY ON/OFF DELIVERY FAN(S) ON/OFF RELAIS DE VENTILATEUR DE DISTRIBUTION Relais EIN/AUS, Lüfter der Ausgabeeinheit RELÉ ENCENDIDO / APAGADO DEL VENTILADOR DE ENTREGA
-KA21	RELE' 4X7A 230V 55.34.8.230.0040	RETZ2377Y	1	55.34.8.230.0040	FINDER	RELE' ALLARME VENT COND FAN CONDENSER ALARM RELAY RELAIS ALARME VENTILATEUR CONDENSEUR RELAIS VENTILATORALARM VERFLÜSSIGERS RELÉ DE ALARMA DEL VENTILADOR DE CONDENSACIÓN
-KA21	ZOCOLO X 55.32-34 94.04.SMA	RETZ2382Y	1	55.32-34 94.04.SMA	FINDER	RELE' ALLARME VENT COND FAN CONDENSER ALARM RELAY RELAIS ALARME VENTILATEUR CONDENSEUR RELAIS VENTILATORALARM VERFLÜSSIGERS RELÉ DE ALARMA DEL VENTILADOR DE CONDENSACIÓN
-KA30	RELE' 4X7A 230V 55.34.8.230.0040	RETZ2377Y	1	55.34.8.230.0040	FINDER	RELE' ON-OFF RESISTENZE RELAY ON-OFF EL. HEATER RELAIS ON-OFF CHAUFFAGE ELECTRIQUE RELAIS EIN-AUS ELEKTRISCHE HEIZUNG RELÉ DE RESISTENCIA ON-OFF
-KA30	ZOCOLO X 55.32-34 94.04.SMA	RETZ2382Y	1	55.32-34 94.04.SMA	FINDER	RELE' ON-OFF RESISTENZE RELAY ON-OFF EL. HEATER RELAIS ON-OFF CHAUFFAGE ELECTRIQUE RELAIS EIN-AUS ELEKTRISCHE HEIZUNG RELÉ DE RESISTENCIA ON-OFF
-KA31	RELE' 4X7A 230V 55.34.8.230.0040	RETZ2377Y	1	55.34.8.230.0040	FINDER	RELE' ON-OFF RESISTENZE RELAY ON-OFF EL. HEATER RELAIS ON-OFF CHAUFFAGE ELECTRIQUE RELAIS EIN-AUS ELEKTRISCHE HEIZUNG RELÉ DE RESISTENCIA ON-OFF
-KA31	ZOCOLO X 55.32-34 94.04.SMA	RETZ2382Y	1	55.32-34 94.04.SMA	FINDER	RELE' ON-OFF RESISTENZE RELAY ON-OFF EL. HEATER RELAIS ON-OFF CHAUFFAGE ELECTRIQUE RELAIS EIN-AUS ELEKTRISCHE HEIZUNG RELÉ DE RESISTENCIA ON-OFF
-KA40	RELE' 4X7A 230V 55.34.8.230.0040	RETZ2377Y	1	55.34.8.230.0040	FINDER	RELE' SERRANDA DI ZONA AREA DAMPER RELAY RELAIS D'AMORTISSEUR DE ZONE BEREICH DÄMPFERRELAIS RELÉ DE OBTURADOR DE ZONA

Distinta articoli

Parts list

Liste d'articles

Artikelstückliste

Lista de artículos

Sigla elemento funzionale Acronym element Élément d'acronymes Akronymelement Siglas elemento funcional	Numero tipo Type number Numéro de type Typnummer Numero tipo	Codice Code Code Kodex Codigo	Quantità Quantity Quantité Menge Cantidad	Fornitore supplier fournisseur Lieferant Surtidor		Descrizione Description Description Beschreibung Descripción
				Codice ordine Code order Codez l'ordre Kodieren Sie Auftrag Codigo pedido	Nome Name Nom Name Nombre	
-KA40	ZOCCOLO X 55.32-34 94.04.SMA	RETZ2382Y	1	55.32-34 94.04.SMA	FINDER	RELE' SERRANDA DI ZONA AREA DAMPER RELAY RELAIS D'AMORTISSEUR DE ZONE BEREICH DÄMPFERRELAIS RELÉ DE OBTURADOR DE ZONA
-KA41	RELE' 4X7A 230V 55.34.8.230.0040	RETZ2377Y	1	55.34.8.230.0040	FINDER	RELE' ALLARME VENTILAZIONE E GUASTO SENSORE GAS VENTILATION ALARM AND GAS SENSOR FAILURE RELAY ALARME DE VENTILATION ET RELAIS DE PANNE DU CAPTEUR DE GAZ BELÜFTUNGALARM UND GASSENSOR-AUSFALLRELAIS FALLO DEL RELÉ DE ALARMA DE VENTILACIÓN Y SENSOR DE GAS
-KA41	ZOCCOLO X 55.32-34 94.04.SMA	RETZ2382Y	1	55.32-34 94.04.SMA	FINDER	RELE' ALLARME VENTILAZIONE E GUASTO SENSORE GAS VENTILATION ALARM AND GAS SENSOR FAILURE RELAY ALARME DE VENTILATION ET RELAIS DE PANNE DU CAPTEUR DE GAZ BELÜFTUNGALARM UND GASSENSOR-AUSFALLRELAIS FALLO DEL RELÉ DE ALARMA DE VENTILACIÓN Y SENSOR DE GAS
-KAA30	RELE' 4x7A 24V 55.34.8.024.0040 FINDER	RETZ2378Y	1	55.34.8.024.0040	FINDER	RELE' ALLARME GAS GAS ALARM RELAY RELAIS D'ALARME GAZ GAS ALARM RELAY RELÉ DE ALARMA DE GAS
-KAA30	ZOCCOLO X 55.32-34 94.04.SMA	RETZ2382Y	1	55.32-34 94.04.SMA	FINDER	RELE' ALLARME GAS GAS ALARM RELAY RELAIS D'ALARME GAZ GAS ALARM RELAY RELÉ DE ALARMA DE GAS
-KAH1	RELE' 4X7A 230V 55.34.8.230.0040	RETZ2377Y	1	55.34.8.230.0040	FINDER	RELE' ALLARME ALTA PRESSIONE 1 HIGH PRESSURE ALARM RELAY 1 RELAIS ALARME HAUTE PRESSION 1 RELAIS HOCHDRUCKALARM 1 RELÉ DE ALARMA DE ALTA PRESIÓN 1
-KAH1	ZOCCOLO X 55.32-34 94.04.SMA	RETZ2382Y	1	55.32-34 94.04.SMA	FINDER	RELE' ALLARME ALTA PRESSIONE 1 HIGH PRESSURE ALARM RELAY 1 RELAIS ALARME HAUTE PRESSION 1 RELAIS HOCHDRUCKALARM 1 RELÉ DE ALARMA DE ALTA PRESIÓN 1
-KAM1.1	RELE' 4X7A 230V 55.34.8.230.0040	RETZ2377Y	1	55.34.8.230.0040	FINDER	RELE' ON-OFF INVERTER 1 INVERTER 1 ON-OFF RELAY ON-OFF RELAIS INVERTER 1 EIN-AUS INVERTER RELAIS 1 INVERSOR RELE ON-OFF 1
-KAM1.1	ZOCCOLO X 55.32-34 94.04.SMA	RETZ2382Y	1	55.32-34 94.04.SMA	FINDER	RELE' ON-OFF INVERTER 1 INVERTER 1 ON-OFF RELAY ON-OFF RELAIS INVERTER 1 EIN-AUS INVERTER RELAIS 1 INVERSOR RELE ON-OFF 1
-KAVC1	RELE' 4X7A 230V 55.34.8.230.0040	RETZ2377Y	1	55.34.8.230.0040	FINDER	RELE' VENTILATORE CONDENSANTE 1 RELAY CONDENSING FAN 1 RELAIS CONDENSING FAN 1 RELAY KONDENSIEREND FAN 1 RELE VENTILADOR DE CONDENSACION 1
-KAVC1	ZOCCOLO X 55.32-34 94.04.SMA	RETZ2382Y	1	55.32-34 94.04.SMA	FINDER	RELE' VENTILATORE CONDENSANTE 1 RELAY CONDENSING FAN 1 RELAIS CONDENSING FAN 1 RELAY KONDENSIEREND FAN 1 RELE VENTILADOR DE CONDENSACION 1
-L1	INDUT./CHOKE 2,2MH INOM 33A	ELVA334AY	1	ZE0002258.3390	ZETALETTRIC	INDUTTANZA DC CHOKE REACTEUR REAKTOR INDUCTANCIA
-L100	FERRITE FAIR-RITE 0475167281	ELMI084B	1	0475167281	FAIR-RITE	FERRITE FERRITE FERRITE FERRIT FERRITO
-M1.1		7,7kW	1			COMPRESSORE 1 CIRCUITO1 COMPRESSOR 1 CIRCUIT 1 COMPRESSEUR 1 CIRCUIT 1 VERDICHTER 1 KREISLAUF 1 COMPRESOR1 CIRCUITO1
-M17		1,3kW	1	N°2 A3G800-AT21-01	EBM	VENTILATORE MANDATA 1 DELIVERY FAN 1 VENTILATEUR REFOULEMENT 1 ABLÜFTVENTILATOR 1 VENTILADOR DE ENTREGA 1

Distinta articoli

Parts list

Liste d'articles

Artikelstückliste

Lista de artículos

Sigla elemento funzionale Acronym element Élément d'acronymes Akronymelement Siglas elemento funcional	Numero tipo Type number Numéro de type Typnummer Numero tipo	Codice Code Code Kodex Codigo	Quantità Quantity Quantité Menge Cantidad	Fornitore supplier fournisseur Lieferant Surtidor		Descrizione Description Description Beschreibung Descripción
				Codice ordine Code order Codez l'ordre Kodieren Sie Auftrag Codigo pedido	Nome Name Nom Name Nombre	
-M21		1,04kW	1			VENTILATORE CONDENSANTE 1 COND. FAN 1 COND. VENTILATEUR 1 VERFLUESSIGERVENTILATOR 1 VENTILADOR DE CONDENSACIÓN 1
-PE		-	1			BARRA DI TERRA EARTH BAR BARRE DE LA TERRE MASSE STAB TOMA DE TIERRA
-Q1	INTERR.SIRCO M 40A 3P	INTE043A	1	22003004	SOCOMEK	SEZIONATORE GENERALE MAIN SWITCH SECTIONNEUR GENERAL HAUPTSCHALTER INTERRUPTOR GENERAL
-Q1	MANIGLIA SIRCO M CDO EST S00 R/G 16-80A	ELMI046A	1	14741111	SOCOMEK	SEZIONATORE GENERALE MAIN SWITCH SECTIONNEUR GENERAL HAUPTSCHALTER INTERRUPTOR GENERAL
-Q1	PROLUNGA D'ASSE L=320mm SIRCO M	ELVA026A	1	14070532	SOCOMEK	SEZIONATORE GENERALE MAIN SWITCH SECTIONNEUR GENERAL HAUPTSCHALTER INTERRUPTOR GENERAL
-R1.1		-	1			RESISTENZA COMPRESSORE 1 CIRCUITO 1 COMPRESSOR HEATER 1 CIRCUIT 1 RÉSISTANCE COMPRESSEUR 1 CIRCUIT 1 HEIZELEMENT VERDICHTER 1 KREISLAUF 1 RESISTENCIA COMPRESOR 1 CIRCUITO 1
-R10		-	1			RESISTENZA ANTIGELO VASCHETTA CONDENSANTE PAN FROST RESISTANCE CONDENSING PAN RÉSISTANCE AU GEL CONDENSATION PAN FROST WIDERSTAND KONDENSIEREND DEPÓSITO DE CONDENSACIÓN DE RESISTENCIA ANTICONGELANTE
-SF	RIVEL.TERM.FUOCO+ZOCC.24VDC	MICA2425	1	SFFF000000	CAREL	SENSORE FUOCO FIRE DETECTOR DETECTION FEU FEUERFUEHLER SENSOR FUEGO
-SPA		-	1			ALLARME FILTRI SPORCHI CLOGGED FILTERS ALARM ALARME FILTRES SALES ALARM FILTER SCHMUTZIG ALARMA FILTROS SUCIOS
-SPD1		-	1			SENSORE PORTATA ARIA MANDATA SAND OUT AIR FLOW SENSOR CAPTEUR DE DÉBIT D'AIR DE SABLE SAND OUT LUFTSTROMSENSOR SENSOR CAUDAL DE AIRE
-SPD3		-	1			TRASDUTTORE DI PRESSIONE CANALE DI MANDATA DELIVERY CHANNEL PRESSURE TRANSDUCER TRANSDUCTEUR DE PRESSION DE CANAL DE LIVRAISON LIEFERKANAL-DRUCK-TRANSDUCER TRANSDUCTOR DE PRESIÓN DEL CANAL DE ENTREGA
-SPH1		-	1			PRESSOSTATO ALTA 1 HIGH PRESSURE SWITCH 1 PRESSOSTAT HP 1 HD-DRUCKSCHALTER 1 INTERRUPTOR DE ALTA PRESION 1
-SS	RILEV.DI FUMO + ZOC. 24VDC	MICA2435	1	SFFS000000	CAREL	SENSORE FUMO SMOKE DETECTOR DETECTION FUMEE RAUCHFUEHLER SENSOR HUMO
-ST1	TERM.BIMET.CLICSON 40°	TERM006A	1		VENTIL	SENSORE TEMPERATURA TEMPERATURE PROBE CAPTEUR TEMPERATURE TEMPERATURFUEHLER SENSOR TEMPERATURA
-TC1	TRASF.500+200VA 230-400-415/0-230 0-24	TRAF080A	1			TRASFORMATORE TRANSFORMER TRANSFORMATEUR TRAFO TRANSFORMADOR

Distinta articoli Parts list Liste d'articles Artikelstückliste Lista de artículos

[illegible]