

2MXM40A

Refrigeración 230V 50Hz

| Unidad exterior | Unidad interior | Capacidad de refrigeración [kW] | | Capacidad total [kW] | | | Consumo [kW] | | | Corriente total [A] | | | Factor de potencia [%] |
|---|-----------------|---------------------------------|------------|----------------------|---------|--------|--------------|---------|--------|---------------------|---------|--------|------------------------|
| | | Ambiente A | Ambiente B | Mínimo | Nominal | Máxima | Mínimo | Nominal | Máxima | Mínimo | Nominal | Máxima | |
| 2MXM40M2V1B 2MXM40M3V1B 2MXM40M4V1B 2MXM40N2V1B 2MXM40N2V1B9 2MXM40A2V1B 2MXM40A2V1B9 | 1.5 | 1.50 | - | 1.30 | 1.50 | 2.00 | 0.33 | 0.31 | 0.40 | 1.78 | 1.70 | 2.17 | 79 |
| | 2.0 | 2.00 | - | 1.30 | 2.00 | 2.40 | 0.33 | 0.44 | 0.57 | 1.78 | 2.38 | 3.09 | 79 |
| | 2.5 | 2.50 | - | 1.30 | 2.50 | 3.00 | 0.33 | 0.61 | 0.80 | 1.78 | 3.33 | 4.40 | 79 |
| | 3.5 | 3.50 | - | 1.30 | 3.50 | 4.00 | 0.33 | 1.04 | 1.35 | 1.78 | 5.71 | 7.38 | 79 |
| | 1.5+1.5 | 1.50 | 1.50 | 1.50 | 3.00 | 3.60 | 0.31 | 0.60 | 0.73 | 1.67 | 3.33 | 4.00 | 79 |
| | 1.5+2.0 | 1.50 | 2.00 | 1.50 | 3.50 | 4.00 | 0.31 | 0.79 | 0.91 | 1.67 | 4.35 | 4.98 | 79 |
| | 1.5+2.5 | 1.50 | 2.50 | 1.50 | 4.00 | 4.20 | 0.31 | 0.98 | 1.03 | 1.67 | 5.37 | 5.64 | 79 |
| | 1.5+3.5 | 1.20 | 2.80 | 1.50 | 4.00 | 4.40 | 0.31 | 0.96 | 1.06 | 1.67 | 5.30 | 5.83 | 79 |
| | 2.0+2.0 | 2.00 | 2.00 | 1.50 | 4.00 | 4.20 | 0.31 | 0.97 | 1.02 | 1.67 | 5.34 | 5.61 | 79 |
| | 2.0+2.5 | 1.78 | 2.22 | 1.50 | 4.00 | 4.30 | 0.31 | 0.96 | 1.04 | 1.67 | 5.30 | 5.70 | 79 |
| | 2.0+3.5 | 1.45 | 2.55 | 1.50 | 4.00 | 4.50 | 0.31 | 0.95 | 1.08 | 1.67 | 5.25 | 5.91 | 79 |
| | 2.5+2.5 | 2.00 | 2.00 | 1.50 | 4.00 | 4.40 | 0.31 | 0.96 | 1.06 | 1.67 | 5.27 | 5.80 | 79 |
| 2.5+3.5 | 1.67 | 2.33 | 1.50 | 4.00 | 4.60 | 0.31 | 0.94 | 1.09 | 1.67 | 5.20 | 5.98 | 79 | |