

# 4MXM80A8

230V 50Hz calefacción

Unidad exterior	Unidad interior	Capacidad de calefacción [kW]				Capacidad total [kW]			Consumo [kW]			Corriente total [A]			Factor de potencia [%]
		Ambiente A	Ambiente B	Ambiente C	Ambiente D	Mínimo	Nominal	Máxima	Mínimo	Nominal	Máxima	Mínimo	Nominal	Máxima	
4MXM80M2V1B 4MXM80N2V1B 4MXM80N2V1B9 4MXM80A2V1B 4MXM80A2V1B9 4MXM80A2V1B8	2.0+2.5+2.5+5.0	1.60	2.00	2.00	4.00	4.01	9.60	11.30	0.64	2.03	2.56	3.00	9.30	11.80	95
	2.0+2.5+2.5+6.0	1.48	1.85	1.85	4.43	4.17	9.60	11.51	0.67	2.02	2.64	3.10	9.30	12.08	95
	2.0+2.5+2.5+7.1	1.36	1.70	1.70	4.83	4.49	9.60	11.57	0.73	2.02	2.65	3.40	9.30	12.20	95
	2.0+2.5+3.5+3.5	1.67	2.09	2.92	2.92	3.88	9.60	11.23	0.63	2.12	2.67	2.90	9.80	12.20	95
	2.0+2.5+3.5+4.2	1.57	1.97	2.75	3.30	4.03	9.60	11.23	0.65	2.09	2.63	3.10	9.60	12.04	95
	2.0+2.5+3.5+5.0	1.48	1.85	2.58	3.69	4.17	9.60	11.30	0.67	2.03	2.56	3.20	9.30	11.80	95
	2.0+2.5+3.5+6.0	1.37	1.71	2.40	4.11	4.49	9.60	11.51	0.73	2.02	2.64	3.40	9.30	12.08	95
	2.0+2.5+4.2+4.2	1.49	1.86	3.13	3.13	4.18	9.60	11.24	0.68	2.07	2.60	3.20	9.50	11.88	95
	2.0+2.5+4.2+5.0	1.40	1.75	2.94	3.50	4.49	9.60	11.37	0.73	2.01	2.57	3.40	9.30	11.76	95
	2.0+2.5+5.0+5.0	1.32	1.66	3.31	3.31	4.63	9.60	11.48	0.75	1.99	2.56	3.50	9.20	11.72	95
	2.0+3.5+3.5+3.5	1.54	2.69	2.69	2.69	4.20	9.60	11.23	0.69	2.12	2.67	3.20	9.80	12.20	95
	2.0+3.5+3.5+4.2	1.45	2.55	2.55	3.05	4.35	9.60	11.23	0.71	2.09	2.63	3.30	9.60	12.04	95
	2.0+3.5+3.5+5.0	1.37	2.40	2.40	3.43	4.49	9.60	11.37	0.73	2.03	2.60	3.40	9.30	11.88	95
	2.0+3.5+4.2+4.2	1.38	2.42	2.90	2.90	4.50	9.60	11.24	0.74	2.07	2.60	3.40	9.50	11.88	95
	2.5+2.5+2.5+2.5	2.40	2.40	2.40	2.40	3.39	9.60	11.16	0.54	2.11	2.62	2.60	9.70	12.10	95
	2.5+2.5+2.5+3.5	2.18	2.18	2.18	3.05	3.71	9.60	11.16	0.60	2.11	2.62	2.80	9.70	12.10	95
	2.5+2.5+2.5+4.2	2.05	2.05	2.05	3.45	3.87	9.60	11.16	0.62	2.09	2.59	2.90	9.60	11.90	95
	2.5+2.5+2.5+5.0	1.92	1.92	1.92	3.84	4.17	9.60	11.30	0.67	2.03	2.55	3.10	9.30	11.80	95
	2.5+2.5+2.5+6.0	1.78	1.78	1.78	4.27	4.33	9.60	11.51	0.70	2.02	2.63	3.30	9.30	12.05	95
	2.5+2.5+3.5+3.5	2.00	2.00	2.80	2.80	4.03	9.60	11.23	0.66	2.11	2.66	3.10	9.70	12.17	95
	2.5+2.5+3.5+4.2	1.89	1.89	2.65	3.17	4.19	9.60	11.23	0.68	2.09	2.62	3.20	9.60	12.00	95
	2.5+2.5+3.5+5.0	1.78	1.78	2.49	3.56	4.33	9.60	11.30	0.70	2.03	2.55	3.30	9.30	11.80	95
	2.5+2.5+3.5+6.0	1.66	1.66	2.32	3.97	4.65	9.60	11.51	0.76	2.02	2.63	3.50	9.30	12.05	95
	2.5+2.5+4.2+4.2	1.79	1.79	3.01	3.01	4.34	9.60	11.24	0.71	2.06	2.59	3.30	9.50	11.85	95
	2.5+2.5+4.2+5.0	1.69	1.69	2.84	3.38	4.65	9.60	11.37	0.75	2.01	2.56	3.50	9.20	11.73	95
	2.5+3.5+3.5+3.5	1.85	2.58	2.58	2.58	4.20	9.60	11.23	0.69	2.11	2.66	3.20	9.70	12.17	95
	2.5+3.5+3.5+4.2	1.75	2.45	2.45	2.94	4.51	9.60	11.23	0.74	2.09	2.62	3.50	9.60	12.00	95
	2.5+3.5+3.5+5.0	1.66	2.32	2.32	3.31	4.65	9.60	11.37	0.76	2.03	2.59	3.50	9.30	11.85	95
2.5+3.5+4.2+4.2	1.67	2.33	2.80	2.80	4.66	9.60	11.24	0.77	2.06	2.59	3.60	9.50	11.85	95	
3.5+3.5+3.5+3.5	2.40	2.40	2.40	2.40	4.51	9.60	11.23	0.75	2.11	2.66	3.50	9.70	12.17	95	