

# 5MWXM68A9

230V 50Hz calefacción

Unidad exterior	Unidad interior	Capacidad de calefacción [kW]				Capacidad total [kW]			Consumo [kW]			Corriente total [A]			Factor de potencia [%]
		Ambiente A	Ambiente B	Ambiente C	Ambiente D	Mínimo	Nominal	Máxima	Mínimo	Nominal	Máxima	Mínimo	Nominal	Máxima	
5MWXM68A2V1B9	1.5+2.0+2.0+2.0	1.72	2.29	2.29	2.29	2.55	8.60	10.63	0.46	2.09	2.93	2.10	9.30	13.00	98
	1.5+2.0+2.0+2.5	1.61	2.15	2.15	2.69	2.70	8.60	10.72	0.48	2.08	2.94	2.20	9.20	13.00	98
	1.5+2.0+2.0+3.5	1.43	1.91	1.91	3.34	2.85	8.60	10.83	0.51	2.08	2.96	2.30	9.20	13.10	98
	1.5+2.0+2.0+4.2	1.33	1.77	1.77	3.72	2.83	8.60	10.84	0.51	2.04	2.91	2.30	9.00	12.90	98
	1.5+2.0+2.0+5.0	1.23	1.64	1.64	4.10	3.13	8.60	10.88	0.56	2.01	2.88	2.50	8.90	12.80	98
	1.5+2.0+2.5+2.5	1.52	2.02	2.53	2.53	2.69	8.60	10.72	0.48	2.06	2.91	2.20	9.20	12.90	98
	1.5+2.0+2.5+3.5	1.36	1.81	2.26	3.17	2.99	8.60	10.83	0.54	2.06	2.94	2.40	9.20	13.00	98
	1.5+2.0+2.5+4.2	1.26	1.69	2.11	3.54	2.98	8.60	10.84	0.53	2.02	2.89	2.40	9.00	12.80	98
	1.5+2.0+2.5+5.0	1.17	1.56	1.95	3.91	3.12	8.60	10.89	0.56	2.00	2.86	2.50	8.90	12.70	98
	1.5+2.0+3.5+3.5	1.23	1.64	2.87	2.87	3.30	8.60	10.87	0.59	2.06	2.95	2.70	9.20	13.10	98
	1.5+2.5+2.5+2.5	1.43	2.39	2.39	2.39	2.84	8.60	10.73	0.51	2.05	2.89	2.30	9.10	12.80	98
	1.5+2.5+2.5+3.5	1.29	2.15	2.15	3.01	3.14	8.60	10.87	0.56	2.05	2.93	2.60	9.10	13.00	98
	1.5+2.5+2.5+4.2	1.21	2.01	2.01	3.38	3.13	8.60	10.88	0.56	2.01	2.88	2.50	8.90	12.80	98
	1.5+2.5+3.5+3.5	1.17	1.95	2.74	2.74	3.29	8.60	10.87	0.59	2.05	2.93	2.70	9.10	13.00	98
	2.0+2.0+2.0+2.0	2.15	2.15	2.15	2.15	2.55	8.60	10.81	0.46	2.09	2.98	2.10	9.30	13.20	98
	2.0+2.0+2.0+2.5	2.02	2.02	2.02	2.53	2.70	8.60	10.86	0.48	2.08	2.97	2.20	9.20	13.20	98
	2.0+2.0+2.0+3.5	1.81	1.81	1.81	3.17	2.85	8.60	10.86	0.51	2.08	2.97	2.30	9.20	13.20	98
	2.0+2.0+2.0+4.2	1.69	1.69	1.69	3.54	2.83	8.60	10.88	0.51	2.04	2.92	2.30	9.00	12.90	98
	2.0+2.0+2.0+5.0	1.56	1.56	1.56	3.91	3.13	8.60	10.88	0.56	2.01	2.88	2.50	8.90	12.80	98
	2.0+2.0+2.5+2.5	1.91	1.91	2.39	2.39	2.69	8.60	10.87	0.48	2.06	2.95	2.20	9.20	13.10	98
	2.0+2.0+2.5+3.5	1.72	1.72	2.15	3.01	2.99	8.60	10.87	0.54	2.06	2.95	2.40	9.20	13.10	98
	2.0+2.0+2.5+4.2	1.61	1.61	2.01	3.38	2.98	8.60	10.88	0.53	2.02	2.90	2.40	9.00	12.90	98
	2.0+2.0+3.5+3.5	1.56	1.56	2.74	2.74	3.30	8.60	10.87	0.59	2.06	2.95	2.70	9.20	13.10	98
	2.0+2.5+2.5+2.5	1.81	2.26	2.26	2.26	2.84	8.60	10.87	0.51	2.05	2.93	2.30	9.10	13.00	98
	2.0+2.5+2.5+3.5	1.64	2.05	2.05	2.87	3.14	8.60	10.87	0.56	2.05	2.93	2.60	9.10	13.00	98
2.5+2.5+2.5+2.5	2.15	2.15	2.15	2.15	2.98	8.60	10.88	0.53	2.04	2.91	2.40	9.00	12.90	98	
2.5+2.5+2.5+3.5	1.95	1.95	1.95	2.74	3.29	8.60	10.88	0.59	2.04	2.91	2.70	9.00	12.90	98	

4D155754A