

Combination (%)	Capacity index (kW)	Outdoor air temp.	Indoor air temperature: °CWB													
			14.0		16.0		18.0		19.0		20.0		22.0		24.0	
			TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
°CDB		kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	
90%	225 (25.20 kW)	10	17.0	2.30	20.3	2.78	23.6	3.28	25.2	3.54	26.8	3.80	30.1	4.34	33.4	4.89
		12	17.0	2.34	20.3	2.82	23.6	3.34	25.2	3.60	26.8	3.87	30.1	4.42	33.4	4.99
		14	17.0	2.38	20.3	2.88	23.6	3.40	25.2	3.67	26.8	3.95	30.1	4.51	33.4	5.08
		16	17.0	2.42	20.3	2.93	23.6	3.46	25.2	3.74	26.8	4.02	30.1	4.60	33.4	5.18
		18	17.0	2.47	20.3	2.98	23.6	3.53	25.2	3.81	26.8	4.10	30.1	4.69	33.4	5.47
		20	17.0	2.51	20.3	3.04	23.6	3.60	25.2	3.89	26.8	4.25	30.1	5.04	33.4	5.89
		21	17.0	2.53	20.3	3.07	23.6	3.66	25.2	4.03	26.8	4.41	30.1	5.22	33.4	6.10
		23	17.0	2.58	20.3	3.20	23.6	3.92	25.2	4.31	26.8	4.72	30.1	5.60	33.0	6.41
		25	17.0	2.72	20.3	3.42	23.6	4.19	25.2	4.61	26.8	5.05	30.1	5.99	32.5	6.69
		27	17.0	2.90	20.3	3.64	23.6	4.48	25.2	4.93	26.8	5.40	30.1	6.41	32.1	6.98
		29	17.0	3.08	20.3	3.88	23.6	4.78	25.2	5.26	26.8	5.77	30.1	6.85	31.6	7.26
		31	17.0	3.28	20.3	4.13	23.6	5.09	25.2	5.61	26.8	6.16	30.1	7.32	31.1	7.54
		33	17.0	3.48	20.3	4.40	23.6	5.43	25.2	5.98	26.8	6.56	30.0	7.77	30.7	7.83
		35	17.0	3.69	20.3	4.68	23.6	5.78	25.2	6.37	26.8	7.00	29.5	8.05	30.2	8.11
		37	17.0	3.92	20.3	4.97	23.6	6.15	25.2	6.79	26.8	7.46	29.1	8.33	29.7	8.40
		39	17.0	4.16	20.3	5.28	23.6	6.55	25.2	7.23	26.8	7.95	28.6	8.62	29.2	8.69
		42	17.0	4.64	20.3	5.91	23.6	7.34	25.2	8.11	26.8	8.92	27.9	9.25	28.5	9.32
		44	17.0	5.01	20.3	6.39	23.6	7.94	25.2	8.78	26.8	9.62	27.4	9.70	27.8	10.70
		46	17.0	5.39	20.3	6.89	23.6	8.58	24.1	9.93	24.2	8.94	24.2	8.95	24.3	8.96
		80%	200 (22.40 kW)	10	15.1	2.04	18.0	2.45	20.9	2.87	22.4	3.10	23.9	3.32	26.8	3.79
12	15.1			2.08	18.0	2.49	20.9	2.93	22.4	3.15	23.9	3.38	26.8	3.86	29.7	4.35
14	15.1			2.11	18.0	2.53	20.9	2.98	22.4	3.21	23.9	3.45	26.8	3.93	29.7	4.43
16	15.1			2.15	18.0	2.58	20.9	3.03	22.4	3.27	23.9	3.51	26.8	4.01	29.7	4.52
18	15.1			2.18	18.0	2.62	20.9	3.09	22.4	3.33	23.9	3.58	26.8	4.09	29.7	4.61
20	15.1			2.22	18.0	2.67	20.9	3.15	22.4	3.40	23.9	3.65	26.8	4.24	29.7	4.93
21	15.1			2.24	18.0	2.70	20.9	3.18	22.4	3.43	23.9	3.73	26.8	4.39	29.7	5.11
23	15.1			2.28	18.0	2.75	20.9	3.34	22.4	3.66	23.9	3.99	26.8	4.70	29.7	5.48
25	15.1			2.36	18.0	2.93	20.9	3.56	22.4	3.91	23.9	4.27	26.8	5.03	29.7	5.86
27	15.1			2.51	18.0	3.12	20.9	3.80	22.4	4.17	23.9	4.56	26.8	5.38	29.7	6.27
29	15.1			2.66	18.0	3.32	20.9	4.05	22.4	4.45	23.9	4.86	26.8	5.75	29.7	6.70
31	15.1			2.83	18.0	3.53	20.9	4.32	22.4	4.74	23.9	5.18	26.8	6.13	29.7	7.16
33	15.1			3.00	18.0	3.75	20.9	4.60	22.4	5.05	23.9	5.52	26.8	6.54	29.7	7.64
35	15.1			3.18	18.0	3.99	20.9	4.89	22.4	5.37	23.9	5.88	26.8	6.97	29.5	8.04
37	15.1			3.37	18.0	4.24	20.9	5.20	22.4	5.72	23.9	6.26	26.8	7.43	29.0	8.33
39	15.1			3.58	18.0	4.50	20.9	5.53	22.4	6.08	23.9	6.67	26.8	7.91	28.5	8.61
42	15.1			3.98	18.0	5.02	20.9	6.19	22.4	6.82	23.9	7.48	26.8	8.89	27.8	9.24
44	15.1			4.29	18.0	5.42	20.9	6.69	22.4	7.37	23.9	8.09	26.8	9.62	27.3	9.69
46	15.1			4.62	18.0	5.84	20.9	7.22	22.4	7.96	23.9	8.74	24.2	8.95	24.3	8.96
70%	175 (19.60 kW)			10	13.2	1.80	15.8	2.13	18.3	2.49	19.6	2.67	20.9	2.86	23.4	3.25
		12	13.2	1.82	15.8	2.17	18.3	2.53	19.6	2.72	20.9	2.91	23.4	3.31	26.0	3.73
		14	13.2	1.85	15.8	2.20	18.3	2.58	19.6	2.77	20.9	2.97	23.4	3.38	26.0	3.80
		16	13.2	1.88	15.8	2.24	18.3	2.62	19.6	2.82	20.9	3.02	23.4	3.44	26.0	3.87
		18	13.2	1.91	15.8	2.28	18.3	2.67	19.6	2.87	20.9	3.08	23.4	3.51	26.0	3.95
		20	13.2	1.94	15.8	2.32	18.3	2.72	19.6	2.93	20.9	3.14	23.4	3.58	26.0	4.06
		21	13.2	1.96	15.8	2.34	18.3	2.75	19.6	2.96	20.9	3.17	23.4	3.63	26.0	4.20
		23	13.2	2.00	15.8	2.39	18.3	2.80	19.6	3.06	20.9	3.32	23.4	3.89	26.0	4.50
		25	13.2	2.03	15.8	2.48	18.3	2.99	19.6	3.26	20.9	3.55	23.4	4.16	26.0	4.82
		27	13.2	2.15	15.8	2.64	18.3	3.19	19.6	3.48	20.9	3.79	23.4	4.44	26.0	5.15
		29	13.2	2.28	15.8	2.81	18.3	3.39	19.6	3.71	20.9	4.04	23.4	4.74	26.0	5.50
		31	13.2	2.42	15.8	2.98	18.3	3.61	19.6	3.95	20.9	4.30	23.4	5.05	26.0	5.86
		33	13.2	2.56	15.8	3.16	18.3	3.84	19.6	4.20	20.9	4.57	23.4	5.38	26.0	6.25
		35	13.2	2.71	15.8	3.36	18.3	4.08	19.6	4.46	20.9	4.87	23.4	5.73	26.0	6.66
		37	13.2	2.87	15.8	3.56	18.3	4.33	19.6	4.74	20.9	5.17	23.4	6.10	26.0	7.10
		39	13.2	3.04	15.8	3.77	18.3	4.60	19.6	5.04	20.9	5.50	23.4	6.49	26.0	7.56
		42	13.2	3.38	15.8	4.21	18.3	5.13	19.6	5.63	20.9	6.16	23.4	7.28	26.0	8.49
		44	13.2	3.63	15.8	4.53	18.3	5.54	19.6	6.08	20.9	6.65	23.4	7.87	26.0	9.19
		46	13.2	3.90	15.8	4.88	18.3	5.97	19.6	6.56	20.9	7.18	23.4	8.51	24.3	8.96
		60%	150 (16.80 kW)	10	11.3	1.56	13.5	1.83	15.7	2.12	16.8	2.27	17.9	2.43	20.1	2.74
12	11.3			1.58	13.5	1.86	15.7	2.16	16.8	2.31	17.9	2.47	20.1	2.79	22.3	3.13
14	11.3			1.61	13.5	1.89	15.7	2.19	16.8	2.35	17.9	2.51	20.1	2.84	22.3	3.19
16	11.3			1.63	13.5	1.92	15.7	2.23	16.8	2.39	17.9	2.56	20.1	2.90	22.3	3.25
18	11.3			1.66	13.5	1.95	15.7	2.27	16.8	2.43	17.9	2.60	20.1	2.95	22.3	3.31
20	11.3			1.68	13.5	1.99	15.7	2.31	16.8	2.48	17.9	2.65	20.1	3.01	22.3	3.38
21	11.3			1.70	13.5	2.00	15.7	2.33	16.8	2.50	17.9	2.68	20.1	3.04	22.3	3.41
23	11.3			1.72	13.5	2.04	15.7	2.37	16.8	2.55	17.9	2.73	20.1	3.16	22.3	3.63
25	11.3			1.75	13.5	2.08	15.7	2.47	16.8	2.68	17.9	2.90	20.1	3.37	22.3	3.87
27	11.3			1.82	13.5	2.20	15.7	2.63	16.8	2.85	17.9	3.09	20.1	3.59	22.3	4.14
29	11.3			1.92	13.5	2.34	15.7	2.79	16.8	3.03	17.9	3.29	20.1	3.83	22.3	4.41
31	11.3			2.04	13.5	2.48	15.7	2.96	16.8	3.23	17.9	3.50	20.1	4.08	22.3	4.70
33	11.3			2.16	13.5	2.63	15.7	3.15	16.8	3.43	17.9	3.72	20.1	4.34	22.3	5.00
35	11.3			2.28	13.5	2.78	15.7	3.34	16.8	3.64	17.9	3.95	20.1	4.61	22.3	5.33
37	11.3			2.41	13.5	2.95	15.7	3.54	16.8	3.86	17.9	4.19	20.1	4.90	22.3	5.67
39	11.3			2.54	13.5	3.12	15.7	3.75	16.8	4.09	17.9	4.45	20.1	5.21	22.3	6.03
42	11.3			2.82	13.5	3.47	15.7	4.18	16.8	4.57	17.9	4.97	20.1	5.83	22.3	6.75
44	11.3			3.03	13.5	3.73	15.7	4.51	16.8	4.93	17.9	5.36	20.1	6.29	22.3	7.30
46	11.3			3.25	13.5	4.01	15.7	4.85	16.8	5.31	17.9	5.78				