

Combination (%)	Capacity index (kW)	Outdoor air temp. (°CDB)	Indoor air temperature															
			14.0 °CWB		16.0 °CWB		18.0 °CWB		19.0 °CWB		20.0 °CWB		22.0 °CWB		24.0 °CWB			
			20.0 °CDB		23.0 °CDB		26.0 °CDB		27.0 °CDB		28.0 °CDB		30.0 °CDB		32.0 °CDB			
			TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI		
kW		kW		kW		kW		kW		kW		kW		kW				
130	455 (52.00)	10	35.1	5.71	41.9	6.99	48.6	8.31	50.4	8.49	51.0	8.32	52.3	7.96	53.5	7.61		
		12	35.1	5.82	41.9	7.12	48.6	8.47	49.7	8.44	50.4	8.27	51.6	7.91	52.9	7.79		
		14	35.1	5.92	41.9	7.26	48.4	8.58	49.1	8.40	49.7	8.22	51.0	8.16	52.2	8.23		
		16	35.1	6.04	41.9	7.40	47.8	8.53	48.4	8.47	49.1	8.51	50.3	8.60	51.6	8.68		
		18	35.1	6.16	41.9	7.55	47.1	8.86	47.8	8.91	48.4	8.95	49.7	9.04	50.9	9.12		
		20	35.1	6.28	41.9	8.04	46.5	9.3	47.1	9.3	47.8	9.4	49.0	9.5	50.3	9.6		
		21	35.1	6.46	41.9	8.33	46.2	9.5	46.8	9.6	47.4	9.6	48.7	9.7	50.0	9.8		
		23	35.1	6.91	41.9	8.93	45.5	9.9	46.2	10.0	46.8	10.0	48.0	10.1	49.3	10.2		
		25	35.1	7.39	41.9	9.6	44.9	10.4	45.5	10.4	46.1	10.5	47.4	10.6	48.7	10.7		
		27	35.1	7.90	41.9	10.2	44.2	10.8	44.8	10.9	45.5	10.9	46.7	11.0	48.0	11.2		
		29	35.1	8.43	41.9	10.9	43.6	11.3	44.2	11.3	44.8	11.4	46.1	11.5	47.4	11.6		
		31	35.1	8.99	41.6	11.6	42.9	11.7	43.5	11.8	44.2	11.8	45.4	12.0	46.7	12.1		
		33	35.1	9.6	41.0	12.0	42.3	12.1	42.9	12.2	43.5	12.3	44.8	12.4	46.1	12.5		
		35	35.1	10.2	40.3	12.4	41.6	12.6	42.2	12.7	42.9	12.7	44.1	12.9	45.4	13.0		
		37	35.1	10.9	39.7	12.9	41.0	13.0	41.6	13.1	42.2	13.2	43.5	13.3	44.8	13.5		
		39	35.1	11.6	39.0	13.3	40.3	13.5	40.9	13.6	41.6	13.6	42.8	13.8	44.1	14.0		
		120	420 (48.00)	10	32.4	5.22	38.6	6.37	44.9	7.58	48.0	8.19	50.2	8.53	51.4	8.21	52.6	7.89
				12	32.4	5.31	38.6	6.49	44.9	7.72	48.0	8.35	49.6	8.49	50.7	8.17	51.9	7.83
14	32.4			5.41	38.6	6.62	44.9	7.87	48.0	8.51	48.9	8.45	50.1	8.12	51.3	8.17		
16	32.4			5.51	38.6	6.74	44.9	8.02	47.7	8.57	48.3	8.46	49.4	8.54	50.6	8.61		
18	32.4			5.62	38.6	6.88	44.9	8.30	47.0	8.85	47.6	8.89	48.8	8.98	49.9	9.06		
20	32.4			5.73	38.6	7.15	44.9	8.92	46.4	9.3	47.0	9.3	48.1	9.4	49.3	9.5		
21	32.4			5.79	38.6	7.41	44.9	9.24	46.1	9.5	46.6	9.5	47.8	9.6	49.0	9.7		
23	32.4			6.18	38.6	7.93	44.8	9.9	45.4	9.9	46.0	10.0	47.2	10.1	48.3	10.2		
25	32.4			6.61	38.6	8.49	44.2	10.3	44.8	10.4	45.3	10.4	46.5	10.5	47.7	10.6		
27	32.4			7.05	38.6	9.08	43.5	10.8	44.1	10.8	44.7	10.9	45.9	11.0	47.0	11.1		
29	32.4			7.52	38.6	9.7	42.9	11.2	43.4	11.2	44.0	11.3	45.2	11.4	46.4	11.5		
31	32.4			8.02	38.6	10.3	42.2	11.6	42.8	11.7	43.4	11.7	44.6	11.9	45.7	12.0		
33	32.4			8.54	38.6	11.0	41.6	12.1	42.1	12.1	42.7	12.2	43.9	12.3	45.1	12.4		
35	32.4			9.09	38.6	11.8	40.9	12.5	41.5	12.6	42.1	12.6	43.3	12.8	44.4	12.9		
37	32.4			9.7	38.6	12.5	40.3	12.9	40.8	13.0	41.4	13.1	42.6	13.2	43.8	13.4		
39	32.4			10.3	38.4	13.2	39.6	13.4	40.2	13.5	40.8	13.5	41.9	13.7	43.1	13.8		
110	385 (44.00)			10	29.7	4.74	35.4	5.77	41.1	6.85	44.0	7.41	46.9	7.97	50.5	8.46	51.6	8.16
				12	29.7	4.82	35.4	5.88	41.1	6.98	44.0	7.55	46.9	8.12	49.8	8.41	50.9	8.12
		14	29.7	4.91	35.4	5.99	41.1	7.11	44.0	7.69	46.9	8.27	49.2	8.37	50.3	8.11		
		16	29.7	5.00	35.4	6.10	41.1	7.25	44.0	7.84	46.9	8.43	48.5	8.48	49.6	8.55		
		18	29.7	5.10	35.4	6.22	41.1	7.40	44.0	8.06	46.8	8.84	47.9	8.91	49.0	8.99		
		20	29.7	5.20	35.4	6.35	41.1	7.84	44.0	8.66	46.2	9.3	47.2	9.3	48.3	9.4		
		21	29.7	5.25	35.4	6.54	41.1	8.12	44.0	8.97	45.8	9.5	46.9	9.6	48.0	9.6		
		23	29.7	5.49	35.4	7.00	41.1	8.70	44.0	9.6	45.2	9.9	46.3	10.0	47.3	10.1		
		25	29.7	5.87	35.4	7.49	41.1	9.3	44.0	10.3	44.5	10.4	45.6	10.4	46.7	10.5		
		27	29.7	6.26	35.4	8.00	41.1	10.0	43.4	10.7	43.9	10.8	45.0	10.9	46.0	11.0		
		29	29.7	6.67	35.4	8.54	41.1	10.6	42.7	11.2	43.2	11.2	44.3	11.3	45.4	11.4		
		31	29.7	7.10	35.4	9.11	41.1	11.4	42.1	11.6	42.6	11.7	43.7	11.8	44.7	11.9		
		33	29.7	7.56	35.4	9.7	40.9	12.0	41.4	12.0	41.9	12.1	43.0	12.2	44.1	12.3		
		35	29.7	8.04	35.4	10.3	40.2	12.4	40.7	12.5	41.3	12.5	42.4	12.7	43.4	12.8		
		37	29.7	8.55	35.4	11.0	39.6	12.9	40.1	12.9	40.6	13.0	41.7	13.1	42.8	13.2		
		39	29.7	9.09	35.4	11.7	38.9	13.3	39.4	13.4	40.0	13.4	41.1	13.6	42.1	13.7		
		100	350 (40.00)	10	27.0	4.27	32.2	5.18	37.4	6.14	40.0	6.63	42.6	7.13	47.8	8.15	50.6	8.44
				12	27.0	4.35	32.2	5.28	37.4	6.25	40.0	6.76	42.6	7.27	47.8	8.31	49.9	8.39
14	27.0			4.42	32.2	5.37	37.4	6.37	40.0	6.89	42.6	7.41	47.8	8.47	49.3	8.35		
16	27.0			4.51	32.2	5.48	37.4	6.50	40.0	7.02	42.6	7.55	47.6	8.58	48.6	8.49		
18	27.0			4.59	32.2	5.58	37.4	6.62	40.0	7.16	42.6	7.70	47.0	8.85	48.0	8.92		
20	27.0			4.68	32.2	5.69	37.4	6.82	40.0	7.52	42.6	8.25	46.3	9.3	47.3	9.4		
21	27.0			4.72	32.2	5.75	37.4	7.07	40.0	7.79	42.6	8.55	46.0	9.5	47.0	9.6		
23	27.0			4.85	32.2	6.13	37.4	7.57	40.0	8.35	42.6	9.16	45.4	9.9	46.3	10.0		
25	27.0			5.17	32.2	6.55	37.4	8.10	40.0	8.94	42.6	9.8	44.7	10.4	45.7	10.4		
27	27.0			5.51	32.2	6.99	37.4	8.65	40.0	9.6	42.6	10.5	44.1	10.8	45.0	10.9		
29	27.0			5.87	32.2	7.46	37.4	9.24	40.0	10.2	42.4	11.1	43.4	11.2	44.4	11.3		
31	27.0			6.25	32.2	7.95	37.4	9.9	40.0	10.9	41.8	11.6	42.8	11.7	43.7	11.8		
33	27.0			6.64	32.2	8.46	37.4	10.5	40.0	11.6	41.1	12.0	42.1	12.1	43.1	12.2		
35	27.0			7.06	32.2	9.01	37.4	11.2	40.0	12.4	40.5	12.5	41.5	12.6	42.4	12.7		
37	27.0			7.50	32.2	9.6	37.4	11.9	39.4	12.8	39.8	12.9	40.8	13.0	41.8	13.1		
39	27.0			7.96	32.2	10.2	37.4	12.7	38.7	13.3	39.2	13.3	40.2	13.5	41.1	13.6		

4TW31462-1A

NOTES - ANMERKUNGEN - Σημειώσεις - NOTAS - REMARQUES - NOTE - OPMERKINGEN - примечания - NOTLAR

- The above table shows the average value of conditions which may occur.
Die obige Tabelle zeigt den Durchschnittswert der Bedingungen, die auftreten können.
 Στον παραπάνω πίνακα αναγράφεται η μέση τιμή για συνθήκες που μπορεί να προκύψουν.
La tabla de arriba muestra el valor medio de condiciones que pueden ocurrir.
 Le tableau ci-dessus donne la valeur moyenne pour des conditions qui peuvent survenir.
La tabella in alto mostra il valore delle condizioni medie che si possono riscontrare.
 De tabel hierboven geeft de gemiddelde waarde aan van situaties die kunnen voorvallen.
Таблица расположенная выше показывает среднее значение условий, которые могут наступить.
 Yukarıdaki tablo meydana gelebilecek koşulların ortalama değerini göstermektedir.