

Combination (%)	Capacity index (kW)	Outdoor air temp.		Indoor air temperature: °CDB											
				16.0		18.0		20.0		21.0		22.0		24.0	
				TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
90%	405 (50.85 kW)	-19.8	-20.0	32.2	9.86	32.2	10.3	32.1	10.8	32.0	11.0	32.0	11.3	31.9	11.7
		-18.8	-19.0	32.8	10.0	32.7	10.5	32.6	10.9	32.6	11.2	32.6	11.4	32.5	11.9
		-16.7	-17.0	34.1	10.3	34.0	10.8	33.9	11.2	33.9	11.4	33.8	11.7	33.7	12.1
		-13.7	-15.0	35.5	10.7	35.5	11.1	35.4	11.5	35.3	11.7	35.3	11.9	35.2	12.4
		-11.8	-13.0	37.1	11.0	37.0	11.4	36.9	11.8	36.9	12.0	36.8	12.2	36.7	12.6
		-9.8	-11.0	38.8	11.4	38.7	11.7	38.6	12.1	38.6	12.3	38.6	12.5	38.5	12.9
		-9.5	-10.0	39.7	11.5	39.7	11.9	39.6	12.3	39.5	12.5	39.5	12.7	39.4	13.0
		-8.5	-9.1	40.6	11.7	40.5	12.0	40.4	12.4	40.4	12.6	40.3	12.8	40.2	13.1
		-7.0	-7.6	42.1	11.9	42.0	12.3	41.9	12.6	41.9	12.8	41.8	13.0	41.7	13.3
		-5.0	-5.6	44.2	12.2	44.1	12.6	44.0	12.9	44.0	13.1	43.9	13.2	43.8	13.6
		-3.0	-3.7	46.3	12.5	46.2	12.8	46.1	13.2	46.1	13.3	46.0	13.5	44.3	13.0
		0.0	-0.7	50.0	13.0	49.9	13.3	49.8	13.6	49.2	13.5	47.6	13.0	44.3	11.9
		3.0	2.2	53.8	13.4	53.7	13.6	50.9	12.8	49.2	12.3	47.6	11.8	44.3	10.9
		5.0	4.1	56.5	13.6	54.1	13.0	50.9	12.1	49.2	11.6	47.6	11.2	44.3	10.3
		7.0	6.0	57.4	13.2	54.1	12.3	50.9	11.4	49.2	11.0	47.6	10.6	44.3	9.75
		9.0	7.9	57.4	12.4	54.1	11.6	50.9	10.8	49.2	10.4	47.6	10.00	44.3	9.23
		11.0	9.8	57.4	11.7	54.1	11.0	50.9	10.2	49.2	9.83	47.6	9.46	44.3	8.75
13.0	11.8	57.4	11.1	54.1	10.3	50.9	9.63	49.2	9.29	47.6	8.95	44.3	8.28		
15.0	13.7	57.4	10.5	54.1	9.79	50.9	9.13	49.2	8.81	47.6	8.49	44.3	7.86		
80%	360 (45.20 kW)	-19.8	-20.0	32.1	10.8	32.0	11.2	31.9	11.6	31.9	11.8	31.8	12.0	31.7	12.4
		-18.8	-19.0	32.6	10.9	32.6	11.3	32.5	11.7	32.4	11.9	32.4	12.1	32.3	12.5
		-16.7	-17.0	33.9	11.2	33.8	11.6	33.8	12.0	33.7	12.2	33.7	12.4	33.6	12.8
		-13.7	-15.0	35.4	11.5	35.3	11.9	35.2	12.3	35.2	12.4	35.1	12.6	35.0	13.0
		-11.8	-13.0	36.9	11.8	36.9	12.2	36.8	12.5	36.7	12.7	36.7	12.9	36.6	13.2
		-9.8	-11.0	38.7	12.1	38.6	12.5	38.5	12.8	38.4	13.0	38.4	13.1	38.3	13.5
		-9.5	-10.0	39.6	12.3	39.5	12.6	39.4	12.9	39.4	13.1	39.3	13.3	39.2	13.6
		-8.5	-9.1	40.4	12.4	40.3	12.7	40.3	13.0	40.2	13.2	40.2	13.4	39.4	13.3
		-7.0	-7.6	41.9	12.6	41.8	12.9	41.7	13.2	41.7	13.4	41.7	13.6	39.4	12.8
		-5.0	-5.6	44.0	12.9	43.9	13.2	43.8	13.5	43.7	13.6	42.3	13.1	39.4	12.0
		-3.0	-3.7	46.1	13.2	46.1	13.4	45.2	13.4	43.7	12.8	42.3	12.3	39.4	11.4
		0.0	-0.7	49.8	13.5	48.1	13.1	45.2	12.2	43.7	11.7	42.3	11.3	39.4	10.4
		3.0	2.2	51.0	12.9	48.1	12.0	45.2	11.2	43.7	10.7	42.3	10.3	39.4	9.54
		5.0	4.1	51.0	12.1	48.1	11.3	45.2	10.5	43.7	10.2	42.3	9.78	39.4	9.03
		7.0	6.0	51.0	11.5	48.1	10.7	45.2	9.97	43.7	9.61	42.3	9.25	39.4	8.56
		9.0	7.9	51.0	10.8	48.1	10.1	45.2	9.44	43.7	9.10	42.3	8.77	39.4	8.12
		11.0	9.8	51.0	10.2	48.1	9.58	45.2	8.94	43.7	8.63	42.3	8.32	39.4	7.71
13.0	11.8	51.0	9.66	48.1	9.05	45.2	8.46	43.7	8.16	42.3	7.87	39.4	7.30		
15.0	13.7	51.0	9.16	48.1	8.59	45.2	8.03	43.7	7.76	42.3	7.48	39.4	6.95		
70%	315 (39.55 kW)	-19.8	-20.0	31.9	11.7	31.8	12.0	31.7	12.4	31.7	12.6	31.7	12.8	31.6	13.1
		-18.8	-19.0	32.5	11.8	32.4	12.2	32.3	12.5	32.3	12.7	32.2	12.9	32.2	13.2
		-16.7	-17.0	33.8	12.1	33.7	12.4	33.6	12.8	33.6	12.9	33.5	13.1	33.5	13.4
		-13.7	-15.0	35.2	12.3	35.1	12.7	35.0	13.0	35.0	13.2	35.0	13.3	34.5	13.4
		-11.8	-13.0	36.8	12.6	36.7	12.9	36.6	13.2	36.6	13.4	36.5	13.5	34.5	12.7
		-9.8	-11.0	38.5	12.9	38.4	13.2	38.3	13.5	38.3	13.6	37.0	13.1	34.5	12.0
		-9.5	-10.0	39.4	13.0	39.3	13.3	39.2	13.6	38.3	13.2	37.0	12.7	34.5	11.7
		-8.5	-9.1	40.2	13.1	40.2	13.4	39.6	13.4	38.3	12.9	37.0	12.4	34.5	11.4
		-7.0	-7.6	41.7	13.3	41.6	13.6	39.6	12.8	38.3	12.3	37.0	11.8	34.5	10.9
		-5.0	-5.6	43.8	13.6	42.1	13.0	39.6	12.1	38.3	11.6	37.0	11.2	34.5	10.3
		-3.0	-3.7	44.6	13.2	42.1	12.3	39.6	11.4	38.3	11.0	37.0	10.6	34.5	9.74
		0.0	-0.7	44.6	12.0	42.1	11.2	39.6	10.4	38.3	10.1	37.0	9.68	34.5	8.94
		3.0	2.2	44.6	11.0	42.1	10.3	39.6	9.58	38.3	9.24	37.0	8.90	34.5	8.24
		5.0	4.1	44.6	10.4	42.1	9.72	39.6	9.07	38.3	8.75	37.0	8.44	34.5	7.81
		7.0	6.0	44.6	9.83	42.1	9.20	39.6	8.60	38.3	8.30	37.0	8.00	34.5	7.42
		9.0	7.9	44.6	9.30	42.1	8.72	39.6	8.15	38.3	7.87	37.0	7.59	34.5	7.05
		11.0	9.8	44.6	8.82	42.1	8.27	39.6	7.74	38.3	7.48	37.0	7.22	34.5	6.70
13.0	11.8	44.6	8.34	42.1	7.83	39.6	7.33	38.3	7.09	37.0	6.85	34.5	6.37		
15.0	13.7	44.6	7.92	42.1	7.45	39.6	6.98	38.3	6.75	37.0	6.52	34.5	6.07		
60%	270 (33.90 kW)	-19.8	-20.0	31.7	12.6	31.6	12.9	31.6	13.2	31.5	13.4	31.5	13.5	29.5	12.6
		-18.8	-19.0	32.3	12.7	32.2	13.0	32.2	13.3	32.1	13.5	31.7	13.4	29.5	12.3
		-16.7	-17.0	33.6	12.9	33.5	13.2	33.4	13.5	32.8	13.3	31.7	12.7	29.5	11.7
		-13.7	-15.0	35.0	13.2	34.9	13.4	33.9	13.1	32.8	12.6	31.7	12.1	29.5	11.2
		-11.8	-13.0	36.6	13.4	36.1	13.4	33.9	12.4	32.8	12.0	31.7	11.5	29.5	10.6
		-9.8	-11.0	38.3	13.6	36.1	12.7	33.9	11.8	32.8	11.3	31.7	10.9	29.5	10.0
		-9.5	-10.0	38.3	13.2	36.1	12.3	33.9	11.4	32.8	11.0	31.7	10.6	29.5	9.78
		-8.5	-9.1	38.3	12.9	36.1	12.0	33.9	11.2	32.8	10.7	31.7	10.3	29.5	9.54
		-7.0	-7.6	38.3	12.3	36.1	11.5	33.9	10.7	32.8	10.3	31.7	9.92	29.5	9.16
		-5.0	-5.6	38.3	11.6	36.1	10.8	33.9	10.1	32.8	9.73	31.7	9.37	29.5	8.67
		-3.0	-3.7	38.3	11.0	36.1	10.3	33.9	9.57	32.8	9.22	31.7	8.89	29.5	8.22
		0.0	-0.7	38.3	10.0	36.1	9.41	33.9	8.78	32.8	8.47	31.7	8.17	29.5	7.57
		3.0	2.2	38.3	9.23	36.1	8.66	33.9	8.09	32.8	7.81	31.7	7.54	29.5	7.00
		5.0	4.1	38.3	8.75	36.1	8.21	33.9	7.68	32.8	7.42	31.7	7.16	29.5	6.65
		7.0	6.0	38.3	8.29	36.1	7.79	33.9	7.29	32.8	7.05	31.7	6.81	29.5	6.33
		9.0	7.9	38.3	7.87	36.1	7.39	33.9	6.93	32.8	6.70	31.7	6.47	29.5	6.03
		11.0	9.8	38.3	7.47	36.1	7.03	33.9	6.59	32.8	6.38	31.7	6.17	29.5	5.75
13.0	11.8	38.3	7.08	36.1	6.67	33.9	6.26	32.8	6.06	31.7	5.86	29.5	5.47		
15.0	13.7	38.3	6.74	36.1	6.35	33.9	5.97	32.8	5.78	31.7	5.60	29.5	5.23		
50%	225 (28.25 kW)	-19.8	-20.0	31.5	13.5	30.1	12.8	28.3	11.9	27.3	11.5	26.4	11.0	24.6	10.2
		-18.8	-19.0	31.9	13.5	30.1	12.5	28.3	11.7	27.3	11.2	26.4	10.8	24.6	9.94
		-16.7	-17.0	31.9	12.8	30.1	12.0	28.3	11.1	27.3	10.7	26.4	10.3	24.6	9.51
		-13.7	-15.0	31.9	12.2	30.1	11.4	28.3	10.6	27.3	10.2	26.4	9.82	24.6	9.07
		-11.8	-13.0	31.9	11.6	30.1	10.8	28.3	10.1	27.3	9.70	26.4	9.34	24.6	8.64
		-9.8	-11.0	31.9	11.0	30.1	10.2	28.3	9.55	27.3	9.21	26.4	8.87	24.6	8.21
		-9.5	-10.0	31.9	10.7	30.1	9.97	28.3	9.30	27.3	8.97	26.4	8.64	24.6	8.00
		-8.5	-9.1	31.9	10.4	30.1	9.73	28.3	9.08	27.3	8.76	26.4	8.44	24.6	7.82
		-7.0	-7.6	31.9	9.97	30.1	9.34	28.3	8.72	27.3	8.41	26.4	8.11	24.6	7.52
		-5.0	-5.6	31.9	9.43	30.1	8.83	28.3	8.25	27.3	7.97	26.4	7.69	24.6	7.13
		-3.0	-3.7	31.9	8.93	30.1	8.38	28.3	7.84	27.3	7.57	26.4	7.31	24.6	6.79
		0.0	-0.7	31.9	8.21	30.1	7.71	28.3	7.22	27.3	6.98	26.4	6.74	24.6	6.27
		3.0	2.2	31.9	7.58	30.1	7.13	2							