

Combination (%)	Capacity index (kW)	Outdoor air temp.		Indoor air temperature: °CDB											
				16.0		18.0		20.0		21.0		22.0		24.0	
				TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
90%	495 (62.10 kW)	-19.8	-20.0	45.3	16.9	45.2	17.5	45.1	18.0	45.0	18.3	45.0	18.6	44.9	19.2
		-18.8	-19.0	46.1	17.1	46.0	17.6	45.9	18.2	45.8	18.5	45.8	18.8	45.7	19.4
		-16.7	-17.0	47.9	17.5	47.8	18.0	47.7	18.6	47.6	18.9	47.6	19.1	47.5	19.7
		-13.7	-15.0	49.9	17.9	49.8	18.4	49.7	18.9	49.6	19.2	49.6	19.5	49.5	20.0
		-11.8	-13.0	52.1	18.3	52.0	18.8	51.9	19.3	51.9	19.6	51.8	19.8	51.7	20.3
		-9.8	-11.0	54.6	18.7	54.5	19.2	54.3	19.7	54.3	19.9	54.2	20.2	54.1	20.7
		-9.5	-10.0	55.9	18.9	55.7	19.4	55.6	19.9	55.6	20.1	55.5	20.4	54.1	20.1
		-8.5	-9.1	57.1	19.1	57.0	19.6	56.8	20.0	56.8	20.3	56.7	20.5	54.1	19.5
		-7.0	-7.6	59.2	19.4	59.1	19.9	59.0	20.3	58.9	20.5	58.1	20.4	54.1	18.6
		-5.0	-5.6	62.2	19.8	62.1	20.2	62.0	20.7	60.1	19.9	58.1	19.1	54.1	17.5
		-3.0	-3.7	65.2	20.2	65.1	20.6	62.1	19.5	60.1	18.7	58.1	18.0	54.1	16.5
		0.0	-0.7	70.1	20.6	66.1	19.1	62.1	17.7	60.1	17.0	58.1	16.4	54.1	15.0
		3.0	2.2	70.1	18.7	66.1	17.4	62.1	16.1	60.1	15.5	58.1	14.9	54.1	13.7
		5.0	4.1	70.1	17.6	66.1	16.4	62.1	15.2	60.1	14.6	58.1	14.1	54.1	13.0
		7.0	6.0	70.1	16.5	66.1	15.4	62.1	14.3	60.1	13.8	58.1	13.3	54.1	12.3
		9.0	7.9	70.1	15.6	66.1	14.5	62.1	13.5	60.1	13.0	58.1	12.5	54.1	11.6
		11.0	9.8	70.1	14.7	66.1	13.7	62.1	12.8	60.1	12.3	58.1	11.9	54.1	11.0
		13.0	11.8	70.1	13.8	66.1	12.9	62.1	12.1	60.1	11.6	58.1	11.2	54.1	10.4
		15.0	13.7	70.1	13.1	66.1	12.2	62.1	11.4	60.1	11.0	58.1	10.6	54.1	9.84
		80%	440 (55.20 kW)	-19.8	-20.0	45.1	18.0	45.0	18.5	44.9	19.1	44.8	19.3	44.8	19.6
-18.8	-19.0			45.9	18.2	45.8	18.7	45.7	19.2	45.7	19.5	45.6	19.7	45.5	20.3
-16.7	-17.0			47.7	18.6	47.6	19.0	47.5	19.5	47.4	19.8	47.4	20.0	47.3	20.5
-13.7	-15.0			49.7	18.9	49.6	19.4	49.5	19.9	49.4	20.1	49.4	20.4	48.1	20.0
-11.8	-13.0			51.9	19.3	51.8	19.8	51.7	20.2	51.7	20.4	51.6	20.7	48.1	18.9
-9.8	-11.0			54.3	19.7	54.2	20.1	54.1	20.5	53.4	20.3	51.7	19.5	48.1	17.9
-9.5	-10.0			55.6	19.9	55.5	20.3	55.2	20.6	53.4	19.7	51.7	18.9	48.1	17.4
-8.5	-9.1			56.8	20.0	56.7	20.4	55.2	20.0	53.4	19.2	51.7	18.4	48.1	16.9
-7.0	-7.6			59.0	20.3	58.7	20.6	55.2	19.1	53.4	18.3	51.7	17.6	48.1	16.2
-5.0	-5.6			62.0	20.6	58.7	19.4	55.2	17.9	53.4	17.2	51.7	16.6	48.1	15.2
-3.0	-3.7			62.3	19.6	58.7	18.2	55.2	16.9	53.4	16.2	51.7	15.6	48.1	14.4
0.0	-0.7			62.3	17.8	58.7	16.6	55.2	15.4	53.4	14.8	51.7	14.2	48.1	13.1
3.0	2.2			62.3	16.2	58.7	15.1	55.2	14.1	53.4	13.5	51.7	13.0	48.1	12.0
5.0	4.1			62.3	15.3	58.7	14.3	55.2	13.3	53.4	12.8	51.7	12.3	48.1	11.4
7.0	6.0			62.3	14.4	58.7	13.5	55.2	12.5	53.4	12.1	51.7	11.6	48.1	10.8
9.0	7.9			62.3	13.6	58.7	12.7	55.2	11.8	53.4	11.4	51.7	11.0	48.1	10.2
11.0	9.8			62.3	12.8	58.7	12.0	55.2	11.2	53.4	10.8	51.7	10.4	48.1	9.66
13.0	11.8			62.3	12.1	58.7	11.3	55.2	10.6	53.4	10.2	51.7	9.86	48.1	9.15
15.0	13.7			62.3	11.5	58.7	10.7	55.2	10.0	53.4	9.70	51.7	9.36	48.1	8.69
70%	385 (48.30 kW)			-19.8	-20.0	44.9	19.2	44.8	19.6	44.7	20.1	44.6	20.3	44.6	20.6
		-18.8	-19.0	45.7	19.3	45.6	19.8	45.5	20.2	45.5	20.5	45.2	20.5	42.1	18.8
		-16.7	-17.0	47.5	19.6	47.4	20.1	47.3	20.5	46.7	20.4	45.2	19.5	42.1	17.9
		-13.7	-15.0	49.5	20.0	49.4	20.4	48.3	20.1	46.7	19.3	45.2	18.5	42.1	17.0
		-11.8	-13.0	51.7	20.3	51.4	20.6	48.3	19.0	46.7	18.3	45.2	17.5	42.1	16.1
		-9.8	-11.0	54.1	20.6	51.4	19.4	48.3	18.0	46.7	17.3	45.2	16.6	42.1	15.2
		-9.5	-10.0	54.5	20.2	51.4	18.8	48.3	17.4	46.7	16.8	45.2	16.1	42.1	14.8
		-8.5	-9.1	54.5	19.7	51.4	18.3	48.3	17.0	46.7	16.3	45.2	15.7	42.1	14.4
		-7.0	-7.6	54.5	18.8	51.4	17.5	48.3	16.2	46.7	15.6	45.2	15.0	42.1	13.8
		-5.0	-5.6	54.5	17.7	51.4	16.5	48.3	15.3	46.7	14.7	45.2	14.1	42.1	13.0
		-3.0	-3.7	54.5	16.6	51.4	15.5	48.3	14.4	46.7	13.9	45.2	13.4	42.1	12.3
		0.0	-0.7	54.5	15.2	51.4	14.2	48.3	13.2	46.7	12.7	45.2	12.2	42.1	11.3
		3.0	2.2	54.5	13.9	51.4	13.0	48.3	12.1	46.7	11.6	45.2	11.2	42.1	10.4
		5.0	4.1	54.5	13.1	51.4	12.2	48.3	11.4	46.7	11.0	45.2	10.6	42.1	9.83
		7.0	6.0	54.5	12.4	51.4	11.6	48.3	10.8	46.7	10.4	45.2	10.1	42.1	9.32
		9.0	7.9	54.5	11.7	51.4	10.9	48.3	10.2	46.7	9.88	45.2	9.53	42.1	8.85
		11.0	9.8	54.5	11.1	51.4	10.4	48.3	9.70	46.7	9.37	45.2	9.05	42.1	8.41
		13.0	11.8	54.5	10.4	51.4	9.81	48.3	9.19	46.7	8.88	45.2	8.57	42.1	7.98
		15.0	13.7	54.5	9.91	51.4	9.31	48.3	8.73	46.7	8.44	45.2	8.16	42.1	7.59
		60%	330 (41.40 kW)	-19.8	-20.0	44.6	20.3	44.1	20.3	41.4	18.8	40.1	18.1	38.7	17.4
-18.8	-19.0			45.5	20.5	44.1	19.9	41.4	18.4	40.1	17.7	38.7	17.0	36.1	15.6
-16.7	-17.0			46.7	20.4	44.1	18.9	41.4	17.5	40.1	16.9	38.7	16.2	36.1	14.9
-13.7	-15.0			46.7	19.3	44.1	18.0	41.4	16.7	40.1	16.0	38.7	15.4	36.1	14.2
-11.8	-13.0			46.7	18.3	44.1	17.0	41.4	15.8	40.1	15.2	38.7	14.6	36.1	13.4
-9.8	-11.0			46.7	17.3	44.1	16.1	41.4	14.9	40.1	14.4	38.7	13.8	36.1	12.7
-9.5	-10.0			46.7	16.8	44.1	15.6	41.4	14.5	40.1	14.0	38.7	13.4	36.1	12.4
-8.5	-9.1			46.7	16.3	44.1	15.2	41.4	14.2	40.1	13.6	38.7	13.1	36.1	12.1
-7.0	-7.6			46.7	15.6	44.1	14.6	41.4	13.6	40.1	13.1	38.7	12.6	36.1	11.6
-5.0	-5.6			46.7	14.7	44.1	13.7	41.4	12.8	40.1	12.3	38.7	11.9	36.1	11.0
-3.0	-3.7			46.7	13.9	44.1	13.0	41.4	12.1	40.1	11.7	38.7	11.2	36.1	10.4
0.0	-0.7			46.7	12.7	44.1	11.9	41.4	11.1	40.1	10.7	38.7	10.3	36.1	9.56
3.0	2.2			46.7	11.6	44.1	10.9	41.4	10.2	40.1	9.85	38.7	9.50	36.1	8.82
5.0	4.1			46.7	11.0	44.1	10.3	41.4	9.66	40.1	9.33	38.7	9.01	36.1	8.37
7.0	6.0			46.7	10.4	44.1	9.79	41.4	9.16	40.1	8.86	38.7	8.55	36.1	7.96
9.0	7.9			46.7	9.88	44.1	9.28	41.4	8.70	40.1	8.41	38.7	8.13	36.1	7.57
11.0	9.8			46.7	9.37	44.1	8.81	41.4	8.27	40.1	8.00	38.7	7.73	36.1	7.21
13.0	11.8			46.7	8.87	44.1	8.35	41.4	7.84	40.1	7.59	38.7	7.34	36.1	6.85
15.0	13.7			46.7	8.44	44.1	7.95	41.4	7.47	40.1	7.24	38.7	7.00	36.1	6.54
50%	275 (34.50 kW)			-19.8	-20.0	38.9	17.5	36.7	16.3	34.5	15.1	33.4	14.6	32.3	14.0
		-18.8	-19.0	38.9	17.1	36.7	15.9	34.5	14.8	33.4	14.2	32.3	13.7	30.1	12.6
		-16.7	-17.0	38.9	16.3	36.7	15.2	34.5	14.1	33.4	13.6	32.3	13.1	30.1	12.1
		-13.7	-15.0	38.9	15.5	36.7	14.5	34.5	13.5	33.4	13.0	32.3	12.5	30.1	11.5
		-11.8	-13.0	38.9	14.7	36.7	13.7	34.5	12.8	33.4	12.3	32.3	11.9	30.1	11.0
		-9.8	-11.0	38.9	13.9	36.7	13.0	34.5	12.1	33.4	11.7	32.3	11.3	30.1	10.4
		-9.5	-10.0	38.9	13.5	36.7	12.6	34.5	11.8	33.4	11.4	32.3	11.0	30.1	10.1
		-8.5	-9.1	38.9	13.2	36.7	12.3	34.5	11.5	33.4	11.1	32.3	10.7	30.1	9.91
		-7.0	-7.6	38.9	12.6	36.7	11.8	34.5	11.0	33.4	10.7	32.3	10.3	30.1	9.52
		-5.0	-5.6	38.9	11.9	36.7	11.2	34.5	10.4	33.4	10.1	32.3	9.73	30.1	9.03
		-3.0	-3.7	38.9	11.3	36.7	10.6	34.5	9.91	33.4	9.57	32.3	9.23	30.1	8.58
		0.0	-0.7	38.9	10.4	36.7	9.73	34.5	9.12	33.4	8.81	32.3	8.51	30.1	7.92
		3.0	2.2	38.9	9.55	36.7	8.98	34.5	8.42	33.4	8.15	32.3	7.87	30.1	7.34
		5.0	4.												