

Combination (%)	Capacity index (kW)	Outdoor air temp.	Indoor air temperature: °CWB													
			14.0		16.0		18.0		19.0		20.0		22.0		24.0	
			TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
			°CDB	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW	kW
90%	585 (65.52 kW)	10	44.2	5.53	52.7	6.67	61.3	7.88	65.5	8.50	69.8	9.14	78.3	10.44	86.8	11.77
		12	44.2	5.63	52.7	6.79	61.3	8.02	65.5	8.66	69.8	9.31	78.3	10.64	86.8	11.99
		14	44.2	5.72	52.7	6.92	61.3	8.17	65.5	8.83	69.8	9.49	78.3	10.84	86.8	12.22
		16	44.2	5.82	52.7	7.04	61.3	8.33	65.5	9.00	69.8	9.67	78.3	11.05	86.7	12.43
		18	44.2	5.93	52.7	7.18	61.3	8.49	65.5	9.17	69.8	9.86	78.3	11.27	86.0	12.95
		20	44.2	6.04	52.7	7.32	61.3	8.66	65.5	9.36	69.8	10.23	78.3	12.11	85.3	13.73
		21	44.2	6.10	52.7	7.39	61.3	8.81	65.5	9.68	69.8	10.60	78.3	12.55	84.9	14.13
		23	44.2	6.21	52.7	7.69	61.3	9.43	65.5	10.37	69.8	11.35	78.3	13.46	83.8	14.81
		25	44.2	6.54	52.7	8.21	61.3	10.08	65.5	11.09	69.8	12.15	78.3	14.41	82.6	15.45
		27	44.2	6.97	52.7	8.76	61.3	10.77	65.5	11.85	69.8	12.99	78.3	15.42	81.4	16.10
		29	44.2	7.41	52.7	9.33	61.3	11.49	65.5	12.65	69.8	13.87	77.7	16.28	80.2	16.76
		31	44.2	7.88	52.7	9.94	61.3	12.25	65.5	13.49	69.8	14.80	77.0	17.12	79.0	17.41
		33	44.2	8.37	52.7	10.57	61.3	13.05	65.5	14.38	69.8	15.79	76.2	17.9	77.8	18.1
		35	44.2	8.89	52.7	11.25	61.3	13.89	65.5	15.33	69.8	16.83	75.0	18.6	76.6	18.7
		37	44.2	9.43	52.7	11.96	61.3	14.79	65.5	16.32	69.8	17.9	73.8	19.2	75.4	19.4
		39	44.2	10.01	52.7	12.71	61.3	15.74	65.5	17.38	69.8	19.1	72.6	19.9	74.2	20.1
		42	44.2	11.03	52.7	14.04	61.3	17.4	65.5	19.27	68.7	20.7	70.8	21.1	72.4	21.3
		44	44.2	11.83	52.7	15.09	61.3	18.8	65.5	20.75	67.5	22.2	68.2	22.3	68.7	23.4
		46	44.2	12.75	52.7	16.29	58.9	19.8	59.5	20.13	59.6	20.1	59.8	20.2	59.9	20.2
		80%	520 (58.24 kW)	10	39.3	4.91	46.9	5.88	54.5	6.91	58.2	7.45	62.0	7.99	69.6	9.11
12	39.3			4.99	46.9	5.98	54.5	7.03	58.2	7.58	62.0	8.14	69.6	9.28	77.2	10.46
14	39.3			5.07	46.9	6.09	54.5	7.16	58.2	7.72	62.0	8.29	69.6	9.46	77.2	10.66
16	39.3			5.16	46.9	6.20	54.5	7.30	58.2	7.87	62.0	8.45	69.6	9.64	77.2	10.87
18	39.3			5.25	46.9	6.31	54.5	7.44	58.2	8.02	62.0	8.61	69.6	9.83	77.2	11.08
20	39.3			5.34	46.9	6.43	54.5	7.58	58.2	8.18	62.0	8.79	69.6	10.19	77.2	11.85
21	39.3			5.39	46.9	6.49	54.5	7.66	58.2	8.26	62.0	8.97	69.6	10.56	77.2	12.28
23	39.3			5.49	46.9	6.62	54.5	8.03	58.2	8.79	62.0	9.60	69.6	11.31	77.2	13.17
25	39.3			5.67	46.9	7.04	54.5	8.57	58.2	9.40	62.0	10.26	69.6	12.10	77.2	14.10
27	39.3			6.03	46.9	7.50	54.5	9.15	58.2	10.03	62.0	10.96	69.6	12.94	77.2	15.08
29	39.3			6.41	46.9	7.99	54.5	9.75	58.2	10.70	62.0	11.69	69.6	13.82	77.2	16.12
31	39.3			6.80	46.9	8.49	54.5	10.38	58.2	11.40	62.0	12.47	69.6	14.75	76.4	16.95
33	39.3			7.22	46.9	9.03	54.5	11.05	58.2	12.14	62.0	13.28	69.6	15.73	75.7	17.8
35	39.3			7.66	46.9	9.59	54.5	11.76	58.2	12.92	62.0	14.15	69.6	16.77	74.8	18.6
37	39.3			8.11	46.9	10.19	54.5	12.50	58.2	13.75	62.0	15.06	69.6	17.9	73.6	19.2
39	39.3			8.60	46.9	10.81	54.5	13.29	58.2	14.63	62.0	16.03	69.6	19.0	72.4	19.9
42	39.3			9.46	46.9	11.93	54.5	14.69	58.2	16.19	62.0	17.8	68.7	20.6	70.6	21.1
44	39.3			10.14	46.9	12.81	54.5	15.80	58.2	17.41	62.0	19.1	67.6	22.3	68.2	22.4
46	39.3			10.91	46.9	13.80	54.5	17.05	57.8	19.16	59.3	20.0	59.8	20.2	59.9	20.2
70%	455 (50.96 kW)			10	34.4	4.32	41.0	5.13	47.6	5.98	51.0	6.43	54.3	6.89	60.9	7.83
		12	34.4	4.38	41.0	5.21	47.6	6.09	51.0	6.54	54.3	7.01	60.9	7.97	67.5	8.97
		14	34.4	4.45	41.0	5.30	47.6	6.19	51.0	6.66	54.3	7.14	60.9	8.12	67.5	9.14
		16	34.4	4.52	41.0	5.39	47.6	6.31	51.0	6.78	54.3	7.27	60.9	8.28	67.5	9.31
		18	34.4	4.60	41.0	5.48	47.6	6.42	51.0	6.91	54.3	7.41	60.9	8.44	67.5	9.50
		20	34.4	4.68	41.0	5.58	47.6	6.54	51.0	7.04	54.3	7.55	60.9	8.60	67.5	9.76
		21	34.4	4.72	41.0	5.63	47.6	6.61	51.0	7.11	54.3	7.63	60.9	8.74	67.5	10.11
		23	34.4	4.80	41.0	5.74	47.6	6.74	51.0	7.35	54.3	7.99	60.9	9.35	67.5	10.83
		25	34.4	4.88	41.0	5.97	47.6	7.19	51.0	7.85	54.3	8.53	60.9	10.00	67.5	11.58
		27	34.4	5.16	41.0	6.35	47.6	7.66	51.0	8.37	54.3	9.10	60.9	10.68	67.5	12.38
		29	34.4	5.48	41.0	6.75	47.6	8.16	51.0	8.91	54.3	9.70	60.9	11.39	67.5	13.22
		31	34.4	5.81	41.0	7.17	47.6	8.68	51.0	9.49	54.3	10.34	60.9	12.14	67.5	14.10
		33	34.4	6.16	41.0	7.61	47.6	9.22	51.0	10.09	54.3	11.00	60.9	12.94	67.5	15.04
		35	34.4	6.52	41.0	8.07	47.6	9.80	51.0	10.73	54.3	11.70	60.9	13.78	67.5	16.03
		37	34.4	6.90	41.0	8.56	47.6	10.41	51.0	11.40	54.3	12.44	60.9	14.67	67.5	17.07
		39	34.4	7.30	41.0	9.08	47.6	11.05	51.0	12.11	54.3	13.23	60.9	15.61	67.5	18.2
		42	34.4	8.02	41.0	9.99	47.6	12.20	51.0	13.38	54.3	14.62	60.9	17.3	67.5	20.2
		44	34.4	8.58	41.0	10.71	47.6	13.09	51.0	14.38	54.3	15.72	60.9	18.6	66.9	21.9
		46	34.4	9.22	41.0	11.53	47.6	14.12	51.0	15.51	54.3	16.97	59.0	19.7	59.9	20.2
		60%	390 (43.68 kW)	10	29.5	3.76	35.2	4.41	40.8	5.10	43.7	5.46	46.5	5.83	52.2	6.60
12	29.5			3.81	35.2	4.48	40.8	5.19	43.7	5.56	46.5	5.93	52.2	6.72	57.9	7.53
14	29.5			3.87	35.2	4.55	40.8	5.27	43.7	5.65	46.5	6.04	52.2	6.84	57.9	7.67
16	29.5			3.92	35.2	4.62	40.8	5.36	43.7	5.75	46.5	6.15	52.2	6.96	57.9	7.81
18	29.5			3.98	35.2	4.70	40.8	5.46	43.7	5.85	46.5	6.26	52.2	7.10	57.9	7.96
20	29.5			4.05	35.2	4.78	40.8	5.56	43.7	5.96	46.5	6.38	52.2	7.23	57.9	8.12
21	29.5			4.08	35.2	4.82	40.8	5.61	43.7	6.02	46.5	6.44	52.2	7.30	57.9	8.20
23	29.5			4.15	35.2	4.90	40.8	5.71	43.7	6.13	46.5	6.56	52.2	7.59	57.9	8.72
25	29.5			4.21	35.2	4.99	40.8	5.93	43.7	6.44	46.5	6.97	52.2	8.10	57.9	9.32
27	29.5			4.37	35.2	5.29	40.8	6.31	43.7	6.86	46.5	7.43	52.2	8.64	57.9	9.94
29	29.5			4.63	35.2	5.62	40.8	6.71	43.7	7.30	46.5	7.91	52.2	9.21	57.9	10.61
31	29.5			4.90	35.2	5.96	40.8	7.13	43.7	7.76	46.5	8.41	52.2	9.80	57.9	11.30
33	29.5			5.18	35.2	6.32	40.8	7.57	43.7	8.24	46.5	8.94	52.2	10.43	57.9	12.03
35	29.5			5.48	35.2	6.69	40.8	8.03	43.7	8.75	46.5	9.50	52.2	11.09	57.9	12.81
37	29.5			5.79	35.2	7.09	40.8	8.51	43.7	9.28	46.5	10.08	52.2	11.79	57.9	13.63
39	29.5			6.12	35.2	7.50	40.8	9.03	43.7	9.85	46.5	10.70	52.2	12.53	57.9	14.50
42	29.5			6.70	35.2	8.24	40.8	9.94	43.7	10.85	46.5	11.80	52.2	13.84	57.9	16.04
44	29.5			7.16	35.2	8.81	40.8	10.65	43.7	11.64	46.5	12.67	52.2	14.87	57.9	17.26
46	29.5			7.68	35.2	9.47	40.8	11.47	43.7	12.54	46.5	13.66	52.2	16.05	57.9	18.6
50%	325 (36.40 kW)			10	24.57	3.23	29.3	3.74	34.0	4.28	36.4	4.56	38.8	4.85	43.5	5.44
		12	24.57	3.27	29.3	3.79	34.0	4.34	36.4	4.63	38.8	4.92	43.5	5.53	48.2	6.17
		14	24.57	3.31	29.3	3.85	34.0	4.41	36.4	4.70	38.8	5.00	43.5	5.63	48.2	6.28
		16	24.57	3.36	29.3	3.90	34.0	4.48	36.4	4.78	38.8	5.09	43.5	5.73	48.2	6.39
		18	24.57	3.41	29.3	3.96	34.0	4.55	36.4	4.86	38.8	5.18	43.5	5.83	48.2	6.51
		20	24.57	3.45	29.3	4.02	34.0	4.63	36.4	4.94	38.8	5.27	43.5	5.94	48.2	6.63
		21	24.57	3.48	29.3	4.06	34.0	4.67	36.4	4.99	38.8	5.31	43.5	5.99	48.2	6.69
		23	24.57	3.53	29.3	4.12	3									