

Combination (%)	Capacity index (kW)	Outdoor air temp.		Indoor air temperature: °CDB											
				16.0		18.0		20.0		21.0		22.0		24.0	
				TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
90%	675 (84.60 kW)	-19.8	-20.0	56.6	19.0	56.5	19.8	56.3	20.6	56.2	21.0	56.2	21.4	56.0	22.2
		-18.8	-19.0	57.7	19.3	57.5	20.1	57.3	20.8	57.3	21.2	57.2	21.6	57.0	22.4
		-16.7	-17.0	59.9	19.8	59.8	20.6	59.6	21.3	59.5	21.7	59.5	22.1	59.3	22.8
		-13.7	-15.0	62.4	20.4	62.3	21.1	62.1	21.8	62.0	22.2	62.0	22.6	61.8	23.3
		-11.8	-13.0	65.2	21.0	65.0	21.7	64.9	22.3	64.8	22.7	64.7	23.0	64.6	23.7
		-9.8	-11.0	68.2	21.5	68.1	22.2	67.9	22.8	67.8	23.2	67.8	23.5	67.6	24.2
		-9.5	-10.0	69.8	21.8	69.7	22.4	69.5	23.1	69.4	23.4	69.4	23.7	69.2	24.4
		-8.5	-9.1	71.3	22.1	71.2	22.7	71.0	23.3	70.9	23.6	70.9	23.9	70.7	24.6
		-7.0	-7.6	74.0	22.5	73.8	23.1	73.6	23.7	73.6	24.0	73.5	24.3	73.3	24.9
		-5.0	-5.6	77.7	23.0	77.5	23.6	77.4	24.2	77.3	24.4	77.2	24.7	73.7	23.6
		-3.0	-3.7	81.4	23.5	81.3	24.0	81.1	24.6	81.0	24.9	79.2	24.3	73.7	22.3
		0.0	-0.7	87.8	24.2	87.7	24.7	84.6	23.9	81.9	23.0	79.2	22.1	73.7	20.3
		3.0	2.2	94.6	24.9	90.0	23.5	84.6	21.8	81.9	21.0	79.2	20.2	73.7	18.6
		5.0	4.1	95.5	23.8	90.0	22.2	84.6	20.6	81.9	19.8	79.2	19.0	73.7	17.5
		7.0	6.0	95.5	22.4	90.0	20.9	84.6	19.4	81.9	18.7	79.2	18.0	73.7	16.6
		9.0	7.9	95.5	21.1	90.0	19.7	84.6	18.3	81.9	17.7	79.2	17.0	73.7	15.7
		11.0	9.8	95.5	19.9	90.0	18.6	84.6	17.3	81.9	16.7	79.2	16.1	73.7	14.9
13.0	11.8	95.5	18.8	90.0	17.5	84.6	16.4	81.9	15.8	79.2	15.2	73.7	14.1		
15.0	13.7	95.5	17.8	90.0	16.6	84.6	15.5	81.9	15.0	79.2	14.4	73.7	13.4		
80%	600 (75.20 kW)	-19.8	-20.0	56.3	20.6	56.2	21.3	56.0	22.0	56.0	22.4	55.9	22.7	55.8	23.4
		-18.8	-19.0	57.4	20.8	57.2	21.5	57.1	22.2	57.0	22.6	56.9	22.9	56.8	23.6
		-16.7	-17.0	59.6	21.3	59.5	22.0	59.3	22.6	59.3	23.0	59.2	23.3	59.1	24.0
		-13.7	-15.0	62.1	21.8	62.0	22.4	61.9	23.1	61.8	23.4	61.7	23.7	61.6	24.4
		-11.8	-13.0	64.9	22.3	64.8	22.9	64.6	23.5	64.6	23.8	64.5	24.2	64.3	24.8
		-9.8	-11.0	67.9	22.8	67.8	23.4	67.6	24.0	67.6	24.3	67.5	24.6	65.5	24.1
		-9.5	-10.0	69.5	23.1	69.4	23.6	69.3	24.2	69.2	24.5	69.1	24.8	65.5	23.4
		-8.5	-9.1	71.0	23.3	70.9	23.8	70.8	24.4	70.7	24.7	70.4	24.8	65.5	22.8
		-7.0	-7.6	73.7	23.6	73.5	24.2	73.4	24.7	72.8	24.7	70.4	23.7	65.5	21.8
		-5.0	-5.6	77.4	24.1	77.2	24.6	75.2	24.2	72.8	23.2	70.4	22.3	65.5	20.5
		-3.0	-3.7	81.1	24.6	80.0	24.6	75.2	22.8	72.8	21.9	70.4	21.1	65.5	19.4
		0.0	-0.7	84.9	24.0	80.0	22.4	75.2	20.8	72.8	20.0	70.4	19.2	65.5	17.7
		3.0	2.2	84.9	21.9	80.0	20.4	75.2	19.0	72.8	18.3	70.4	17.6	65.5	16.2
		5.0	4.1	84.9	20.6	80.0	19.3	75.2	17.9	72.8	17.3	70.4	16.6	65.5	15.4
		7.0	6.0	84.9	19.5	80.0	18.2	75.2	17.0	72.8	16.3	70.4	15.7	65.5	14.6
		9.0	7.9	84.9	18.4	80.0	17.2	75.2	16.0	72.8	15.5	70.4	14.9	65.5	13.8
		11.0	9.8	84.9	17.4	80.0	16.3	75.2	15.2	72.8	14.7	70.4	14.1	65.5	13.1
13.0	11.8	84.9	16.4	80.0	15.4	75.2	14.4	72.8	13.9	70.4	13.4	65.5	12.4		
15.0	13.7	84.9	15.6	80.0	14.6	75.2	13.6	72.8	13.2	70.4	12.7	65.5	11.8		
70%	525 (65.80 kW)	-19.8	-20.0	56.0	22.1	55.9	22.8	55.8	23.4	55.7	23.7	55.6	24.0	55.5	24.6
		-18.8	-19.0	57.0	22.3	56.9	23.0	56.8	23.6	56.7	23.9	56.7	24.2	56.6	24.8
		-16.7	-17.0	59.3	22.8	59.2	23.4	59.1	23.9	59.0	24.2	58.9	24.5	57.3	24.1
		-13.7	-15.0	61.8	23.2	61.7	23.8	61.6	24.3	61.5	24.6	61.5	24.9	57.3	22.9
		-11.8	-13.0	64.6	23.7	64.5	24.2	64.4	24.7	63.7	24.6	61.6	23.6	57.3	21.7
		-9.8	-11.0	67.6	24.1	67.5	24.6	65.8	24.2	63.7	23.3	61.6	22.3	57.3	20.5
		-9.5	-10.0	69.2	24.3	69.1	24.8	65.8	23.5	63.7	22.6	61.6	21.7	57.3	19.9
		-8.5	-9.1	70.7	24.5	70.0	24.7	65.8	22.9	63.7	22.0	61.6	21.1	57.3	19.4
		-7.0	-7.6	73.3	24.8	70.0	23.6	65.8	21.9	63.7	21.0	61.6	20.2	57.3	18.6
		-5.0	-5.6	74.3	23.8	70.0	22.2	65.8	20.6	63.7	19.8	61.6	19.1	57.3	17.6
		-3.0	-3.7	74.3	22.4	70.0	20.9	65.8	19.5	63.7	18.7	61.6	18.0	57.3	16.6
		0.0	-0.7	74.3	20.5	70.0	19.1	65.8	17.8	63.7	17.1	61.6	16.5	57.3	15.2
		3.0	2.2	74.3	18.7	70.0	17.5	65.8	16.3	63.7	15.7	61.6	15.2	57.3	14.0
		5.0	4.1	74.3	17.7	70.0	16.6	65.8	15.4	63.7	14.9	61.6	14.4	57.3	13.3
		7.0	6.0	74.3	16.7	70.0	15.7	65.8	14.6	63.7	14.1	61.6	13.6	57.3	12.6
		9.0	7.9	74.3	15.8	70.0	14.8	65.8	13.9	63.7	13.4	61.6	12.9	57.3	12.0
		11.0	9.8	74.3	15.0	70.0	14.1	65.8	13.2	63.7	12.7	61.6	12.3	57.3	11.4
13.0	11.8	74.3	14.2	70.0	13.3	65.8	12.5	63.7	12.0	61.6	11.6	57.3	10.8		
15.0	13.7	74.3	13.5	70.0	12.6	65.8	11.8	63.7	11.5	61.6	11.1	57.3	10.3		
60%	450 (56.40 kW)	-19.8	-20.0	55.7	23.7	55.6	24.2	55.5	24.8	54.6	24.4	52.8	23.4	49.2	21.5
		-18.8	-19.0	56.7	23.9	56.6	24.4	56.4	24.8	54.6	23.9	52.8	22.9	49.2	21.0
		-16.7	-17.0	59.0	24.2	58.9	24.7	56.4	23.6	54.6	22.7	52.8	21.8	49.2	20.1
		-13.7	-15.0	61.5	24.6	60.0	24.2	56.4	22.4	54.6	21.6	52.8	20.7	49.2	19.1
		-11.8	-13.0	63.6	24.6	60.0	22.9	56.4	21.3	54.6	20.5	52.8	19.7	49.2	18.1
		-9.8	-11.0	63.6	23.2	60.0	21.7	56.4	20.1	54.6	19.4	52.8	18.6	49.2	17.2
		-9.5	-10.0	63.6	22.6	60.0	21.0	56.4	19.6	54.6	18.8	52.8	18.1	49.2	16.7
		-8.5	-9.1	63.6	22.0	60.0	20.5	56.4	19.1	54.6	18.4	52.8	17.7	49.2	16.3
		-7.0	-7.6	63.6	21.0	60.0	19.6	56.4	18.3	54.6	17.6	52.8	16.9	49.2	15.6
		-5.0	-5.6	63.6	19.8	60.0	18.5	56.4	17.2	54.6	16.6	52.8	16.0	49.2	14.8
		-3.0	-3.7	63.6	18.7	60.0	17.5	56.4	16.3	54.6	15.7	52.8	15.2	49.2	14.0
		0.0	-0.7	63.6	17.1	60.0	16.0	56.4	15.0	54.6	14.4	52.8	13.9	49.2	12.9
		3.0	2.2	63.6	15.7	60.0	14.7	56.4	13.8	54.6	13.3	52.8	12.8	49.2	11.9
		5.0	4.1	63.6	14.9	60.0	14.0	56.4	13.1	54.6	12.6	52.8	12.2	49.2	11.3
		7.0	6.0	63.6	14.1	60.0	13.2	56.4	12.4	54.6	12.0	52.8	11.6	49.2	10.8
		9.0	7.9	63.6	13.4	60.0	12.6	56.4	11.8	54.6	11.4	52.8	11.0	49.2	10.3
		11.0	9.8	63.6	12.7	60.0	11.9	56.4	11.2	54.6	10.8	52.8	10.5	49.2	9.77
13.0	11.8	63.6	12.0	60.0	11.3	56.4	10.6	54.6	10.3	52.8	9.96	49.2	9.29		
15.0	13.7	63.6	11.5	60.0	10.8	56.4	10.1	54.6	9.82	52.8	9.50	49.2	8.87		
50%	375 (47.00 kW)	-19.8	-20.0	53.0	23.6	50.0	22.0	47.0	20.4	45.5	19.6	44.0	18.9	41.0	17.4
		-18.8	-19.0	53.0	23.0	50.0	21.5	47.0	20.0	45.5	19.2	44.0	18.5	41.0	17.0
		-16.7	-17.0	53.0	22.0	50.0	20.5	47.0	19.0	45.5	18.3	44.0	17.6	41.0	16.3
		-13.7	-15.0	53.0	20.9	50.0	19.5	47.0	18.1	45.5	17.5	44.0	16.8	41.0	15.5
		-11.8	-13.0	53.0	19.8	50.0	18.5	47.0	17.2	45.5	16.6	44.0	16.0	41.0	14.8
		-9.8	-11.0	53.0	18.7	50.0	17.5	47.0	16.3	45.5	15.7	44.0	15.2	41.0	14.0
		-9.5	-10.0	53.0	18.2	50.0	17.0	47.0	15.9	45.5	15.3	44.0	14.8	41.0	13.7
		-8.5	-9.1	53.0	17.8	50.0	16.6	47.0	15.5	45.5	15.0	44.0	14.4	41.0	13.4
		-7.0	-7.6	53.0	17.0	50.0	15.9	47.0	14.9	45.5	14.4	44.0	13.8	41.0	12.8
		-5.0	-5.6	53.0	16.1	50.0	15.1	47.0	14.1	45.5	13.6	44.0	13.1	41.0	12.2
		-3.0	-3.7	53.0	15.2	50.0	14.3	47.0	13.4	45.5	12.9	44.0	12.5	41.0	11.6
		0.0	-0.7	53.0	14.0	50.0	13.1	47.0	12.3	45.5	11.9	44.0	11.5	41.0	10.7
		3.0	2.2	53.0	12.9	50.0	12.1	47.0	11.4	45.5	11.0	44.0	10.6	41.0	9.92
		5.0	4.												