

Combination (%)	Capacity index (kW)	Outdoor air temp.		Indoor air temperature: °CDB											
				16.0		18.0		20.0		21.0		22.0		24.0	
				TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
90%	720 (90.45 kW)	-19.8	-20.0	63.0	22.1	62.9	22.9	62.7	23.8	62.6	24.2	62.5	24.6	62.4	25.5
		-18.8	-19.0	64.2	22.3	64.0	23.2	63.9	24.0	63.8	24.4	63.7	24.9	63.5	25.7
		-16.7	-17.0	66.7	22.9	66.6	23.7	66.4	24.5	66.3	24.9	66.2	25.3	66.0	26.1
		-13.7	-15.0	69.5	23.5	69.4	24.3	69.2	25.1	69.1	25.5	69.0	25.8	68.9	26.6
		-11.8	-13.0	72.6	24.1	72.4	24.9	72.3	25.6	72.2	26.0	72.1	26.3	71.9	27.1
		-9.8	-11.0	76.0	24.7	75.8	25.4	75.7	26.1	75.6	26.5	75.5	26.8	75.3	27.6
		-9.5	-10.0	77.8	25.0	77.6	25.7	77.4	26.4	77.4	26.8	77.3	27.1	77.1	27.8
		-8.5	-9.1	79.5	25.3	79.3	26.0	79.1	26.6	79.0	27.0	79.0	27.3	78.8	28.0
		-7.0	-7.6	82.4	25.7	82.2	26.4	82.0	27.0	82.0	27.4	81.9	27.7	81.8	28.8
		-5.0	-5.6	86.5	26.3	86.4	26.9	86.2	27.5	86.1	27.8	86.0	28.1	85.8	29.2
		-3.0	-3.7	90.7	26.8	90.5	27.4	90.4	28.0	90.3	28.5	90.2	28.9	90.0	30.0
		0.0	-0.7	97.9	27.6	97.3	27.5	90.5	25.5	87.5	24.5	84.6	23.5	78.8	21.6
		3.0	2.2	102	26.9	96.3	25.1	90.5	23.3	87.5	22.4	84.6	21.5	78.8	19.8
		5.0	4.1	102	25.3	96.3	23.6	90.5	21.9	87.5	21.1	84.6	20.3	78.8	18.7
		7.0	6.0	102	23.9	96.3	22.3	90.5	20.7	87.5	19.9	84.6	19.2	78.8	17.7
		9.0	7.9	102	22.5	96.3	21.0	90.5	19.5	87.5	18.8	84.6	18.1	78.8	16.7
		11.0	9.8	102	21.2	96.3	19.8	90.5	18.5	87.5	17.8	84.6	17.1	78.8	15.8
		13.0	11.8	102	20.0	96.3	18.7	90.5	17.4	87.5	16.8	84.6	16.2	78.8	15.0
		15.0	13.7	102	18.9	96.3	17.7	90.5	16.5	87.5	15.9	84.6	15.4	78.8	14.2
		80%	640 (80.40 kW)	-19.8	-20.0	62.7	23.7	62.6	24.5	62.4	25.2	62.3	25.6	62.3	26.0
-18.8	-19.0			63.9	24.0	63.7	24.7	63.6	25.5	63.5	25.8	63.4	26.2	63.3	27.0
-16.7	-17.0			66.4	24.5	66.2	25.2	66.1	25.9	66.0	26.3	65.9	26.6	65.8	27.4
-13.7	-15.0			69.2	25.0	69.0	25.7	68.9	26.4	68.8	26.7	68.8	27.1	68.6	27.8
-11.8	-13.0			72.3	25.6	72.1	26.2	72.0	26.9	71.9	27.2	71.8	27.5	70.1	27.2
-9.8	-11.0			75.7	26.1	75.5	26.7	75.4	27.4	75.3	27.7	75.2	28.0	70.1	25.7
-9.5	-10.0			77.5	26.4	77.3	27.0	77.2	27.6	77.1	27.9	77.0	28.2	70.1	24.9
-8.5	-9.1			79.1	26.6	79.0	27.2	78.8	27.8	78.7	28.1	78.6	28.4	70.1	24.3
-7.0	-7.6			82.2	27.0	81.9	27.6	80.4	27.4	77.8	26.3	75.2	25.3	70.1	23.2
-5.0	-5.6			86.2	27.5	85.6	27.8	80.4	25.8	77.8	24.8	75.2	23.8	70.1	21.8
-3.0	-3.7			90.4	28.0	85.6	26.2	80.4	24.3	77.8	23.4	75.2	22.4	70.1	20.6
0.0	-0.7			90.7	25.6	85.6	23.8	80.4	22.1	77.8	21.3	75.2	20.5	70.1	18.9
3.0	2.2			90.7	23.3	85.6	21.8	80.4	20.2	77.8	19.5	75.2	18.8	70.1	17.3
5.0	4.1			90.7	22.0	85.6	20.5	80.4	19.1	77.8	18.4	75.2	17.7	70.1	16.4
7.0	6.0			90.7	20.8	85.6	19.4	80.4	18.1	77.8	17.4	75.2	16.8	70.1	15.5
9.0	7.9			90.7	19.6	85.6	18.3	80.4	17.1	77.8	16.5	75.2	15.9	70.1	14.7
11.0	9.8			90.7	18.5	85.6	17.3	80.4	16.2	77.8	15.6	75.2	15.1	70.1	14.0
13.0	11.8			90.7	17.5	85.6	16.4	80.4	15.3	77.8	14.8	75.2	14.3	70.1	13.2
15.0	13.7			90.7	16.6	85.6	15.5	80.4	14.5	77.8	14.0	75.2	13.5	70.1	12.6
70%	560 (70.35 kW)			-19.8	-20.0	62.4	25.4	62.3	26.1	62.1	26.7	62.1	27.0	62.0	27.4
		-18.8	-19.0	63.5	25.6	63.4	26.3	63.3	26.9	63.2	27.2	63.2	27.6	61.3	27.0
		-16.7	-17.0	66.1	26.1	65.9	26.7	65.8	27.3	65.7	27.6	65.7	27.9	61.3	25.7
		-13.7	-15.0	68.9	26.5	68.7	27.1	68.6	27.7	68.1	27.7	65.8	26.6	61.3	24.4
		-11.8	-13.0	72.0	27.0	71.8	27.6	70.4	27.3	68.1	26.2	65.8	25.2	61.3	23.1
		-9.8	-11.0	75.3	27.5	74.9	27.8	70.4	25.8	68.1	24.8	65.8	23.8	61.3	21.9
		-9.5	-10.0	77.1	27.7	74.9	27.0	70.4	25.0	68.1	24.1	65.8	23.1	61.3	21.3
		-8.5	-9.1	78.8	27.9	74.9	26.3	70.4	24.4	68.1	23.4	65.8	22.5	61.3	20.7
		-7.0	-7.6	79.4	27.0	74.9	25.1	70.4	23.3	68.1	22.4	65.8	21.5	61.3	19.8
		-5.0	-5.6	79.4	25.4	74.9	23.6	70.4	22.0	68.1	21.1	65.8	20.3	61.3	18.7
		-3.0	-3.7	79.4	23.9	74.9	22.3	70.4	20.7	68.1	20.0	65.8	19.2	61.3	17.7
		0.0	-0.7	79.4	21.8	74.9	20.4	70.4	18.9	68.1	18.3	65.8	17.6	61.3	16.2
		3.0	2.2	79.4	20.0	74.9	18.7	70.4	17.4	68.1	16.8	65.8	16.2	61.3	14.9
		5.0	4.1	79.4	18.8	74.9	17.6	70.4	16.5	68.1	15.9	65.8	15.3	61.3	14.2
		7.0	6.0	79.4	17.8	74.9	16.7	70.4	15.6	68.1	15.0	65.8	14.5	61.3	13.4
		9.0	7.9	79.4	16.9	74.9	15.8	70.4	14.8	68.1	14.3	65.8	13.8	61.3	12.8
		11.0	9.8	79.4	16.0	74.9	15.0	70.4	14.0	68.1	13.5	65.8	13.1	61.3	12.1
		13.0	11.8	79.4	15.1	74.9	14.2	70.4	13.3	68.1	12.8	65.8	12.4	61.3	11.5
		15.0	13.7	79.4	14.3	74.9	13.5	70.4	12.6	68.1	12.2	65.8	11.8	61.3	11.0
		60%	480 (60.30 kW)	-19.8	-20.0	62.1	27.1	62.0	27.6	60.3	27.1	58.4	26.0	56.4	25.0
-18.8	-19.0			63.2	27.2	63.1	27.8	60.3	26.5	58.4	25.4	56.4	24.4	52.6	22.4
-16.7	-17.0			65.7	27.6	64.2	27.2	60.3	25.2	58.4	24.2	56.4	23.3	52.6	21.4
-13.7	-15.0			68.1	27.7	64.2	25.8	60.3	23.9	58.4	23.0	56.4	22.1	52.6	20.3
-11.8	-13.0			68.1	26.2	64.2	24.4	60.3	22.7	58.4	21.8	56.4	21.0	52.6	19.3
-9.8	-11.0			68.1	24.8	64.2	23.1	60.3	21.4	58.4	20.6	56.4	19.8	52.6	18.3
-9.5	-10.0			68.1	24.0	64.2	22.4	60.3	20.8	58.4	20.1	56.4	19.3	52.6	17.8
-8.5	-9.1			68.1	23.4	64.2	21.8	60.3	20.3	58.4	19.6	56.4	18.8	52.6	17.4
-7.0	-7.6			68.1	22.4	64.2	20.9	60.3	19.5	58.4	18.7	56.4	18.0	52.6	16.7
-5.0	-5.6			68.1	21.1	64.2	19.7	60.3	18.4	58.4	17.7	56.4	17.0	52.6	15.8
-3.0	-3.7			68.1	19.9	64.2	18.7	60.3	17.4	58.4	16.8	56.4	16.1	52.6	14.9
0.0	-0.7			68.1	18.2	64.2	17.1	60.3	15.9	58.4	15.4	56.4	14.8	52.6	13.8
3.0	2.2			68.1	16.8	64.2	15.7	60.3	14.7	58.4	14.2	56.4	13.7	52.6	12.7
5.0	4.1			68.1	15.9	64.2	14.9	60.3	13.9	58.4	13.5	56.4	13.0	52.6	12.1
7.0	6.0			68.1	15.0	64.2	14.1	60.3	13.2	58.4	12.8	56.4	12.3	52.6	11.5
9.0	7.9			68.1	14.3	64.2	13.4	60.3	12.6	58.4	12.1	56.4	11.7	52.6	10.9
11.0	9.8			68.1	13.5	64.2	12.7	60.3	11.9	58.4	11.6	56.4	11.2	52.6	10.4
13.0	11.8			68.1	12.8	64.2	12.1	60.3	11.3	58.4	11.0	56.4	10.6	52.6	9.90
15.0	13.7			68.1	12.2	64.2	11.5	60.3	10.8	58.4	10.5	56.4	10.1	52.6	9.46
50%	400 (50.25 kW)			-19.8	-20.0	56.7	25.1	53.5	23.4	50.3	21.7	48.6	20.9	47.0	20.1
		-18.8	-19.0	56.7	24.5	53.5	22.9	50.3	21.3	48.6	20.5	47.0	19.7	43.8	18.1
		-16.7	-17.0	56.7	23.4	53.5	21.8	50.3	20.3	48.6	19.5	47.0	18.8	43.8	17.3
		-13.7	-15.0	56.7	22.2	53.5	20.8	50.3	19.3	48.6	18.6	47.0	17.9	43.8	16.5
		-11.8	-13.0	56.7	21.1	53.5	19.7	50.3	18.3	48.6	17.7	47.0	17.0	43.8	15.7
		-9.8	-11.0	56.7	20.0	53.5	18.7	50.3	17.4	48.6	16.8	47.0	16.2	43.8	15.0
		-9.5	-10.0	56.7	19.4	53.5	18.2	50.3	16.9	48.6	16.3	47.0	15.7	43.8	14.6
		-8.5	-9.1	56.7	18.9	53.5	17.7	50.3	16.5	48.6	15.9	47.0	15.4	43.8	14.2
		-7.0	-7.6	56.7	18.1	53.5	17.0	50.3	15.9	48.6	15.3	47.0	14.8	43.8	13.7
		-5.0	-5.6	56.7	17.1	53.5	16.1	50.3	15.0	48.6	14.5	47.0	14.0	43.8	13.0
		-3.0	-3.7	56.7	16.2	53.5	15.2	50.3	14.2	48.6	13.8	47.0	13.3	43.8	12.3
		0.0	-0.7	56.7	14.9	53.5	14.0	50.3	13.1	48.6	12.7	47.0	12.2	43.8	11.4
		3.0	2.2	56.7	13.8	53.5	12.9	50.3	12.1	48.6	11.7	47.0	11.3	43.8	10.6
		5.0	4.1	5											