

Combination (%)	Capacity index (kW)	Outdoor air temp.		Indoor air temperature: °CDB											
				16.0		18.0		20.0		21.0		22.0		24.0	
				TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
90%	810 (101.70 kW)	-19.8	-20.0	64.5	20.9	64.3	21.9	64.1	22.9	64.0	23.4	63.9	23.9	63.7	24.8
		-18.8	-19.0	65.7	21.2	65.5	22.2	65.3	23.2	65.2	23.6	65.1	24.1	64.9	25.1
		-16.7	-17.0	68.2	21.9	68.0	22.8	67.9	23.8	67.8	24.2	67.7	24.7	67.5	25.6
		-13.7	-15.0	71.1	22.6	70.9	23.5	70.7	24.4	70.6	24.8	70.5	25.3	70.3	26.2
		-11.8	-13.0	74.2	23.3	74.0	24.2	73.9	25.0	73.8	25.4	73.7	25.9	73.5	26.7
		-9.8	-11.0	77.7	24.0	77.5	24.8	77.3	25.6	77.2	26.0	77.1	26.4	76.9	27.3
		-9.5	-10.0	79.5	24.3	79.3	25.1	79.1	25.9	79.0	26.3	78.9	26.7	78.7	27.5
		-8.5	-9.1	81.2	24.7	81.0	25.4	80.8	26.2	80.7	26.6	80.6	27.0	80.4	27.8
		-7.0	-7.6	84.2	25.2	84.0	25.9	83.8	26.7	83.7	27.0	83.6	27.4	83.4	28.2
		-5.0	-5.6	88.4	25.8	88.2	26.5	88.0	27.2	87.9	27.6	87.8	28.0	87.6	28.7
		-3.0	-3.7	92.7	26.4	92.5	27.1	92.3	27.8	92.2	28.1	92.1	28.5	92.0	29.2
		0.0	-0.7	99.9	27.3	99.8	28.0	99.6	28.6	99.4	28.9	99.2	29.2	99.0	29.9
		3.0	2.2	108	28.1	107	28.7	102	27.0	98.4	26.4	95.2	24.9	88.6	23.0
		5.0	4.1	113	28.7	108	27.4	102	25.4	98.4	24.5	95.2	23.5	88.6	21.7
		7.0	6.0	115	27.7	108	25.8	102	24.0	98.4	23.1	95.2	22.2	88.6	20.5
		9.0	7.9	115	26.1	108	24.4	102	22.7	98.4	21.8	95.2	21.0	88.6	19.4
		11.0	9.8	115	24.6	108	23.0	102	21.4	98.4	20.7	95.2	19.9	88.6	18.4
		13.0	11.8	115	23.2	108	21.7	102	20.2	98.4	19.5	95.2	18.8	88.6	17.4
		15.0	13.7	115	22.0	108	20.5	102	19.2	98.4	18.5	95.2	17.8	88.6	16.5
		80%	720 (90.40 kW)	-19.8	-20.0	64.1	22.8	64.0	23.7	63.8	24.6	63.7	25.0	63.6	25.5
-18.8	-19.0			65.3	23.1	65.1	24.0	65.0	24.8	64.9	25.3	64.8	25.7	64.6	26.6
-16.7	-17.0			67.9	23.7	67.7	24.6	67.5	25.4	67.4	25.8	67.4	26.2	67.2	27.0
-13.7	-15.0			70.7	24.3	70.6	25.1	70.4	25.9	70.3	26.3	70.2	26.7	70.1	27.5
-11.8	-13.0			73.9	25.0	73.7	25.7	73.5	26.5	73.5	26.9	73.4	27.2	73.2	28.0
-9.8	-11.0			77.3	25.6	77.1	26.3	77.0	27.0	76.9	27.4	76.8	27.8	76.6	28.5
-9.5	-10.0			79.1	25.9	79.0	26.6	78.8	27.3	78.7	27.7	78.6	28.0	78.5	28.7
-8.5	-9.1			80.8	26.2	80.7	26.9	80.5	27.6	80.4	27.9	80.3	28.2	80.2	28.9
-7.0	-7.6			83.8	26.6	83.6	27.3	83.5	28.0	83.4	28.3	83.3	28.6	83.2	29.3
-5.0	-5.6			88.0	27.2	87.9	27.8	87.7	28.5	87.5	28.7	87.4	29.0	87.3	29.7
-3.0	-3.7			92.3	27.7	92.1	28.4	90.4	28.2	87.5	27.1	84.6	26.0	78.8	23.9
0.0	-0.7			99.6	28.6	96.2	27.7	90.4	25.7	87.5	24.7	84.6	23.8	78.8	21.9
3.0	2.2			102	27.1	96.2	25.3	90.4	23.5	87.5	22.6	84.6	21.8	78.8	20.1
5.0	4.1			102	25.5	96.2	23.8	90.4	22.2	87.5	21.4	84.6	20.6	78.8	19.0
7.0	6.0			102	24.1	96.2	22.5	90.4	21.0	87.5	20.2	84.6	19.5	78.8	18.0
9.0	7.9			102	22.8	96.2	21.3	90.4	19.8	87.5	19.1	84.6	18.4	78.8	17.1
11.0	9.8			102	21.5	96.2	20.1	90.4	18.8	87.5	18.1	84.6	17.5	78.8	16.2
13.0	11.8			102	20.3	96.2	19.0	90.4	17.8	87.5	17.1	84.6	16.5	78.8	15.3
15.0	13.7			102	19.2	96.2	18.0	90.4	16.9	87.5	16.3	84.6	15.7	78.8	14.6
70%	630 (79.10 kW)			-19.8	-20.0	63.8	24.8	63.6	25.5	63.5	26.3	63.4	26.7	63.3	27.1
		-18.8	-19.0	64.9	25.0	64.8	25.8	64.6	26.5	64.6	26.9	64.5	27.3	64.3	28.0
		-16.7	-17.0	67.5	25.5	67.4	26.3	67.2	27.0	67.1	27.4	67.0	27.7	66.9	28.4
		-13.7	-15.0	70.4	26.1	70.2	26.8	70.1	27.5	70.0	27.8	69.9	28.2	69.8	28.9
		-11.8	-13.0	73.5	26.6	73.4	27.3	73.2	28.0	73.1	28.3	73.0	28.6	72.9	29.3
		-9.8	-11.0	76.9	27.2	76.8	27.8	76.6	28.4	76.6	28.8	76.5	29.1	76.4	29.8
		-9.5	-10.0	78.8	27.4	78.6	28.1	78.5	28.7	78.4	29.0	78.3	29.3	78.2	30.0
		-8.5	-9.1	80.5	27.7	80.3	28.3	79.1	28.3	76.6	27.2	74.0	26.1	68.9	24.0
		-7.0	-7.6	83.4	28.1	83.3	28.7	79.1	27.1	76.6	26.0	74.0	25.0	68.9	23.0
		-5.0	-5.6	87.7	28.6	84.2	27.4	79.1	25.5	76.6	24.5	74.0	23.6	68.9	21.7
		-3.0	-3.7	89.3	27.8	84.2	25.9	79.1	24.1	76.6	23.2	74.0	22.3	68.9	20.6
		0.0	-0.7	89.3	25.3	84.2	23.6	79.1	22.0	76.6	21.2	74.0	20.4	68.9	18.8
		3.0	2.2	89.3	23.2	84.2	21.7	79.1	20.2	76.6	19.5	74.0	18.7	68.9	17.3
		5.0	4.1	89.3	21.9	84.2	20.5	79.1	19.1	76.6	18.4	74.0	17.8	68.9	16.4
		7.0	6.0	89.3	20.7	84.2	19.4	79.1	18.1	76.6	17.5	74.0	16.8	68.9	15.6
		9.0	7.9	89.3	19.6	84.2	18.3	79.1	17.1	76.6	16.6	74.0	16.0	68.9	14.8
		11.0	9.8	89.3	18.5	84.2	17.4	79.1	16.3	76.6	15.7	74.0	15.2	68.9	14.1
		13.0	11.8	89.3	17.5	84.2	16.5	79.1	15.4	76.6	14.9	74.0	14.4	68.9	13.4
		15.0	13.7	89.3	16.6	84.2	15.6	79.1	14.7	76.6	14.2	74.0	13.7	68.9	12.7
		60%	540 (67.80 kW)	-19.8	-20.0	63.4	26.7	63.3	27.3	63.1	28.0	63.1	28.3	63.0	28.7
-18.8	-19.0			64.6	26.9	64.4	27.6	64.3	28.2	64.3	28.5	64.2	28.9	64.1	29.6
-16.7	-17.0			67.1	27.4	67.0	28.0	66.9	28.6	66.6	28.1	63.4	27.0	59.1	24.8
-13.7	-15.0			70.0	27.8	69.9	28.4	67.8	27.8	65.6	26.7	63.4	25.6	59.1	23.6
-11.8	-13.0			73.1	28.3	72.2	28.3	67.8	26.3	65.6	25.3	63.4	24.3	59.1	22.4
-9.8	-11.0			76.5	28.7	72.2	26.8	67.8	24.9	65.6	23.9	63.4	23.0	59.1	21.2
-9.5	-10.0			76.5	27.9	72.2	26.0	67.8	24.2	65.6	23.3	63.4	22.4	59.1	20.7
-8.5	-9.1			76.5	27.2	72.2	25.4	67.8	23.6	65.6	22.7	63.4	21.8	59.1	20.2
-7.0	-7.6			76.5	26.0	72.2	24.3	67.8	22.6	65.6	21.8	63.4	20.9	59.1	19.3
-5.0	-5.6			76.5	24.5	72.2	22.9	67.8	21.3	65.6	20.5	63.4	19.8	59.1	18.3
-3.0	-3.7			76.5	23.1	72.2	21.6	67.8	20.2	65.6	19.5	63.4	18.7	59.1	17.3
0.0	-0.7			76.5	21.2	72.2	19.8	67.8	18.5	65.6	17.9	63.4	17.2	59.1	16.0
3.0	2.2			76.5	19.4	72.2	18.2	67.8	17.0	65.6	16.5	63.4	15.9	59.1	14.7
5.0	4.1			76.5	18.4	72.2	17.3	67.8	16.2	65.6	15.6	63.4	15.1	59.1	14.0
7.0	6.0			76.5	17.4	72.2	16.4	67.8	15.3	65.6	14.8	63.4	14.3	59.1	13.3
9.0	7.9			76.5	16.5	72.2	15.5	67.8	14.6	65.6	14.1	63.4	13.6	59.1	12.7
11.0	9.8			76.5	15.7	72.2	14.8	67.8	13.9	65.6	13.4	63.4	13.0	59.1	12.1
13.0	11.8			76.5	14.9	72.2	14.0	67.8	13.2	65.6	12.7	63.4	12.3	59.1	11.5
15.0	13.7			76.5	14.2	72.2	13.3	67.8	12.5	65.6	12.1	63.4	11.7	59.1	11.0
50%	450 (56.50 kW)			-19.8	-20.0	63.0	28.6	60.1	27.2	56.5	25.2	54.7	24.3	52.9	23.3
		-18.8	-19.0	63.8	28.5	60.1	26.8	56.5	24.7	54.7	23.8	52.9	22.8	49.2	21.1
		-16.7	-17.0	63.8	27.1	60.1	25.3	56.5	23.5	54.7	22.7	52.9	21.8	49.2	20.1
		-13.7	-15.0	63.8	25.8	60.1	24.1	56.5	22.4	54.7	21.6	52.9	20.8	49.2	19.2
		-11.8	-13.0	63.8	24.5	60.1	22.9	56.5	21.3	54.7	20.5	52.9	19.8	49.2	18.3
		-9.8	-11.0	63.8	23.2	60.1	21.7	56.5	20.2	54.7	19.5	52.9	18.8	49.2	17.4
		-9.5	-10.0	63.8	22.5	60.1	21.1	56.5	19.7	54.7	19.0	52.9	18.3	49.2	16.9
		-8.5	-9.1	63.8	22.0	60.1	20.6	56.5	19.2	54.7	18.5	52.9	17.8	49.2	16.5
		-7.0	-7.6	63.8	21.1	60.1	19.7	56.5	18.4	54.7	17.8	52.9	17.1	49.2	15.9
		-5.0	-5.6	63.8	19.9	60.1	18.6	56.5	17.4	54.7	16.8	52.9	16.2	49.2	15.1
		-3.0	-3.7	63.8	18.8	60.1	17.7	56.5	16.5	54.7	16.0	52.9	15.4	49.2	14.3
		0.0	-0.7	63.8	17.3	60.1	16.3	56.5	15.2	54.7	14.7	52.9	14.2	49.2	13.2
		3.0	2.2	63.8	16.0	60.1	15.0	56.5	14.1	54.7	13.6	52.9	13.2	49.2	12.3
		5.0	4.1	63.8	15.2	60.									