

Combination (%)	Capacity index (kW)	Outdoor air temp. (°CDB)	Indoor air temperature														
			14.0 °CWB		16.0 °CWB		18.0 °CWB		19.0 °CWB		20.0 °CWB		22.0 °CWB		24.0 °CWB		
			20.0 °CDB		23.0 °CDB		26.0 °CDB		27.0 °CDB		28.0 °CDB		30.0 °CDB		32.0 °CDB		
			TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC
kW		kW		kW		kW		kW		kW		kW		kW		kW	
130	1300 (143.65)	10	96.9	15.3	116	18.7	134	22.3	140	23.0	142	22.6	145	21.6	149	20.6	
		12	96.9	15.6	116	19.1	134	22.7	138	22.9	140	22.4	144	21.5	147	21.1	
		14	96.9	15.9	116	19.5	134	23.1	136	22.8	138	22.3	142	22.1	145	22.3	
		16	96.9	16.2	116	19.8	133	23.1	135	23.0	136	23.1	140	23.3	143	23.5	
		18	96.9	16.5	116	20.2	131	24.0	133	24.2	135	24.3	138	24.5	142	24.7	
		20	96.9	16.8	116	21.5	129	25.2	131	25.3	133	25.5	136	25.7	140	26.0	
		21	96.9	17.3	116	22.3	128	25.8	130	25.9	132	26.1	135	26.3	139	26.6	
		23	96.9	18.5	116	23.9	127	27.0	128	27.1	130	27.2	134	27.5	137	27.8	
		25	96.9	19.8	116	25.6	125	28.2	126	28.3	128	28.4	132	28.7	135	29.0	
		27	96.9	21.2	116	27.4	123	29.3	125	29.5	126	29.6	130	29.9	133	30.3	
		29	96.9	22.6	116	29.3	121	30.5	123	30.7	125	30.8	128	31.2	132	31.5	
		31	96.9	24.1	116	31.3	119	31.7	121	31.9	123	32.1	126	32.4	130	32.7	
		33	96.9	25.7	114	32.6	117	32.9	119	33.1	121	33.3	124	33.6	128	34.0	
		35	96.9	27.4	112	33.7	116	34.1	117	34.3	119	34.5	123	34.9	126	35.3	
		37	96.9	29.1	110	34.9	114	35.3	116	35.5	117	35.7	121	36.1	124	36.5	
		39	96.9	31.0	109	36.1	112	36.5	114	36.8	116	37.0	119	37.4	123	37.8	
		120	1200 (132.60)	10	89.5	14.0	107	17.1	124	20.3	133	22.0	140	23.1	143	22.3	146
12	89.5			14.2	107	17.4	124	20.7	133	22.4	138	23.0	141	22.1	144	21.2	
14	89.5			14.5	107	17.7	124	21.1	133	22.8	136	22.9	139	22.0	142	22.2	
16	89.5			14.8	107	18.1	124	21.5	133	23.2	134	23.0	137	23.2	141	23.4	
18	89.5			15.1	107	18.4	124	22.2	131	24.0	132	24.1	136	24.3	139	24.6	
20	89.5			15.4	107	19.2	124	23.9	129	25.2	131	25.3	134	25.5	137	25.8	
21	89.5			15.5	107	19.9	124	24.8	128	25.8	130	25.9	133	26.1	136	26.4	
23	89.5			16.6	107	21.3	124	26.6	126	26.9	128	27.1	131	27.3	134	27.6	
25	89.5			17.7	107	22.8	123	28.0	124	28.1	126	28.3	129	28.5	132	28.8	
27	89.5			18.9	107	24.3	121	29.2	123	29.3	124	29.4	127	29.7	131	30.0	
29	89.5			20.2	107	26.0	119	30.3	121	30.5	122	30.6	126	30.9	129	31.2	
31	89.5			21.5	107	27.7	117	31.5	119	31.7	121	31.8	124	32.2	127	32.5	
33	89.5			22.9	107	29.6	116	32.7	117	32.9	119	33.1	122	33.4	125	33.7	
35	89.5			24.4	107	31.5	114	33.9	115	34.1	117	34.3	120	34.6	123	35.0	
37	89.5			25.9	107	33.6	112	35.1	114	35.3	115	35.5	118	35.9	122	36.2	
39	89.5			27.6	107	35.8	110	36.3	112	36.5	113	36.7	117	37.1	120	37.5	
110	1100 (121.55)			10	82.0	12.7	98	15.5	114	18.4	122	19.9	129	21.4	140	22.9	143
		12	82.0	12.9	98	15.8	114	18.7	122	20.2	129	21.8	139	22.8	142	22.0	
		14	82.0	13.2	98	16.0	114	19.1	122	20.6	129	22.2	137	22.7	140	22.0	
		16	82.0	13.4	98	16.4	114	19.4	122	21.0	129	22.6	135	23.0	138	23.2	
		18	82.0	13.7	98	16.7	114	19.8	122	21.6	129	23.7	133	24.2	136	24.4	
		20	82.0	13.9	98	17.0	114	21.0	122	23.2	128	25.1	131	25.4	134	25.6	
		21	82.0	14.1	98	17.5	114	21.8	122	24.0	127	25.7	130	25.9	133	26.2	
		23	82.0	14.7	98	18.8	114	23.3	122	25.8	126	26.9	129	27.1	132	27.4	
		25	82.0	15.7	98	20.1	114	25.0	122	27.6	124	28.1	127	28.3	130	28.6	
		27	82.0	16.8	98	21.4	114	26.7	121	29.1	122	29.3	125	29.5	128	29.8	
		29	82.0	17.9	98	22.9	114	28.5	119	30.3	120	30.4	123	30.7	126	31.0	
		31	82.0	19.0	98	24.4	114	30.5	117	31.5	118	31.6	121	31.9	124	32.2	
		33	82.0	20.3	98	26.0	114	32.5	115	32.7	117	32.8	120	33.1	123	33.4	
		35	82.0	21.6	98	27.7	112	33.7	113	33.9	115	34.0	118	34.3	121	34.7	
		37	82.0	22.9	98	29.5	110	34.9	111	35.1	113	35.2	116	35.6	119	35.9	
		39	82.0	24.4	98	31.4	108	36.1	110	36.3	111	36.4	114	36.8	117	37.2	
		100	1000 (110.50)	10	74.6	11.5	88.9	13.9	103	16.5	111	17.8	118	19.1	132	21.9	141
12	74.6			11.7	88.9	14.1	103	16.8	111	18.1	118	19.5	132	22.3	139	22.8	
14	74.6			11.9	88.9	14.4	103	17.1	111	18.5	118	19.9	132	22.7	137	22.6	
16	74.6			12.1	88.9	14.7	103	17.4	111	18.8	118	20.2	132	23.1	135	23.0	
18	74.6			12.3	88.9	15.0	103	17.8	111	19.2	118	20.6	131	24.0	133	24.2	
20	74.6			12.5	88.9	15.3	103	18.3	111	20.2	118	22.1	129	25.2	132	25.4	
21	74.6			12.7	88.9	15.4	103	18.9	111	20.9	118	22.9	128	25.8	131	26.0	
23	74.6			13.0	88.9	16.4	103	20.3	111	22.4	118	24.6	126	26.9	129	27.1	
25	74.6			13.9	88.9	17.6	103	21.7	111	24.0	118	26.3	124	28.1	127	28.3	
27	74.6			14.8	88.9	18.7	103	23.2	111	25.6	118	28.1	123	29.3	125	29.5	
29	74.6			15.7	88.9	20.0	103	24.8	111	27.4	118	30.1	121	30.5	123	30.7	
31	74.6			16.7	88.9	21.3	103	26.4	111	29.2	116	31.4	119	31.7	122	31.9	
33	74.6			17.8	88.9	22.7	103	28.2	111	31.2	114	32.6	117	32.9	120	33.2	
35	74.6			18.9	88.9	24.2	103	30.0	111	33.2	113	33.8	115	34.1	118	34.4	
37	74.6			20.1	88.9	25.7	103	32.0	109	34.8	111	35.0	113	35.3	116	35.6	
39	74.6			21.3	88.9	27.3	103	34.1	108	36.0	109	36.2	112	36.5	114	36.8	

4TW31462-1A

NOTES - ANMERKUNGEN - Σημειώσεις - NOTAS - REMARQUES - NOTE - OPMERKINGEN - примечания - NOTLAR

- The above table shows the average value of conditions which may occur.
Die obige Tabelle zeigt den Durchschnittswert der Bedingungen, die auftreten können.
 Στον παραπάνω πίνακα αναγράφεται η μέση τιμή για συνθήκες που μπορεί να προκύψουν.
La tabla de arriba muestra el valor medio de condiciones que pueden ocurrir.
 Le tableau ci-dessus donne la valeur moyenne pour des conditions qui peuvent survenir.
La tabella in alto mostra il valore delle condizioni medie che si possono riscontrare.
 De tabel hierboven geeft de gemiddelde waarde aan van situaties die kunnen voorvallen.
Таблица расположенная выше показывает среднее значение условий, которые могут наступить.
 Yukarıdaki tablo meydana gelebilecek koşulların ortalama değerini göstermektedir.