

Combination (%)	Capacity index (kW)	Outdoor air temp. (°CDB)	Indoor air temperature													
			14.0 °CWB		16.0 °CWB		18.0 °CWB		19.0 °CWB		20.0 °CWB		22.0 °CWB		24.0 °CWB	
			20.0 °CDB		23.0 °CDB		26.0 °CDB		27.0 °CDB		28.0 °CDB		30.0 °CDB		32.0 °CDB	
			TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI
kW		kW		kW		kW		kW		kW		kW		kW		
130	1430 (156.52)	10	106	17.0	126	20.8	146	24.8	152	25.3	154	24.8	157	23.7	161	22.6
		12	106	17.3	126	21.2	146	25.2	150	25.1	152	24.6	155	23.6	159	23.2
		14	106	17.6	126	21.6	146	25.5	148	25.0	150	24.5	153	24.3	157	24.5
		16	106	18.0	126	22.0	144	25.4	146	25.2	148	25.4	151	25.6	155	25.8
		18	106	18.3	126	22.5	142	26.4	144	26.5	146	26.6	150	26.9	153	27.2
		20	106	18.7	126	23.9	140	27.7	142	27.8	144	27.9	148	28.2	151	28.5
		21	106	19.2	126	24.8	139	28.3	141	28.5	143	28.6	147	28.9	150	29.2
		23	106	20.6	126	26.6	137	29.6	139	29.8	141	29.9	145	30.2	148	30.5
		25	106	22.0	126	28.5	135	30.9	137	31.1	139	31.2	143	31.5	146	31.9
		27	106	23.5	126	30.4	133	32.2	135	32.4	137	32.5	141	32.9	145	33.2
		29	106	25.1	126	32.5	131	33.5	133	33.7	135	33.9	139	34.2	143	34.6
		31	106	26.8	125	34.4	129	34.8	131	35.0	133	35.2	137	35.6	141	36.0
		33	106	28.5	123	35.7	127	36.1	129	36.3	131	36.5	135	36.9	139	37.3
		35	106	30.4	121	37.0	125	37.5	127	37.7	129	37.9	133	38.3	137	38.7
		37	106	32.4	119	38.3	123	38.8	125	39.0	127	39.2	131	39.7	135	40.1
		39	106	34.4	118	39.7	121	40.1	123	40.4	125	40.6	129	41.1	133	41.5
		120	1320 (144.48)	10	98	15.5	116	19.0	135	22.6	144	24.4	151	25.4	155	24.5
12	98			15.8	116	19.3	135	23.0	144	24.8	149	25.3	153	24.3	156	23.3
14	98			16.1	116	19.7	135	23.4	144	25.3	147	25.1	151	24.2	154	24.3
16	98			16.4	116	20.1	135	23.9	144	25.5	145	25.2	149	25.4	152	25.6
18	98			16.7	116	20.5	135	24.7	142	26.4	143	26.5	147	26.7	150	27.0
20	98			17.1	116	21.3	135	26.6	140	27.6	141	27.8	145	28.0	148	28.3
21	98			17.2	116	22.0	135	27.5	139	28.3	140	28.4	144	28.7	147	28.9
23	98			18.4	116	23.6	135	29.4	137	29.6	138	29.7	142	30.0	145	30.3
25	98			19.7	116	25.3	133	30.7	135	30.9	136	31.0	140	31.3	143	31.6
27	98			21.0	116	27.0	131	32.0	133	32.2	134	32.3	138	32.6	142	33.0
29	98			22.4	116	28.9	129	33.3	131	33.5	133	33.6	136	34.0	140	34.3
31	98			23.9	116	30.8	127	34.6	129	34.8	131	35.0	134	35.3	138	35.7
33	98			25.4	116	32.9	125	35.9	127	36.1	129	36.3	132	36.7	136	37.0
35	98			27.1	116	35.0	123	37.2	125	37.4	127	37.6	130	38.0	134	38.4
37	98			28.8	116	37.3	121	38.5	123	38.8	125	39.0	128	39.4	132	39.8
39	98			30.6	116	39.4	119	39.9	121	40.1	123	40.3	126	40.7	130	41.2
110	1210 (132.44)			10	89.4	14.1	107	17.2	124	20.4	132	22.1	141	23.7	152	25.2
		12	89.4	14.4	107	17.5	124	20.8	132	22.5	141	24.2	150	25.1	153	24.2
		14	89.4	14.6	107	17.8	124	21.2	132	22.9	141	24.6	148	24.9	151	24.2
		16	89.4	14.9	107	18.2	124	21.6	132	23.3	141	25.1	146	25.3	149	25.5
		18	89.4	15.2	107	18.5	124	22.0	132	24.0	141	26.3	144	26.5	147	26.8
		20	89.4	15.5	107	18.9	124	23.3	132	25.8	139	27.6	142	27.8	145	28.1
		21	89.4	15.6	107	19.5	124	24.2	132	26.7	138	28.2	141	28.5	144	28.7
		23	89.4	16.4	107	20.8	124	25.9	132	28.6	136	29.5	139	29.8	142	30.0
		25	89.4	17.5	107	22.3	124	27.7	132	30.7	134	30.8	137	31.1	141	31.4
		27	89.4	18.6	107	23.8	124	29.7	130	32.0	132	32.1	135	32.4	139	32.7
		29	89.4	19.9	107	25.4	124	31.7	129	33.3	130	33.4	133	33.7	137	34.0
		31	89.4	21.1	107	27.1	124	33.8	127	34.6	128	34.7	131	35.0	135	35.4
		33	89.4	22.5	107	28.9	123	35.7	125	35.9	126	36.0	129	36.4	133	36.7
		35	89.4	23.9	107	30.8	121	37.0	123	37.2	124	37.4	127	37.7	131	38.1
		37	89.4	25.5	107	32.8	119	38.3	121	38.5	122	38.7	126	39.1	129	39.4
		39	89.4	27.1	107	34.9	117	39.6	119	39.8	120	40.0	124	40.4	127	40.8
		100	1100 (120.40)	10	81.3	12.7	96.9	15.4	113	18.3	120	19.7	128	21.2	144	24.3
12	81.3			12.9	96.9	15.7	113	18.6	120	20.1	128	21.6	144	24.7	150	25.0
14	81.3			13.2	96.9	16.0	113	19.0	120	20.5	128	22.1	144	25.2	148	24.9
16	81.3			13.4	96.9	16.3	113	19.3	120	20.9	128	22.5	143	25.5	146	25.3
18	81.3			13.7	96.9	16.6	113	19.7	120	21.3	128	22.9	141	26.4	144	26.6
20	81.3			13.9	96.9	16.9	113	20.3	120	22.4	128	24.6	139	27.6	142	27.9
21	81.3			14.1	96.9	17.1	113	21.0	120	23.2	128	25.4	139	28.3	141	28.5
23	81.3			14.4	96.9	18.3	113	22.5	120	24.9	128	27.3	137	29.6	139	29.8
25	81.3			15.4	96.9	19.5	113	24.1	120	26.6	128	29.2	135	30.9	138	31.1
27	81.3			16.4	96.9	20.8	113	25.8	120	28.4	128	31.3	133	32.2	136	32.4
29	81.3			17.5	96.9	22.2	113	27.5	120	30.4	128	33.2	131	33.5	134	33.7
31	81.3			18.6	96.9	23.7	113	29.4	120	32.4	126	34.5	129	34.8	132	35.1
33	81.3			19.8	96.9	25.2	113	31.3	120	34.6	124	35.8	127	36.1	130	36.4
35	81.3			21.0	96.9	26.8	113	33.4	120	36.9	122	37.1	125	37.4	128	37.7
37	81.3			22.3	96.9	28.5	113	35.6	118	38.2	120	38.4	123	38.7	126	39.1
39	81.3			23.7	96.9	30.4	113	37.9	116	39.5	118	39.7	121	40.1	124	40.4

4TW31462-1A

NOTES - ANMERKUNGEN - Σημειώσεις - NOTAS - REMARQUES - NOTE - OPMERKINGEN - примечания - NOTLAR

- The above table shows the average value of conditions which may occur.
Die obige Tabelle zeigt den Durchschnittswert der Bedingungen, die auftreten können.
 Στον παραπάνω πίνακα αναγράφεται η μέση τιμή για συνθήκες που μπορεί να προκύψουν.
La tabla de arriba muestra el valor medio de condiciones que pueden ocurrir.
 Le tableau ci-dessus donne la valeur moyenne pour des conditions qui peuvent survenir.
La tabella in alto mostra il valore delle condizioni medie che si possono riscontrare.
 De tabel hierboven geeft de gemiddelde waarde aan van situaties die kunnen voorvallen.
Таблица расположенная выше показывает среднее значение условий, которые могут наступить.
 Yukarıdaki tablo meydana gelebilecek koşulların ortalama değerini göstermektedir.