

Combination (%)	Capacity index (kW)	Outdoor air temp. (°CDB)	Indoor air temperature														
			14.0 °CWB		16.0 °CWB		18.0 °CWB		19.0 °CWB		20.0 °CWB		22.0 °CWB		24.0 °CWB		
			20.0 °CDB		23.0 °CDB		26.0 °CDB		27.0 °CDB		28.0 °CDB		30.0 °CDB		32.0 °CDB		
			TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC	PI	TC
kW		kW		kW		kW		kW		kW		kW		kW		kW	
130	1690 (185.90)	10	125	21.5	150	26.3	174	31.2	180	31.9	182	31.2	187	29.9	191	28.6	
		12	125	21.9	150	26.8	174	31.8	178	31.7	180	31.1	185	29.7	189	29.3	
		14	125	22.3	150	27.3	173	32.2	175	31.6	178	30.9	182	30.7	187	30.9	
		16	125	22.7	150	27.8	171	32.1	173	31.8	175	32.0	180	32.3	184	32.6	
		18	125	23.1	150	28.4	169	33.3	171	33.5	173	33.6	178	34.0	182	34.3	
		20	125	23.6	150	30.2	166	34.9	168	35.1	171	35.3	175	35.6	180	36.0	
		21	125	24.3	150	31.3	165	35.7	167	35.9	170	36.1	174	36.5	179	36.8	
		23	125	26.0	150	33.5	163	37.4	165	37.6	167	37.8	172	38.1	176	38.5	
		25	125	27.8	150	35.9	160	39.0	163	39.2	165	39.4	169	39.8	174	40.2	
		27	125	29.7	150	38.4	158	40.6	160	40.9	163	41.1	167	41.5	172	41.9	
		29	125	31.7	150	41.1	156	42.3	158	42.5	160	42.7	165	43.2	169	43.7	
		31	125	33.8	149	43.5	153	44.0	156	44.2	158	44.4	162	44.9	167	45.4	
		33	125	36.0	147	45.1	151	45.6	153	45.9	156	46.1	160	46.6	165	47.1	
		35	125	38.3	144	46.7	149	47.3	151	47.6	153	47.8	158	48.4	162	48.9	
		37	125	40.8	142	48.4	146	49.0	149	49.2	151	49.5	155	50.1	160	50.7	
		39	125	43.5	140	50.1	144	50.6	146	50.9	149	51.2	153	51.8	158	52.4	
		120	1560 (171.60)	10	116	19.6	138	23.9	160	28.5	172	30.8	180	32.1	184	30.9	188
12	116			20.0	138	24.4	160	29.0	172	31.4	177	31.9	181	30.7	186	29.4	
14	116			20.3	138	24.9	160	29.6	172	32.0	175	31.7	179	30.5	183	30.7	
16	116			20.7	138	25.3	160	30.1	170	32.2	173	31.8	177	32.1	181	32.4	
18	116			21.1	138	25.8	160	31.2	168	33.3	170	33.4	174	33.7	179	34.0	
20	116			21.5	138	26.9	160	33.5	166	34.9	168	35.1	172	35.4	176	35.7	
21	116			21.8	138	27.8	160	34.7	165	35.7	167	35.9	171	36.2	175	36.5	
23	116			23.2	138	29.8	160	37.2	162	37.2	164	37.5	169	37.9	173	38.2	
25	116			24.8	138	31.9	158	38.8	160	39.0	162	39.2	166	39.5	170	39.9	
27	116			26.5	138	34.1	156	40.4	158	40.6	160	40.8	164	41.2	168	41.6	
29	116			28.3	138	36.4	153	42.0	155	42.3	157	42.5	162	42.9	166	43.3	
31	116			30.1	138	38.9	151	43.7	153	43.9	155	44.1	159	44.6	163	45.0	
33	116			32.1	138	41.5	149	45.3	151	45.6	153	45.8	157	46.3	161	46.7	
35	116			34.2	138	44.2	146	47.0	148	47.2	150	47.5	155	48.0	159	48.5	
37	116			36.4	138	47.1	144	48.6	146	48.9	148	49.2	152	49.7	156	50.2	
39	116			38.7	137	49.8	142	50.3	144	50.6	146	50.9	150	51.4	154	52.0	
110	1430 (157.30)			10	106	17.8	127	21.7	147	25.7	157	27.8	168	29.9	180	31.8	184
		12	106	18.1	127	22.1	147	26.2	157	28.4	168	30.5	178	31.6	182	30.5	
		14	106	18.5	127	22.5	147	26.7	157	28.9	168	31.1	176	31.5	180	30.5	
		16	106	18.8	127	22.9	147	27.3	157	29.5	168	31.7	174	31.9	177	32.1	
		18	106	19.2	127	23.4	147	27.8	157	30.3	167	33.2	171	33.5	175	33.8	
		20	106	19.5	127	23.9	147	29.4	157	32.5	165	34.8	169	35.1	173	35.4	
		21	106	19.7	127	24.6	147	30.5	157	33.7	164	35.6	168	36.0	172	36.3	
		23	106	20.6	127	26.3	147	32.7	157	36.2	162	37.3	165	37.6	169	37.9	
		25	106	22.0	127	28.1	147	35.0	157	38.7	159	38.9	163	39.2	167	39.6	
		27	106	23.5	127	30.1	147	37.4	155	40.4	157	40.5	161	40.9	165	41.3	
		29	106	25.1	127	32.1	147	40.0	153	42.0	155	42.2	158	42.6	162	42.9	
		31	106	26.7	127	34.2	147	42.7	150	43.6	152	43.8	156	44.2	160	44.6	
		33	106	28.4	127	36.5	146	45.1	148	45.3	150	45.5	154	45.9	158	46.3	
		35	106	30.2	127	38.9	144	46.7	146	46.9	148	47.1	151	47.6	155	48.1	
		37	106	32.1	127	41.4	141	48.3	143	48.6	145	48.8	149	49.3	153	49.8	
		39	106	34.2	127	44.1	139	50.0	141	50.2	143	50.5	147	51.0	151	51.5	
		100	1300 (143.00)	10	96.5	16.1	115	19.5	134	23.1	143	24.9	152	26.8	171	30.6	181
12	96.5			16.3	115	19.8	134	23.5	143	25.4	152	27.3	171	31.2	178	31.5	
14	96.5			16.6	115	20.2	134	23.9	143	25.9	152	27.8	171	31.8	176	31.4	
16	96.5			16.9	115	20.6	134	24.4	143	26.4	152	28.4	170	32.2	174	31.9	
18	96.5			17.2	115	21.0	134	24.9	143	26.9	152	28.9	168	33.3	171	33.5	
20	96.5			17.6	115	21.4	134	25.6	143	28.3	152	31.0	166	34.9	169	35.2	
21	96.5			17.7	115	21.6	134	26.6	143	29.3	152	32.1	165	35.7	168	36.0	
23	96.5			18.2	115	23.0	134	28.4	143	31.4	152	34.4	162	37.3	166	37.6	
25	96.5			19.4	115	24.6	134	30.4	143	33.6	152	36.9	160	39.0	163	39.3	
27	96.5			20.7	115	26.3	134	32.5	143	35.9	152	39.5	158	40.6	161	40.9	
29	96.5			22.1	115	28.0	134	34.7	143	38.4	152	41.9	155	42.2	159	42.6	
31	96.5			23.5	115	29.9	134	37.1	143	41.0	149	43.5	153	43.9	156	44.3	
33	96.5			25.0	115	31.8	134	39.5	143	43.7	147	45.2	151	45.6	154	45.9	
35	96.5			26.5	115	33.9	134	42.1	143	46.6	145	46.8	148	47.2	152	47.6	
37	96.5			28.2	115	36.0	134	44.9	141	48.2	142	48.5	146	48.9	149	49.3	
39	96.5			29.9	115	38.3	134	47.8	138	49.9	140	50.1	144	50.6	147	51.0	

4TW31462-1A

NOTES - ANMERKUNGEN - Σημειώσεις - NOTAS - REMARQUES - NOTE - OPMERKINGEN - примечания - NOTLAR

- The above table shows the average value of conditions which may occur.
Die obige Tabelle zeigt den Durchschnittswert der Bedingungen, die auftreten können.
 Στον παραπάνω πίνακα αναγράφεται η μέση τιμή για συνθήκες που μπορεί να προκύψουν.
La tabla de arriba muestra el valor medio de condiciones que pueden ocurrir.
 Le tableau ci-dessus donne la valeur moyenne pour des conditions qui peuvent survenir.
La tabella in alto mostra il valore delle condizioni medie che si possono riscontrare.
 De tabel hierboven geeft de gemiddelde waarde aan van situaties die kunnen voorvallen.
Таблица расположенная выше показывает среднее значение условий, которые могут наступить.
 Yukarıdaki tablo meydana gelebilecek koşulların ortalama değerini göstermektedir.