

<b>VRV5</b>	<b>R32 models</b>
<b>Heat recovery</b>	
<b>Option list</b>	

Description	Option	REYA*A*								REMA*A*	Multi-2- unit
		8	10	12	14	16	18	20	5		
Low ambient option	EKBPH012TA	0	0	0	-	-	-	-	0	0 (*1)	
Bottom plate heater	EKBPH020TA	-	-	-	0	0	0	0	-	0 (*1)	
Demand adaptor kit (*3)	DTA104A*	0	0	0	0 (*2)	0 (*2)	0 (*2)	0 (*2)	0	0	
External control adapter (*3)	DTA109A51*	0	0	0	0 (*2)	0 (*2)	0 (*2)	0 (*2)	0	0	
Refnet header	KHRQ23M29H	0	0	0	0	0	0	0	0	0	
	KHRQ23M64H	-	-	0	0	0	0	0	-	0	
	KHRQ23M75H	-	-	-	-	-	-	-	-	0	
Refnet joint	KHRQ23M20T	0	0	0	0	0	0	0	0	0	
	KHRQ23M29T9	0	0	0	0	0	0	0	0	0	
	KHRQ23M64T	-	-	0	0	0	0	0	-	0	
	KHRQ23M75T	-	-	-	-	-	-	-	-	0	
Refrigerant branch kit	BHFQ23P907A	-	-	-	-	-	-	-	-	0	

\*1 -1- option kits are required per unit.

\*2 These options require mounting plate -EKS26B1-.

\*3 Because both adaptor PCBs have the same installation location, it is only possible to install either -DTA104A- or -DTA109A51-.

Remote controllers and centralised controllers with R32 safety system functionality

Nr.	Item	Sound pressure level of built-in alarm	Mode			
			Fully functional	Alarm only	Supervisor	
			Built-in alarm	Built-in alarm	Built-in alarm	External alarm connection
1	BRC1H52/82*	-65- dBA at -1- m	0	0	0	-
2	DCM601A51 (*4)	Not applicable	-	-	-	0 (*6)
3	DCM601B51 (*5)	-65- dBA at -1- m	-	-	0	0 (*6)

\*4 From software version -1.28.00- onwards.

\*5 From software version -1.32.00- onwards.

\*6 via WAGO module